

t3_polyred (TMXjrXHsQrecPkHRBBc- cAh3cHtRRxmoNk5y)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k15_pre_poly : \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r2_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k4_polynom1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_vfunct_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k7_polynom1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k6_polynom1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k14_pre_poly : \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v1_partfun1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge \\ & ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge (l2_algstr_0 X1)))))) \Rightarrow (\\ & \forall X2. ((v1_funct_1 X2) \wedge ((v1_funct_2 X2 (k15_pre_poly X0) \\ & (u1_struct_0 X1)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\ & (k15_pre_poly X0) (u1_struct_0 X1)))))) \Rightarrow (r2_funct_2 (k15_pre_poly \\ & X0) (u1_struct_0 X1) (k6_polynom1 X0 X1 X2 X2) (k7_polynom1 X0 X1))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge \\ & ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge (l2_algstr_0 X1)))))) \Rightarrow (\\ & \forall X2. ((v1_funct_1 X2) \wedge ((v1_funct_2 X2 (k15_pre_poly X0) \\ & (u1_struct_0 X1)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\ & (k15_pre_poly X0) (u1_struct_0 X1)))))) \Rightarrow (r2_funct_2 (k15_pre_poly \\ & X0) (u1_struct_0 X1) X2 (k5_vfunct_1 (k15_pre_poly X0) X1 (k5_vfunct_1 \\ & (k15_pre_poly X0) X1 X2)))) \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.(((v1_funct_1 X2)\wedge \\ & ((v1_funct_2 X2 X0 X1)\wedge(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\ & X0 X1)))))\wedge((v1_funct_1 X3)\wedge((v1_funct_2 X3 X0 X1)\wedge(m1_subset_1 \\ & X3 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))))))\Rightarrow((r2_funct_2 X0 X1 X2 \\ & X3)\Leftrightarrow(X2 = X3)) \end{aligned} \quad (3)$$

Assume the following.

$$\forall X0.k15_pre_poly X0 = k14_pre_poly X0 \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.((\neg v1_xboole_0 X0)\wedge(((\neg v2_struct_0 \\ & X1)\wedge(l2_algstr_0 X1))\wedge((v1_funct_1 X2)\wedge((v1_funct_2 X2 X0 (u1_struct_0 \\ & X1))\wedge(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 (u1_struct_0 \\ & X1))))))))\Rightarrow((v1_funct_1 (k5_vfunct_1 X0 X1 X2))\wedge(v1_partfun1 \\ & (k5_vfunct_1 X0 X1 X2) X0)) \end{aligned} \quad (5)$$

Assume the following.

$$\forall X0.\neg v1_xboole_0 (k14_pre_poly X0) \quad (6)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.((\neg v1_xboole_0 X0)\wedge(((\neg v2_struct_0 \\ & X1)\wedge(l2_algstr_0 X1))\wedge((v1_funct_1 X2)\wedge(m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 (u1_struct_0 X1)))))))\Rightarrow((v1_funct_1 (k5_vfunct_1 \\ & X0 X1 X2))\wedge(m1_subset_1 (k5_vfunct_1 X0 X1 X2) (k1_zfmisc_1 (k2_zfmisc_1 \\ & X0 (u1_struct_0 X1)))))) \end{aligned} \quad (7)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.((\neg v2_struct_0 X1)\wedge((v13_algstr_0 X1)\wedge \\ & ((v3_rlvect_1 X1)\wedge((v4_rlvect_1 X1)\wedge(l2_algstr_0 X1))))\Rightarrow(\\ & \forall X2.((v1_funct_1 X2)\wedge((v1_funct_2 X2 (k15_pre_poly X0) \\ & (u1_struct_0 X1))\wedge(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\ & (k15_pre_poly X0) (u1_struct_0 X1))))))\Rightarrow(\forall X3.((v1_funct_1 \\ & X3)\wedge((v1_funct_2 X3 (k15_pre_poly X0) (u1_struct_0 X1))\wedge(m1_subset_1 \\ & X3 (k1_zfmisc_1 (k2_zfmisc_1 (k15_pre_poly X0) (u1_struct_0 X1))))))\Rightarrow \\ & (k6_polynom1 X0 X1 X2 X3 = k4_polynom1 X0 X1 X2 (k5_vfunct_1 (k15_pre_poly \\ & X0) X1 X3))) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1)))\Rightarrow((v1_partfun1 X2 X0)\Rightarrow(v1_funct_2 X2 X0 X1)) \end{aligned} \quad (9)$$

Theorem 1

$$\begin{aligned} & \forall X0. \forall X1. ((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge \\ & ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge (l2_algstr_0 X1)))))) \Rightarrow (\\ & \forall X2. ((v1_funct_1 X2) \wedge ((v1_funct_2 X2 (k15_pre_poly X0) \\ & (u1_struct_0 X1)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\ & (k15_pre_poly X0) (u1_struct_0 X1)))))) \Rightarrow ((r2_funct_2 (k15_pre_poly \\ & X0) (u1_struct_0 X1) (k4_polynom1 X0 X1 (k5_vfunct_1 (k15_pre_poly \\ & X0) X1 X2) X2) (k7_polynom1 X0 X1)) \wedge (r2_funct_2 (k15_pre_poly X0) \\ & (u1_struct_0 X1) (k4_polynom1 X0 X1 X2 (k5_vfunct_1 (k15_pre_poly \\ & X0) X1 X2)) (k7_polynom1 X0 X1)))) \end{aligned}$$