

t3_real_lat (TML- HnE8pGAEmN7v1hgYTB8hFb4QESJZyXhy)

October 27, 2020

Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k3_real_lat : \iota$ be given. Let $k1_binop_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_real_lat : \iota$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k5_binop_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_lattices : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_lattices : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $g3_lattices : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v3_lattices : \iota \Rightarrow o$ be given. Let $l2_lattices : \iota \Rightarrow o$ be given. Let $u2_lattices : \iota \Rightarrow \iota$ be given. Let $l3_lattices : \iota \Rightarrow o$ be given. Let $l1_lattices : \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Let $k1_real_lat : \iota$ be given. Let $u1_lattices : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall X0.(m1_subset_1 X0 (u1_struct_0 k3_real_lat)) \Rightarrow (\forall X1. \\ & (m1_subset_1 X1 (u1_struct_0 k3_real_lat)) \Rightarrow (k1_binop_1 k2_real_lat \\ & X0 X1 = k1_binop_1 k2_real_lat X1 X0)) \end{aligned} \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.(((v1_funct_1 X1) \wedge \\ & ((v1_funct_2 X1 (k2_zfmisc_1 X0 X0) X0) \wedge (m1_subset_1 X1 (k1_zfmisc_1 \\ & (k2_zfmisc_1 (k2_zfmisc_1 X0 X0) X0)))))) \wedge ((m1_subset_1 X2 X0) \wedge \\ & (m1_subset_1 X3 X0))) \Rightarrow (k5_binop_1 X0 X1 X2 X3 = k1_binop_1 X1 X2 X3) \end{aligned} \quad (2)$$

Assume the following.

$$\begin{aligned} & \forall X0.(m1_subset_1 X0 (u1_struct_0 k3_real_lat)) \Rightarrow (\forall X1. \\ & (m1_subset_1 X1 (u1_struct_0 k3_real_lat)) \Rightarrow (k2_lattices k3_real_lat \\ & X0 (k1_lattices k3_real_lat X0 X1) = X0)) \end{aligned} \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0.(m1_subset_1 X0 (u1_struct_0 k3_real_lat)) \Rightarrow (\forall X1. \\ & (m1_subset_1 X1 (u1_struct_0 k3_real_lat)) \Rightarrow (k1_lattices k3_real_lat \\ & (k2_lattices k3_real_lat X0 X1) X1 = X1)) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0.(m1_subset_1 X0 (u1_struct_0 k3_real_lat)) \Rightarrow (\forall X1. \\ & (m1_subset_1 X1 (u1_struct_0 k3_real_lat)) \Rightarrow (\forall X2.(m1_subset_1 \\ & X2 (u1_struct_0 k3_real_lat)) \Rightarrow (k1_lattices k3_real_lat X0 (k1_lattices \\ & k3_real_lat X1 X2) = k1_lattices k3_real_lat (k1_lattices k3_real_lat \\ & X0 X1) X2))) \end{aligned} \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0.(m1_subset_1 X0 (u1_struct_0 k3_real_lat)) \Rightarrow (\forall X1. \\ & (m1_subset_1 X1 (u1_struct_0 k3_real_lat)) \Rightarrow (k1_lattices k3_real_lat \\ & X0 X1 = k1_lattices k3_real_lat X1 X0)) \end{aligned} \quad (6)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(((v1_funct_1 X1) \wedge ((v1_funct_2 \\ & X1 (k2_zfmisc_1 X0 X0) X0) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 \\ & (k2_zfmisc_1 X0 X0) X0)))))) \wedge ((v1_funct_1 X2) \wedge ((v1_funct_2 X2 \\ & (k2_zfmisc_1 X0 X0) X0) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\ & (k2_zfmisc_1 X0 X0) X0)))))) \Rightarrow (\forall X3.\forall X4.\forall X5. \\ & (g3_lattices X0 X1 X2 = g3_lattices X3 X4 X5) \Rightarrow ((X0 = X3) \wedge ((X1 = X4) \wedge \\ & (X2 = X5)))) \end{aligned} \quad (7)$$

Assume the following.

$$(\neg v2_struct_0 k3_real_lat) \wedge (v3_lattices k3_real_lat) \quad (8)$$

Assume the following.

$$\begin{aligned} & \forall X0.(l2_lattices X0) \Rightarrow ((v1_funct_1 (u2_lattices X0)) \wedge \\ & ((v1_funct_2 (u2_lattices X0) (k2_zfmisc_1 (u1_struct_0 X0) (\\ & u1_struct_0 X0)) (u1_struct_0 X0)) \wedge (m1_subset_1 (u2_lattices \\ & X0) (k1_zfmisc_1 (k2_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (\\ & u1_struct_0 X0)) (u1_struct_0 X0)))))) \end{aligned} \quad (9)$$

Assume the following.

$$\forall X0.(l3_lattices X0) \Rightarrow ((l1_lattices X0) \wedge (l2_lattices X0)) \quad (10)$$

Assume the following.

$$(v3_lattices k3_real_lat) \wedge (l3_lattices k3_real_lat) \quad (11)$$

Assume the following.

$$\begin{aligned} & (v1_funct_1 k2_real_lat) \wedge ((v1_funct_2 k2_real_lat (k2_zfmisc_1 \\ & k1_numbers k1_numbers) k1_numbers) \wedge (m1_subset_1 k2_real_lat \\ & (k1_zfmisc_1 (k2_zfmisc_1 (k2_zfmisc_1 k1_numbers k1_numbers) \\ & k1_numbers)))) \end{aligned} \quad (12)$$

Assume the following.

$$(v1_funct_1\ k1_real_lat) \wedge ((v1_funct_2\ k1_real_lat\ (k2_zfmisc_1\ k1_numbers\ k1_numbers)\ k1_numbers) \wedge (m1_subset_1\ k1_real_lat\ (k1_zfmisc_1\ (k2_zfmisc_1\ (k2_zfmisc_1\ k1_numbers\ k1_numbers)\ k1_numbers)))) \quad (13)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(((\neg v2_struct_0\ X0) \wedge (l2_lattices\ X0)) \wedge ((m1_subset_1\ X1\ (u1_struct_0\ X0)) \wedge (m1_subset_1\ X2\ (u1_struct_0\ X0)))) \Rightarrow (m1_subset_1\ (k1_lattices\ X0\ X1\ X2)\ (u1_struct_0\ X0)) \quad (14)$$

Assume the following.

$$k3_real_lat = g3_lattices\ k1_numbers\ k2_real_lat\ k1_real_lat \quad (15)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0\ X0) \wedge (l2_lattices\ X0)) \Rightarrow (\forall X1.\ (m1_subset_1\ X1\ (u1_struct_0\ X0)) \Rightarrow (\forall X2.(m1_subset_1\ X2\ (u1_struct_0\ X0)) \Rightarrow (k1_lattices\ X0\ X1\ X2 = k5_binop_1\ (u1_struct_0\ X0)\ (u2_lattices\ X0)\ X1\ X2)))) \quad (16)$$

Assume the following.

$$\forall X0.(l3_lattices\ X0) \Rightarrow ((v3_lattices\ X0) \Rightarrow (X0 = g3_lattices\ (u1_struct_0\ X0)\ (u2_lattices\ X0)\ (u1_lattices\ X0))) \quad (17)$$

Theorem 1

$$\forall X0.(m1_subset_1\ X0\ (u1_struct_0\ k3_real_lat)) \Rightarrow (\forall X1.\ (m1_subset_1\ X1\ (u1_struct_0\ k3_real_lat)) \Rightarrow (\forall X2.(m1_subset_1\ X2\ (u1_struct_0\ k3_real_lat)) \Rightarrow ((k1_binop_1\ k2_real_lat\ X0\ (k1_binop_1\ k2_real_lat\ X1\ X2) = k1_binop_1\ k2_real_lat\ (k1_binop_1\ k2_real_lat\ X1\ X2)\ X0) \wedge ((k1_binop_1\ k2_real_lat\ X0\ (k1_binop_1\ k2_real_lat\ X1\ X2) = k1_binop_1\ k2_real_lat\ (k1_binop_1\ k2_real_lat\ X0\ X1)\ X2) \wedge ((k1_binop_1\ k2_real_lat\ X0\ (k1_binop_1\ k2_real_lat\ X1\ X2) = k1_binop_1\ k2_real_lat\ (k1_binop_1\ k2_real_lat\ X1\ X0)\ X2) \wedge ((k1_binop_1\ k2_real_lat\ X0\ (k1_binop_1\ k2_real_lat\ X1\ X2) = k1_binop_1\ k2_real_lat\ (k1_binop_1\ k2_real_lat\ X2\ X0)\ X1) \wedge ((k1_binop_1\ k2_real_lat\ X0\ (k1_binop_1\ k2_real_lat\ X1\ X2) = k1_binop_1\ k2_real_lat\ (k1_binop_1\ k2_real_lat\ X2\ X1)\ X0) \wedge (k1_binop_1\ k2_real_lat\ X0\ (k1_binop_1\ k2_real_lat\ X1\ X2) = k1_binop_1\ k2_real_lat\ (k1_binop_1\ k2_real_lat\ X0\ X2)\ X1)))))))))) \quad (18)$$