

t3_rlvect_1
(TMSGHNpdj42Qn9Fs2Lh4Gijxmj1SfitjLvC)

October 27, 2020

Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $v6_algstr_0 : \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_algstr_0 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $v3_algstr_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_struct_0 : \iota \Rightarrow \iota$ be given. Let $v10_algstr_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0.(l2_algstr_0 X0) \Rightarrow ((l2_struct_0 X0) \wedge (l1_algstr_0 X0)) \quad (1)$$

Assume the following.

$$\forall X0.(l1_algstr_0 X0) \Rightarrow ((v6_algstr_0 X0) \Leftrightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (v3_algstr_0 X1 X0))) \quad (2)$$

Assume the following.

$$\forall X0.(l2_algstr_0 X0) \Rightarrow ((v4_rlvect_1 X0) \Leftrightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (k1_algstr_0 X0 X1 (k4_struct_0 X0) = X1))) \quad (3)$$

Assume the following.

$$\forall X0.(l1_algstr_0 X0) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow ((v3_algstr_0 X1 X0) \Leftrightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow ((k1_algstr_0 X0 X2 X1 = k1_algstr_0 X0 X3 X1) \Rightarrow (X2 = X3)))))) \quad (4)$$

Assume the following.

$$\forall X0.(l1_algstr_0 X0) \Rightarrow ((v3_rlvect_1 X0) \Leftrightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow ((k1_algstr_0 X0 (k1_algstr_0 X0 X1 X2) X3 = k1_algstr_0 X0 X1 (k1_algstr_0 X0 X2 X3))))))) \quad (5)$$

Assume the following.

$$\begin{aligned} \forall X0.(l2_algstr_0 X0) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 \\ X0)) \Rightarrow ((v10_algstr_0 X1 X0) \Leftrightarrow (\exists X2.(m1_subset_1 X2 (u1_struct_0 \\ X0)) \wedge (k1_algstr_0 X0 X1 X2 = k4_struct_0 X0)))) \end{aligned} \quad (6)$$

Assume the following.

$$\begin{aligned} \forall X0.((v13_algstr_0 X0) \wedge (l2_algstr_0 X0)) \Rightarrow (\forall X1. \\ (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (v10_algstr_0 X1 X0)) \end{aligned} \quad (7)$$

Theorem 1

$$\begin{aligned} \forall X0.((v13_algstr_0 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 \\ X0) \wedge (l2_algstr_0 X0)))) \Rightarrow (v6_algstr_0 X0) \end{aligned}$$