

t3_scmpds_1
(TMQLee828LXhd4cRjczgCUFtvDxKHbv5RAj)

October 27, 2020

Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_ami_2 : \iota$ be given. Let $k2_ami_2 : \iota$ be given. Let $k2_xboole_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_numbers : \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_scm_inst : \iota$ be given. Assume the following.

$$\forall X0. \forall X1. (m1_subset_1 X0 X1) \Rightarrow ((v1_xboole_0 X1) \vee (X0 \in X1)) \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. ((\neg v1_xboole_0 X0) \wedge ((\neg v1_xboole_0 X1) \wedge (m1_subset_1 X1 (k1_zfmisc_1 X0)))) \Rightarrow (\forall X2. (m2_subset_1 X2 X0 X1) \Leftrightarrow (m1_subset_1 X2 X1)) \quad (2)$$

Assume the following.

$$k2_ami_2 = k2_scm_inst \quad (3)$$

Assume the following.

$$\neg v1_xboole_0 k2_scm_inst \quad (4)$$

Assume the following.

$$\neg v1_xboole_0 k1_ami_2 \quad (5)$$

Assume the following.

$$m1_subset_1 k2_ami_2 (k1_zfmisc_1 k1_ami_2) \quad (6)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. (X2 = k2_xboole_0 X0 X1) \Leftrightarrow (\forall X3. (X3 \in X2) \Leftrightarrow ((X3 \in X0) \vee (X3 \in X1))) \quad (7)$$

Theorem 1

$$\forall X0. (m2_subset_1 X0 k1_ami_2 k2_ami_2) \Rightarrow (X0 \in k2_xboole_0 k2_ami_2 k4_numbers)$$