

t3_scmring3

(TMW7kgVxA4DzocJsPe3dHyFJYWYt2EmSkj6)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $v4_vectsp_1 : \iota \Rightarrow o$ be given. Let $v5_vectsp_1 : \iota \Rightarrow o$ be given. Let $l6_algstr_0 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k1_scmring2 : \iota \Rightarrow \iota$ be given. Let $k4_struct_0 : \iota \Rightarrow \iota$ be given. Let $v1_ami_2 : \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k6_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_tarski : \iota \Rightarrow \iota$ be given. Let $k2_ami_2 : \iota$ be given. Let $k4_xboole_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_ordinal1 : \iota$ be given. Let $v1_finset_1 : \iota \Rightarrow o$ be given. Let $l1_memstr_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_extpro_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l1_compos_1 : \iota \Rightarrow o$ be given. Let $v1_extpro_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $np_2 : \iota$ be given. Let $v5_finset_1 : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} \forall X0. (&(\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ &X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v3_group_1 X0) \wedge (\\ &(v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow \\ &(k4_struct_0 (k1_scmring2 X0) = k5_numbers) \end{aligned} \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. (m1_subset_1 X0 X1) \Rightarrow ((v1_xboole_0 X1) \vee (X0 \in X1)) \quad (2)$$

Assume the following.

$$\begin{aligned} \forall X0. (&(\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ &X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v3_group_1 X0) \wedge (\\ &(v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow \\ &(k6_subset_1 (u1_struct_0 (k1_scmring2 X0)) (k1_tarski k5_numbers) = \\ &k2_ami_2) \end{aligned} \quad (3)$$

Assume the following.

$$\forall X0. \forall X1. k6_subset_1 X0 X1 = k4_xboole_0 X0 X1 \quad (4)$$

Assume the following.

$$k5_numbers = k4_ordinal1 \quad (5)$$

Assume the following.

$$\neg v1_finset_1 k4_ordinal1 \quad (6)$$

Assume the following.

$$\forall X0.\forall X1.(l1_memstr_0 X1 X0)\Rightarrow(l2_struct_0 X1) \quad (7)$$

Assume the following.

$$\forall X0.\forall X1.(l1_extpro_1 X1 X0)\Rightarrow((l1_memstr_0 X1 X0)\wedge(l1_compos_1 X1)) \quad (8)$$

Assume the following.

$$\forall X0.(l2_struct_0 X0)\Rightarrow(m1_subset_1 (k4_struct_0 X0) (u1_struct_0 X0)) \quad (9)$$

Assume the following.

$$\begin{aligned} &\forall X0.((\neg v2_struct_0 X0)\wedge((v13_algstr_0 X0)\wedge((v2_rlvect_1 \\ &X0)\wedge((v3_rlvect_1 X0)\wedge((v4_rlvect_1 X0)\wedge((v3_group_1 X0)\wedge \\ &(v4_vectsp_1 X0)\wedge((v5_vectsp_1 X0)\wedge(l6_algstr_0 X0))))))\Rightarrow \\ &((v1_extpro_1 (k1_scmring2 X0) np_2)\wedge(l1_extpro_1 (k1_scmring2 \\ &X0) np_2)) \end{aligned} \quad (10)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(X2 = k4_xboole_0 X0 X1)\Leftrightarrow(\forall X3. (X3 \in X2)\Leftrightarrow((X3 \in X0)\wedge(\neg X3 \in X1))) \quad (11)$$

Assume the following.

$$\forall X0.\forall X1.(X1 = k1_tarski X0)\Leftrightarrow(\forall X2.(X2 \in X1)\Leftrightarrow (X2 = X0)) \quad (12)$$

Assume the following.

$$\forall X0.(v1_ami_2 X0)\Leftrightarrow(X0 \in k2_ami_2) \quad (13)$$

Assume the following.

$$\forall X0.(v5_finset_1 X0)\Rightarrow(\forall X1.(m1_subset_1 X1 X0)\Rightarrow (v1_finset_1 X1)) \quad (14)$$

Assume the following.

$$\forall X0.(v1_xboole_0 X0)\Rightarrow(v5_finset_1 X0) \quad (15)$$

Theorem 1

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge (v13_algstr_0 X0) \wedge (v2_rlvect_1 \\ & X0) \wedge (v3_rlvect_1 X0) \wedge (v4_rlvect_1 X0) \wedge (v3_group_1 X0) \wedge \\ & (v4_vectsp_1 X0) \wedge (v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)) \Rightarrow \\ & (\forall X1. (m1_subset_1 X1 (u1_struct_0 (k1_scmring2 X0))) \Rightarrow \\ & ((X1 = k4_struct_0 (k1_scmring2 X0)) \vee (v1_ami_2 X1) \wedge (m1_subset_1 \\ & X1 (u1_struct_0 (k1_scmring2 X0))))) \end{aligned}$$