

t3_waybel22

(TMHdLbxP9Vo74ayv5aEuabBfWKnYzCooepX)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_orders_2 : \iota \Rightarrow o$ be given. Let $v17_waybel_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_struct_0 : \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k7_relat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_relat_1 : \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k7_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k6_partfun1 : \iota \Rightarrow \iota$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k2_yellow_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r3_waybel_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r2_yellow_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0. \forall X1. (m1_subset_1 X1 (k1_zfmisc_1 X0)) \Rightarrow (k7_relat_1 (k4_relat_1 X0) X1 = X1) \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. (m1_subset_1 X0 X1) \Rightarrow ((v1_xboole_0 X1) \vee (X0 \in X1)) \quad (2)$$

Assume the following.

$$\forall X0. \forall X1. (X0 \in X1) \Rightarrow (k1_funct_1 (k4_relat_1 X1) X0 = X0) \quad (3)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. \forall X3. (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \Rightarrow (k7_relset_1 X0 X1 X2 X3 = k7_relat_1 X2 X3) \quad (4)$$

Assume the following.

$$\forall X0. k6_partfun1 X0 = k4_relat_1 X0 \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.((\neg v1_xboole_0 X0)\wedge \\ & (((v1_funct_1 X2)\wedge((v1_funct_2 X2 X0 X1)\wedge(m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1))))))\wedge(m1_subset_1 X3 X0)))\Rightarrow(k3_funct_2 X0 \\ & X1 X2 X3 = k1_funct_1 X2 X3) \end{aligned} \quad (6)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0)\wedge(l1_struct_0 X0))\Rightarrow(\neg v1_xboole_0 (u1_struct_0 X0)) \quad (7)$$

Assume the following.

$$\forall X0.(l1_orders_2 X0)\Rightarrow(l1_struct_0 X0) \quad (8)$$

Assume the following.

$$\begin{aligned} & \forall X0.(l1_struct_0 X0)\Rightarrow((v1_funct_1 (k3_struct_0 X0))\wedge \\ & ((v1_funct_2 (k3_struct_0 X0) (u1_struct_0 X0) (u1_struct_0 X0))\wedge \\ & (m1_subset_1 (k3_struct_0 X0) (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 \\ & X0) (u1_struct_0 X0)))))) \end{aligned} \quad (9)$$

Assume the following.

$$\forall X0.\forall X1.(l1_orders_2 X0)\Rightarrow(m1_subset_1 (k2_yellow_0 X0 X1) (u1_struct_0 X0)) \quad (10)$$

Assume the following.

$$\forall X0.(l1_struct_0 X0)\Rightarrow(k3_struct_0 X0 = k6_partfun1 (u1_struct_0 X0)) \quad (11)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0)\wedge(l1_orders_2 X0))\Rightarrow(\forall X1. \\ & ((\neg v2_struct_0 X1)\wedge(l1_orders_2 X1))\Rightarrow(\forall X2.((v1_funct_1 \\ & X2)\wedge((v1_funct_2 X2 (u1_struct_0 X0) (u1_struct_0 X1))\wedge(m1_subset_1 \\ & X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X1))))))\Rightarrow \\ & ((v17_waybel_0 X2 X0 X1)\Leftrightarrow(\forall X3.(m1_subset_1 X3 (k1_zfmisc_1 \\ & (u1_struct_0 X0)))\Rightarrow(r3_waybel_0 X0 X1 X2 X3)))))) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge (l1_orders_2 X0)) \Rightarrow (\forall X1. \\
& ((\neg v2_struct_0 X1) \wedge (l1_orders_2 X1)) \Rightarrow (\forall X2.((v1_funct_1 \\
& X2) \wedge ((v1_funct_2 X2 (u1_struct_0 X0) (u1_struct_0 X1)) \wedge (m1_subset_1 \\
& X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X1)))))) \Rightarrow \\
& (\forall X3.(m1_subset_1 X3 (k1_zfmisc_1 (u1_struct_0 X0))) \Rightarrow \\
& ((r3_waybel_0 X0 X1 X2 X3) \Leftrightarrow ((r2_yellow_0 X0 X3) \Rightarrow ((r2_yellow_0 \\
& X1 (k7_relset_1 (u1_struct_0 X0) (u1_struct_0 X1) X2 X3)) \wedge (k2_yellow_0 \\
& X1 (k7_relset_1 (u1_struct_0 X0) (u1_struct_0 X1) X2 X3) = k3_funct_2 \\
& (u1_struct_0 X0) (u1_struct_0 X1) X2 (k2_yellow_0 X0 X3)))))))))
\end{aligned} \tag{13}$$

Theorem 1

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge (l1_orders_2 X0)) \Rightarrow (v17_waybel_0 \\
& (k3_struct_0 X0) X0 X0)
\end{aligned}$$