

t40\_cat\_3 (TMM-  
taT w5SF9roKTX3FP7ua7y6gZrC9Y29JQ)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v11\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v2\_cat\_1 : \iota \Rightarrow o$  be given. Let  $v3\_cat\_1 : \iota \Rightarrow o$  be given. Let  $v4\_cat\_1 : \iota \Rightarrow o$  be given. Let  $v5\_cat\_1 : \iota \Rightarrow o$  be given. Let  $v6\_cat\_1 : \iota \Rightarrow o$  be given. Let  $l1\_cat\_1 : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $m1\_cat\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v11\_cat\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k11\_cat\_3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k2\_cat\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k1\_xboole\_0 : \iota$  be given. Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (((\neg v2\_struct\_0 X0) \wedge (\neg v11\_struct\_0 \\ & X0) \wedge ((v2\_cat\_1 X0) \wedge ((v3\_cat\_1 X0) \wedge ((v4\_cat\_1 X0) \wedge ((v5\_cat\_1 \\ & X0) \wedge ((v6\_cat\_1 X0) \wedge (l1\_cat\_1 X0)))))))) \wedge ((m1\_subset\_1 X1 (u1\_struct\_0 \\ & X0)) \wedge (m1\_subset\_1 X2 (u1\_struct\_0 X0))) \Rightarrow (m1\_cat\_1 (k11\_cat\_3 \\ & X0 X1 X2) X0 X1 X2) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2\_struct\_0 X0) \wedge (\neg v11\_struct\_0 X0) \wedge ((v2\_cat\_1 \\ & X0) \wedge ((v3\_cat\_1 X0) \wedge ((v4\_cat\_1 X0) \wedge ((v5\_cat\_1 X0) \wedge ((v6\_cat\_1 \\ & X0) \wedge (l1\_cat\_1 X0)))))))) \Rightarrow (\forall X1. (m1\_subset\_1 X1 (u1\_struct\_0 \\ & X0)) \Rightarrow ((v11\_cat\_1 X1 X0) \Leftrightarrow (\forall X2. (m1\_subset\_1 X2 (u1\_struct\_0 \\ & X0)) \Rightarrow ((k2\_cat\_1 X0 X1 X2 \neq k1\_xboole\_0) \wedge (\exists X3. (m1\_cat\_1 \\ & X3 X0 X1 X2) \wedge (\forall X4. (m1\_cat\_1 X4 X0 X1 X2) \Rightarrow (X3 = X4))))))) \end{aligned} \tag{2}$$

**Theorem 1**

$$\begin{aligned} & \forall X0. ((\neg v2\_struct\_0 X0) \wedge (\neg v11\_struct\_0 X0) \wedge ((v2\_cat\_1 \\ & X0) \wedge ((v3\_cat\_1 X0) \wedge ((v4\_cat\_1 X0) \wedge ((v5\_cat\_1 X0) \wedge ((v6\_cat\_1 \\ & X0) \wedge (l1\_cat\_1 X0)))))))) \Rightarrow (\forall X1. (m1\_subset\_1 X1 (u1\_struct\_0 \\ & X0)) \Rightarrow (\forall X2. (m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (\forall X3. \\ & (m1\_cat\_1 X3 X0 X1 X2) \Rightarrow ((v11\_cat\_1 X1 X0) \Rightarrow (k11\_cat\_3 X0 X1 X2 = X3)))))) \end{aligned}$$