

t40_clvect_3

(TMaGB2fqHMhix4KuZfvodiZtiwjs5Bwmcn)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v2_clvect_1 : \iota \Rightarrow o$ be given. Let $v3_clvect_1 : \iota \Rightarrow o$ be given. Let $v4_clvect_1 : \iota \Rightarrow o$ be given. Let $v5_clvect_1 : \iota \Rightarrow o$ be given. Let $v2_csspace : \iota \Rightarrow o$ be given. Let $l1_csspace : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Let $r1_xxreal_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k13_csspace : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_clvect_3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k18_complex1 : \iota \Rightarrow \iota$ be given. Let $k9_real_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k6_series_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_clvect_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_normsp_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_bhsp_4 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k8_nat_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_series_1 : \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_ordinal1 : \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v3_valued_0 : \iota \Rightarrow o$ be given. Let $k1_seq_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v3_ordinal1 : \iota \Rightarrow o$ be given. Let $v3_membered : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned}
 & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
 & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v2_clvect_1 X0) \wedge \\
 & ((v3_clvect_1 X0) \wedge ((v4_clvect_1 X0) \wedge ((v5_clvect_1 X0) \wedge ((v2_csspace \\
 & X0) \wedge (l1_csspace X0)))))))))) \Rightarrow (\forall X1. ((v1_funct_1 X1) \wedge \\
 & ((v1_funct_2 X1 k5_numbers (u1_struct_0 X0)) \wedge (m1_subset_1 X1 \\
 & (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 X0)))))) \Rightarrow \\
 & (\forall X2. (m2_subset_1 X2 k1_numbers k5_numbers) \Rightarrow (\forall X3. \\
 & (m2_subset_1 X3 k1_numbers k5_numbers) \Rightarrow (r1_xxreal_0 (k13_csspace \\
 & X0 (k5_algstr_0 X0 (k1_normsp_1 X0 (k1_bhsp_4 X0 X1) X3) (k1_normsp_1 \\
 & X0 (k1_bhsp_4 X0 X1) X2))) (k18_complex1 (k9_real_1 (k8_nat_1 k1_numbers \\
 & (k3_series_1 (k2_clvect_2 X0 X1)) X3) (k8_nat_1 k1_numbers (k3_series_1 \\
 & (k2_clvect_2 X0 X1)) X2))))))
 \end{aligned}$$

(1)

Assume the following.

$$\forall X0.\forall X1.((\neg v1_xboole_0 X0)\wedge((\neg v1_xboole_0 X1)\wedge(m1_subset_1 X1 (k1_zfmisc_1 X0))))\Rightarrow(\forall X2.(m2_subset_1 X2 X0 X1)\Leftrightarrow(m1_subset_1 X2 X1)) \quad (2)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(((v1_funct_1 X1)\wedge((v1_funct_2 X1 k5_numbers X0)\wedge(m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers X0))))\wedge(v7_ordinal1 X2))\Rightarrow(k8_nat_1 X0 X1 X2 = k1_funct_1 X1 X2)) \quad (3)$$

Assume the following.

$$k5_numbers = k4_ordinal1 \quad (4)$$

Assume the following.

$$\forall X0.\forall X1.((v1_relat_1 X0)\wedge((v1_funct_1 X0)\wedge(v3_valued_0 X0)))\Rightarrow(k1_seq_1 X0 X1 = k1_funct_1 X0 X1) \quad (5)$$

Assume the following.

$$(\neg v1_xboole_0 k4_ordinal1)\wedge(v3_ordinal1 k4_ordinal1) \quad (6)$$

Assume the following.

$$v3_membered k1_numbers \quad (7)$$

Assume the following.

$$\neg v1_xboole_0 k1_numbers \quad (8)$$

Assume the following.

$$m1_subset_1 k5_numbers (k1_zfmisc_1 k1_numbers) \quad (9)$$

Assume the following.

$$\forall X0.(((v1_funct_1 X0)\wedge((v1_funct_2 X0 k5_numbers k1_numbers)\wedge(m1_subset_1 X0 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers k1_numbers))))\Rightarrow((v1_funct_1 (k3_series_1 X0)\wedge((v1_funct_2 (k3_series_1 X0) k5_numbers k1_numbers)\wedge(m1_subset_1 (k3_series_1 X0) (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers k1_numbers)))))) \quad (10)$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. (((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge \\
& ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v2_clvect_1 \\
& X0) \wedge ((v3_clvect_1 X0) \wedge ((v4_clvect_1 X0) \wedge ((v5_clvect_1 X0) \wedge \\
& ((v2_csspace X0) \wedge (l1_csspace X0)))))))))) \wedge ((v1_funct_1 X1) \wedge \\
& ((v1_funct_2 X1 k5_numbers (u1_struct_0 X0)) \wedge (m1_subset_1 X1 \\
& (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 X0)))))) \Rightarrow \\
& ((v1_funct_1 (k2_clvect_2 X0 X1)) \wedge ((v1_funct_2 (k2_clvect_2 \\
& X0 X1) k5_numbers k1_numbers) \wedge (m1_subset_1 (k2_clvect_2 X0 X1) \\
& (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers k1_numbers))))))
\end{aligned} \tag{11}$$

Assume the following.

$$\begin{aligned}
& \forall X0. ((v1_funct_1 X0) \wedge ((v1_funct_2 X0 k5_numbers k1_numbers) \wedge \\
& (m1_subset_1 X0 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers k1_numbers)))) \Rightarrow \\
& (\forall X1. (v7_ordinal1 X1) \Rightarrow (k6_series_1 X0 X1 = k1_seq_1 (k3_series_1 \\
& X0) X1))
\end{aligned} \tag{12}$$

Assume the following.

$$\begin{aligned}
& \forall X0. (((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v2_clvect_1 X0) \wedge \\
& ((v3_clvect_1 X0) \wedge ((v4_clvect_1 X0) \wedge ((v5_clvect_1 X0) \wedge ((v2_csspace \\
& X0) \wedge (l1_csspace X0)))))))))) \Rightarrow (\forall X1. ((v1_funct_1 X1) \wedge \\
& ((v1_funct_2 X1 k5_numbers (u1_struct_0 X0)) \wedge (m1_subset_1 X1 \\
& (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 X0)))))) \Rightarrow \\
& (\forall X2. (m2_subset_1 X2 k1_numbers k5_numbers) \Rightarrow (k2_clvect_3 \\
& X0 X1 X2 = k1_normsp_1 X0 (k1_bhsp_4 X0 X1) X2)))
\end{aligned} \tag{13}$$

Assume the following.

$$\forall X0. (m1_subset_1 X0 k4_ordinal1) \Rightarrow (v7_ordinal1 X0) \tag{14}$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \Rightarrow (v1_relat_1 X2) \tag{15}$$

Assume the following.

$$\forall X0. \forall X1. (v3_membered X1) \Rightarrow (\forall X2. (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \Rightarrow (v3_valued_0 X2)) \tag{16}$$

Theorem 1

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge (v13_algstr_0 X0) \wedge (v2_rlvect_1 \\ & X0) \wedge (v3_rlvect_1 X0) \wedge (v4_rlvect_1 X0) \wedge (v2_clvect_1 X0) \wedge \\ & ((v3_clvect_1 X0) \wedge (v4_clvect_1 X0) \wedge (v5_clvect_1 X0) \wedge (v2_csspace \\ & X0) \wedge (l1_csspace X0)))))) \Rightarrow (\forall X1. ((v1_funct_1 X1) \wedge \\ & ((v1_funct_2 X1 k5_numbers (u1_struct_0 X0)) \wedge (m1_subset_1 X1 \\ & (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 X0)))))) \Rightarrow \\ & (\forall X2. (m2_subset_1 X2 k1_numbers k5_numbers) \Rightarrow (\forall X3. \\ & (m2_subset_1 X3 k1_numbers k5_numbers) \Rightarrow (r1_xxreal_0 (k13_csspace \\ & X0 (k5_algstr_0 X0 (k2_clvect_3 X0 X1 X3) (k2_clvect_3 X0 X1 X2))) \\ & (k18_complex1 (k9_real_1 (k6_series_1 (k2_clvect_2 X0 X1) X3) \\ & (k6_series_1 (k2_clvect_2 X0 X1) X2)))))) \end{aligned}$$