

t40_prob_4

(TMPE3BWk4zuxsMjxjo5DBZv3w4Kn3DfN8Hw)

October 27, 2020

Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v1_prob_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v4_prob_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $m2_prob_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m2_prob_4 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_prob_4 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_numbers : \iota$ be given. Let $k7_prob_4 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k6_numbers : \iota$ be given. Let $m1_prob_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $m1_prob_4 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall X0. (\neg v1_xboole_0 X0) \Rightarrow (\forall X1. ((\neg v1_xboole_0 X1) \wedge \\ & ((v1_prob_1 X1 X0) \wedge ((v4_prob_1 X1 X0) \wedge (m1_subset_1 X1 (k1_zfmisc_1 \\ & (k1_zfmisc_1 X0)))))) \Rightarrow (\forall X2. (m2_prob_1 X2 X0 X1) \Rightarrow (\forall X3. \\ & (m1_prob_1 X3 X0 X1) \Rightarrow (\forall X4. (m1_prob_1 X4 X0 X1) \Rightarrow (((r1_tarski \\ & X3 X4) \wedge (k3_funct_2 X1 k1_numbers X2 X4 = k6_numbers)) \Rightarrow (k3_funct_2 \\ & X1 k1_numbers X2 X3 = k6_numbers)))))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0. (\neg v1_xboole_0 X0) \Rightarrow (\forall X1. ((\neg v1_xboole_0 X1) \wedge \\ & ((v1_prob_1 X1 X0) \wedge ((v4_prob_1 X1 X0) \wedge (m1_subset_1 X1 (k1_zfmisc_1 \\ & (k1_zfmisc_1 X0)))))) \Rightarrow (\forall X2. (m2_prob_1 X2 X0 X1) \Rightarrow (\forall X3. \\ & (m1_prob_1 X3 X0 X1) \Rightarrow (k3_funct_2 X1 k1_numbers X2 X3 = k1_funct_1 \\ & (k7_prob_4 X0 X1 X2) X3)))) \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned} & \forall X0. (\neg v1_xboole_0 X0) \Rightarrow (\forall X1. ((\neg v1_xboole_0 X1) \wedge \\ & ((v1_prob_1 X1 X0) \wedge ((v4_prob_1 X1 X0) \wedge (m1_subset_1 X1 (k1_zfmisc_1 \\ & (k1_zfmisc_1 X0)))))) \Rightarrow (\forall X2. (m2_prob_1 X2 X0 X1) \Rightarrow (r1_tarski \\ & X1 (k4_prob_4 X0 X1 X2)))) \end{aligned} \tag{3}$$

Assume the following.

$$\forall X0. \forall X1. (X0 \in X1) \Rightarrow (m1_subset_1 X0 X1) \tag{4}$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.((\neg v1_xboole_0 X0)\wedge(((\neg v1_xboole_0 \\ & X1)\wedge((v1_prob_1 X1 X0)\wedge((v4_prob_1 X1 X0)\wedge(m1_subset_1 X1 (k1_zfmisc_1 \\ & (k1_zfmisc_1 X0))))))\wedge(m2_prob_1 X2 X0 X1)))\Rightarrow(\forall X3.(m2_prob_4 \\ & X3 X0 X1 X2)\Leftrightarrow(m1_prob_4 X3 X0 X1 X2)) \end{aligned} \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.((\neg v1_xboole_0 X1)\wedge((v1_prob_1 X1 X0)\wedge \\ & ((v4_prob_1 X1 X0)\wedge(m1_subset_1 X1 (k1_zfmisc_1 (k1_zfmisc_1 \\ & X0))))))\Rightarrow(\forall X2.(m1_prob_1 X2 X0 X1)\Leftrightarrow(m1_subset_1 X2 X1)) \end{aligned} \quad (6)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.((\neg v1_xboole_0 X0)\wedge \\ & (((v1_funct_1 X2)\wedge((v1_funct_2 X2 X0 X1)\wedge(m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1))))))\wedge(m1_subset_1 X3 X0)))\Rightarrow(k3_funct_2 X0 \\ & X1 X2 X3 = k1_funct_1 X2 X3) \end{aligned} \quad (7)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.((\neg v1_xboole_0 X0)\wedge(((\neg v1_xboole_0 \\ & X1)\wedge((v1_prob_1 X1 X0)\wedge((v4_prob_1 X1 X0)\wedge(m1_subset_1 X1 (k1_zfmisc_1 \\ & (k1_zfmisc_1 X0))))))\wedge(m2_prob_1 X2 X0 X1)))\Rightarrow((\neg v1_xboole_0 \\ & (k4_prob_4 X0 X1 X2))\wedge((v1_prob_1 (k4_prob_4 X0 X1 X2) X0)\wedge(v4_prob_1 \\ & (k4_prob_4 X0 X1 X2) X0))) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.((\neg v1_xboole_0 X0)\wedge(((\neg v1_xboole_0 \\ & X1)\wedge((v1_prob_1 X1 X0)\wedge((v4_prob_1 X1 X0)\wedge(m1_subset_1 X1 (k1_zfmisc_1 \\ & (k1_zfmisc_1 X0))))))\wedge(m2_prob_1 X2 X0 X1)))\Rightarrow(\forall X3.(m2_prob_4 \\ & X3 X0 X1 X2)\Rightarrow(m1_prob_1 X3 X0 (k4_prob_4 X0 X1 X2))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.((\neg v1_xboole_0 X0)\wedge((\neg v1_xboole_0 X1)\wedge \\ & ((v1_prob_1 X1 X0)\wedge((v4_prob_1 X1 X0)\wedge(m1_subset_1 X1 (k1_zfmisc_1 \\ & (k1_zfmisc_1 X0))))))\Rightarrow(\forall X2.(m2_prob_1 X2 X0 X1)\Rightarrow((v1_funct_1 \\ & X2)\wedge((v1_funct_2 X2 X1 k1_numbers)\wedge(m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X1 k1_numbers)))))) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.((\neg v1_xboole_0 X1)\wedge((v1_prob_1 X1 X0)\wedge \\ & ((v4_prob_1 X1 X0)\wedge(m1_subset_1 X1 (k1_zfmisc_1 (k1_zfmisc_1 \\ & X0))))))\Rightarrow(\forall X2.(m1_prob_1 X2 X0 X1)\Rightarrow(m1_subset_1 X2 (k1_zfmisc_1 \\ & X0))) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.((\neg v1_xboole_0 X0)\wedge(((\neg v1_xboole_0 \\ & X1)\wedge((v1_prob_1 X1 X0)\wedge((v4_prob_1 X1 X0)\wedge(m1_subset_1 X1 (k1_zfmisc_1 \\ & (k1_zfmisc_1 X0))))))\wedge(m2_prob_1 X2 X0 X1)))\Rightarrow(m2_prob_1 (k7_prob_4 \\ & X0 X1 X2) X0 (k4_prob_4 X0 X1 X2)) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.((\neg v1_xboole_0 X0)\wedge(((\neg v1_xboole_0 \\ & X1)\wedge((v1_prob_1 X1 X0)\wedge((v4_prob_1 X1 X0)\wedge(m1_subset_1 X1 (k1_zfmisc_1 \\ & (k1_zfmisc_1 X0))))))\wedge(m2_prob_1 X2 X0 X1)))\Rightarrow((\neg v1_xboole_0 \\ & (k4_prob_4 X0 X1 X2))\wedge(m1_subset_1 (k4_prob_4 X0 X1 X2) (k1_zfmisc_1 \\ & (k1_zfmisc_1 X0)))) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned} & \forall X0.(\neg v1_xboole_0 X0)\Rightarrow(\forall X1.((\neg v1_xboole_0 X1)\wedge \\ & ((v1_prob_1 X1 X0)\wedge((v4_prob_1 X1 X0)\wedge(m1_subset_1 X1 (k1_zfmisc_1 \\ & (k1_zfmisc_1 X0))))))\Rightarrow(\forall X2.(m2_prob_1 X2 X0 X1)\Rightarrow(\forall X3. \\ & (m1_subset_1 X3 (k1_zfmisc_1 X0))\Rightarrow((m1_prob_4 X3 X0 X1 X2)\Leftrightarrow(\exists X4. \\ & (X4 \in X1)\wedge((r1_tarski X3 X4)\wedge(k1_funct_1 X2 X4 = k6_numbers)))))) \end{aligned} \quad (14)$$

Assume the following.

$$\forall X0.\forall X1.(r1_tarski X0 X1)\Leftrightarrow(\forall X2.(X2 \in X0)\Rightarrow (X2 \in X1)) \quad (15)$$

Theorem 1

$$\begin{aligned} & \forall X0.(\neg v1_xboole_0 X0)\Rightarrow(\forall X1.((\neg v1_xboole_0 X1)\wedge \\ & ((v1_prob_1 X1 X0)\wedge((v4_prob_1 X1 X0)\wedge(m1_subset_1 X1 (k1_zfmisc_1 \\ & (k1_zfmisc_1 X0))))))\Rightarrow(\forall X2.(m2_prob_1 X2 X0 X1)\Rightarrow(\forall X3. \\ & (m2_prob_4 X3 X0 X1 X2)\Rightarrow(k3_funct_2 (k4_prob_4 X0 X1 X2) k1_numbers \\ & (k7_prob_4 X0 X1 X2) X3 = k6_numbers)))) \end{aligned}$$