

t40_taxonom1
(TMH5WLqzMNpGYwS8VXyUhF19ZuHS7emnS95)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v6_metric_1 : \iota \Rightarrow o$ be given. Let $v8_metric_1 : \iota \Rightarrow o$ be given. Let $v5_tbsp_1 : \iota \Rightarrow o$ be given. Let $l1_metric_1 : \iota \Rightarrow o$ be given. Let $v1_partfun1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $v3_relat_2 : \iota \Rightarrow o$ be given. Let $v8_relat_2 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v3_xxreal_0 : \iota \Rightarrow o$ be given. Let $v1_xreal_0 : \iota \Rightarrow o$ be given. Let $r1_xxreal_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_tbsp_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_struct_0 : \iota \Rightarrow \iota$ be given. Let $r2_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k13_lang1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_taxonom1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k8_eqrel_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_tarski : \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k1_eqrel_1 : \iota \Rightarrow \iota$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0. (\neg v1_xboole_0 X0) \Rightarrow (k8_eqrel_1 X0 (k1_eqrel_1 X0) = k1_tarski X0) \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. (m1_subset_1 X0 (k1_zfmisc_1 X1)) \Leftrightarrow (r1_tarski X0 X1) \quad (2)$$

Assume the following.

$$\begin{aligned} \forall X0. (v1_xreal_0 X0) \Rightarrow (\forall X1. ((\neg v2_struct_0 X1) \wedge (\\ (v6_metric_1 X1) \wedge (v8_metric_1 X1) \wedge (v5_tbsp_1 X1) \wedge (l1_metric_1 \\ X1)))) \Rightarrow ((r1_xxreal_0 (k3_tbsp_1 X1 (k2_struct_0 X1)) X0) \Rightarrow (r2_relset_1 \\ (u1_struct_0 X1) (u1_struct_0 X1) (k13_lang1 (u1_struct_0 X1) \\ (k3_taxonom1 X1 X0)) (k1_eqrel_1 (u1_struct_0 X1)))))) \quad (3) \end{aligned}$$

Assume the following.

$$\forall X0. \forall X1. r1_tarski X0 X0 \quad (4)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.\forall X3.((m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))\wedge(m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))))\Rightarrow((r2_relset_1 X0 X1 X2 X3)\Leftrightarrow(X2 = X3)) \quad (5)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0)\wedge(l1_struct_0 X0))\Rightarrow(\neg v1_xboole_0 (u1_struct_0 X0)) \quad (6)$$

Assume the following.

$$\forall X0.(l1_metric_1 X0)\Rightarrow(l1_struct_0 X0) \quad (7)$$

Assume the following.

$$\forall X0.\forall X1.(((\neg v2_struct_0 X0)\wedge(l1_metric_1 X0))\wedge(v1_xreal_0 X1))\Rightarrow(m1_subset_1 (k3_taxonom1 X0 X1) (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X0)))) \quad (8)$$

Assume the following.

$$\forall X0.\forall X1.((\neg v1_xboole_0 X0)\wedge(m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 X0 X0))))\Rightarrow(m1_subset_1 (k13_lang1 X0 X1) (k1_zfmisc_1 (k2_zfmisc_1 X0 X0))) \quad (9)$$

Assume the following.

$$\forall X0.k1_eqrel_1 X0 = k2_zfmisc_1 X0 X0 \quad (10)$$

Theorem 1

$$\forall X0.((\neg v2_struct_0 X0)\wedge((v6_metric_1 X0)\wedge((v8_metric_1 X0)\wedge((v5_tbsp_1 X0)\wedge(l1_metric_1 X0)))))\Rightarrow(\forall X1.((v1_partfun1 X1 (u1_struct_0 X0))\wedge((v3_relat_2 X1)\wedge((v8_relat_2 X1)\wedge(m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X0))))))\Rightarrow(\forall X2.((\neg v3_xreal_0 X2)\wedge(v1_xreal_0 X2))\Rightarrow(((r1_xreal_0 (k3_tbsp_1 X0 (k2_struct_0 X0)) X2)\wedge(r2_relset_1 (u1_struct_0 X0) (u1_struct_0 X0) X1 (k13_lang1 (u1_struct_0 X0) (k3_taxonom1 X0 X2))))\Rightarrow(k8_eqrel_1 (u1_struct_0 X0) X1 = k1_tarski (u1_struct_0 X0))))))$$