

t40_tops_1 (TMdMhuBfJni- wRgdEwK8o8DZAozgMXYsLo4t)

October 27, 2020

Let $l1_pre_topc : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k1_tops_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k7_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_tops_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_pre_topc : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall X0.(l1_pre_topc X0) \Rightarrow (\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0))) \Rightarrow (k2_pre_topc X0 X1 = k4_subset_1 (u1_struct_0 X0) X1 (k2_tops_1 X0 X1))) \quad (1)$$

Assume the following.

$$\forall X0.(l1_pre_topc X0) \Rightarrow (\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0))) \Rightarrow (k2_tops_1 X0 X1 = k2_tops_1 X0 (k3_subset_1 (u1_struct_0 X0) X1))) \quad (2)$$

Assume the following.

$$\forall X0.\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 X0)) \Rightarrow (k3_subset_1 X0 (k7_subset_1 X0 X1 X2) = k4_subset_1 X0 (k3_subset_1 X0 X1) X2)) \quad (3)$$

Assume the following.

$$\forall X0.\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 X0)) \Rightarrow (k3_subset_1 X0 (k3_subset_1 X0 X1) = X1) \quad (4)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X1 (k1_zfmisc_1 X0)) \Rightarrow (m1_subset_1 (k7_subset_1 X0 X1 X2) (k1_zfmisc_1 X0)) \quad (5)$$

Assume the following.

$$\forall X0.\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 X0)) \Rightarrow (m1_subset_1 (k3_subset_1 X0 X1) (k1_zfmisc_1 X0)) \quad (6)$$

Assume the following.

$$\forall X0.\forall X1.((l1_pre_topc\ X0)\wedge(m1_subset_1\ X1\ (k1_zfmisc_1\ (u1_struct_0\ X0))))\Rightarrow(m1_subset_1\ (k2_tops_1\ X0\ X1)\ (k1_zfmisc_1\ (u1_struct_0\ X0))) \quad (7)$$

Assume the following.

$$\forall X0.(l1_pre_topc\ X0)\Rightarrow(\forall X1.(m1_subset_1\ X1\ (k1_zfmisc_1\ (u1_struct_0\ X0)))\Rightarrow(k1_tops_1\ X0\ X1 = k3_subset_1\ (u1_struct_0\ X0)\ (k2_pre_topc\ X0\ (k3_subset_1\ (u1_struct_0\ X0)\ X1)))) \quad (8)$$

Theorem 1

$$\forall X0.(l1_pre_topc\ X0)\Rightarrow(\forall X1.(m1_subset_1\ X1\ (k1_zfmisc_1\ (u1_struct_0\ X0)))\Rightarrow(k1_tops_1\ X0\ X1 = k7_subset_1\ (u1_struct_0\ X0)\ X1\ (k2_tops_1\ X0\ X1)))$$