

t40_vectsp_6
(TML5cv4sB15E5WeyMB2LGPjhE6GPWSA6UTF)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $v4_vectsp_1 : \iota \Rightarrow o$ be given. Let $v5_vectsp_1 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $l6_algstr_0 : \iota \Rightarrow o$ be given. Let $v8_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v9_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v10_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v11_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l1_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $m1_vectsp_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k8_vectsp_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k7_vectsp_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_vectsp_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_rlvect_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l1_algstr_0 : \iota \Rightarrow o$ be given. Let $k1_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $m1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m2_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $k9_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $l5_algstr_0 : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned}
& \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v3_group_1 \\
& X0) \wedge ((v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge ((v2_rlvect_1 X0) \wedge \\
& ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge (l6_algstr_0 X0)))))))) \Rightarrow \\
& (\forall X1. ((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v8_vectsp_1 \\
& X1 X0) \wedge ((v9_vectsp_1 X1 X0) \wedge ((v10_vectsp_1 X1 X0) \wedge ((v11_vectsp_1 \\
& X1 X0) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge \\
& (l1_vectsp_1 X1 X0)))))))))) \Rightarrow (\forall X2. (m1_subset_1 X2 (u1_struct_0 \\
& X1)) \Rightarrow (\forall X3. (m1_vectsp_6 X3 X0 X1) \Rightarrow (k3_funct_2 (u1_struct_0 \\
& X1) (u1_struct_0 X0) (k7_vectsp_6 X0 X1 X3) X2 = k4_algstr_0 X0 (k3_funct_2 \\
& (u1_struct_0 X1) (u1_struct_0 X0) X3 X2))))))
\end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v3_group_1 \\
& X0) \wedge ((v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge ((v2_rlvect_1 X0) \wedge \\
& ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v8_vectsp_1 \\
& X1 X0) \wedge ((v9_vectsp_1 X1 X0) \wedge ((v10_vectsp_1 X1 X0) \wedge ((v11_vectsp_1 \\
& X1 X0) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge \\
& (l1_vectsp_1 X1 X0)))))))))) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 \\
& X1)) \Rightarrow (\forall X3.(m1_vectsp_6 X3 X0 X1) \Rightarrow (\forall X4.(m1_vectsp_6 \\
& X4 X0 X1) \Rightarrow (k3_funct_2 (u1_struct_0 X1) (u1_struct_0 X0) (k5_vectsp_6 \\
& X0 X1 X3 X4) X2 = k3_rlvect_1 X0 (k3_funct_2 (u1_struct_0 X1) (u1_struct_0 \\
& X0) X3 X2) (k3_funct_2 (u1_struct_0 X1) (u1_struct_0 X0) X4 X2))))))
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. (((v2_rlvect_1 X0) \wedge (l1_algstr_0 \\
& X0)) \wedge ((m1_subset_1 X1 (u1_struct_0 X0)) \wedge (m1_subset_1 X2 (u1_struct_0 \\
& X0)))) \Rightarrow (k3_rlvect_1 X0 X1 X2 = k1_algstr_0 X0 X1 X2)
\end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned}
& \forall X0. ((\neg v2_struct_0 X0) \wedge (l1_struct_0 X0)) \Rightarrow (\neg v1_xboole_0 \\
& (u1_struct_0 X0))
\end{aligned} \tag{4}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. ((\neg v1_xboole_0 X1) \wedge (m1_funct_2 \\
& X2 X0 X1)) \Rightarrow (\forall X3.(m2_funct_2 X3 X0 X1 X2) \Rightarrow ((v1_funct_1 X3) \wedge \\
& ((v1_funct_2 X3 X0 X1) \wedge (m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 \\
& X0 X1))))))
\end{aligned} \tag{5}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. (((\neg v2_struct_0 X0) \wedge (l2_struct_0 X0)) \wedge \\
& ((\neg v2_struct_0 X1) \wedge (l1_vectsp_1 X1 X0))) \Rightarrow (\forall X2.(m1_vectsp_6 \\
& X2 X0 X1) \Rightarrow (m2_funct_2 X2 (u1_struct_0 X1) (u1_struct_0 X0) (k9_funct_2 \\
& (u1_struct_0 X1) (u1_struct_0 X0))))
\end{aligned} \tag{6}$$

Assume the following.

$$\forall X0. (l6_algstr_0 X0) \Rightarrow ((l2_algstr_0 X0) \wedge (l5_algstr_0 X0)) \tag{7}$$

Assume the following.

$$\forall X0. (l2_struct_0 X0) \Rightarrow (l1_struct_0 X0) \tag{8}$$

Assume the following.

$$\forall X0. (l2_algstr_0 X0) \Rightarrow ((l2_struct_0 X0) \wedge (l1_algstr_0 X0)) \tag{9}$$

Assume the following.

$$\forall X0.(l1_struct_0 X0) \Rightarrow (\forall X1.(l1_vectsp_1 X1 X0) \Rightarrow (l2_algstr_0 X1)) \quad (10)$$

Assume the following.

$$\forall X0.\forall X1.(\neg v1_xboole_0 X1) \Rightarrow (m1_funct_2 (k9_funct_2 X0 X1) X0 X1) \quad (11)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(((\neg v2_struct_0 X0) \wedge (v13_algstr_0 X0) \wedge ((v3_group_1 X0) \wedge (v4_vectsp_1 X0) \wedge (v5_vectsp_1 X0) \wedge \\ & (v2_rlvect_1 X0) \wedge (v3_rlvect_1 X0) \wedge (v4_rlvect_1 X0) \wedge (l6_algstr_0 X0)))))) \wedge (((\neg v2_struct_0 X1) \wedge (v13_algstr_0 X1) \wedge (v8_vectsp_1 X1 X0) \wedge (v9_vectsp_1 X1 X0) \wedge (v10_vectsp_1 X1 X0) \wedge (v11_vectsp_1 X1 X0) \wedge (v2_rlvect_1 X1) \wedge (v3_rlvect_1 X1) \wedge (v4_rlvect_1 X1) \wedge \\ & (l1_vectsp_1 X1 X0)))))) \wedge (m1_vectsp_6 X2 X0 X1)) \Rightarrow (m1_vectsp_6 (k7_vectsp_6 X0 X1 X2) X0 X1) \end{aligned} \quad (12)$$

Assume the following.

$$\forall X0.\forall X1.((l2_algstr_0 X0) \wedge (m1_subset_1 X1 (u1_struct_0 X0))) \Rightarrow (m1_subset_1 (k4_algstr_0 X0 X1) (u1_struct_0 X0)) \quad (13)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.((\neg v1_xboole_0 X0) \wedge \\ & (((v1_funct_1 X2) \wedge (v1_funct_2 X2 X0 X1) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))))) \wedge (m1_subset_1 X3 X0)) \Rightarrow (m1_subset_1 (k3_funct_2 X0 X1 X2 X3) X1) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge (v13_algstr_0 X0) \wedge ((v3_group_1 X0) \wedge (v4_vectsp_1 X0) \wedge (v5_vectsp_1 X0) \wedge (v2_rlvect_1 X0) \wedge \\ & ((v3_rlvect_1 X0) \wedge (v4_rlvect_1 X0) \wedge (l6_algstr_0 X0)))))) \Rightarrow \\ & (\forall X1.((\neg v2_struct_0 X1) \wedge (v13_algstr_0 X1) \wedge (v8_vectsp_1 X1 X0) \wedge (v9_vectsp_1 X1 X0) \wedge (v10_vectsp_1 X1 X0) \wedge (v11_vectsp_1 X1 X0) \wedge (v2_rlvect_1 X1) \wedge (v3_rlvect_1 X1) \wedge (v4_rlvect_1 X1) \wedge \\ & (l1_vectsp_1 X1 X0)))))) \Rightarrow (\forall X2.(m1_vectsp_6 X2 X0 X1) \Rightarrow (\forall X3.(m1_vectsp_6 X3 X0 X1) \Rightarrow (k8_vectsp_6 X0 X1 X2 X3 = k5_vectsp_6 X0 X1 X2 (k7_vectsp_6 X0 X1 X3)))) \end{aligned} \quad (15)$$

Assume the following.

$$\forall X0.(l2_algstr_0 X0) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (k5_algstr_0 X0 X1 X2 = k1_algstr_0 X0 X1 (k4_algstr_0 X0 X2)))) \quad (16)$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v3_group_1 \\ & X0) \wedge ((v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge ((v2_rlvect_1 X0) \wedge \\ & ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow \\ & (\forall X1.((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v8_vectsp_1 \\ & X1 X0) \wedge ((v9_vectsp_1 X1 X0) \wedge ((v10_vectsp_1 X1 X0) \wedge ((v11_vectsp_1 \\ & X1 X0) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge \\ & (l1_vectsp_1 X1 X0)))))))))) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 \\ & X1) \Rightarrow (\forall X3.(m1_vectsp_6 X3 X0 X1) \Rightarrow (\forall X4.(m1_vectsp_6 \\ & X4 X0 X1) \Rightarrow (k3_funct_2 (u1_struct_0 X1) (u1_struct_0 X0) (k8_vectsp_6 \\ & X0 X1 X3 X4) X2 = k5_algstr_0 X0 (k3_funct_2 (u1_struct_0 X1) (u1_struct_0 \\ & X0) X3 X2) (k3_funct_2 (u1_struct_0 X1) (u1_struct_0 X0) X4 X2)))))) \end{aligned}$$