

t41_compos_2
(TMaoGa9gxseaKokMjoYCf2HjkaLd9Bds12w)

October 27, 2020

Let $v1_amistd_4 : \iota \Rightarrow o$ be given. Let $l1_compos_1 : \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $v5_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_compos_1 : \iota \Rightarrow \iota$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_finset_1 : \iota \Rightarrow o$ be given. Let $v1_afinsq_1 : \iota \Rightarrow o$ be given. Let $v3_compos_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v4_compos_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v6_compos_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k8_compos_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_compos_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_compos_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k6_numbers : \iota$ be given. Assume the following.

$$\begin{aligned}
& \forall X0.((v1_amistd_4 X0) \wedge (l1_compos_1 X0)) \Rightarrow (\forall X1. \\
& ((v6_compos_0 X1 (u1_compos_1 X0)) \wedge (m1_subset_1 X1 (u1_compos_1 \\
& X0))) \Rightarrow (\forall X2.((v6_compos_0 X2 (u1_compos_1 X0)) \wedge (m1_subset_1 \\
& X2 (u1_compos_1 X0))) \Rightarrow (\forall X3.((\neg v1_xboole_0 X3) \wedge ((v1_relat_1 \\
& X3) \wedge ((v4_relat_1 X3 k5_numbers) \wedge ((v5_relat_1 X3 (u1_compos_1 \\
& X0)) \wedge ((v1_funct_1 X3) \wedge ((v1_finset_1 X3) \wedge ((v1_afinsq_1 X3) \wedge \\
& ((v3_compos_1 X3 X0) \wedge (v4_compos_1 X3 X0)))))))))) \Rightarrow (k2_compos_2 \\
& X0 (k2_compos_2 X0 X3 X1) X2 = k8_compos_1 X0 X3 (k3_compos_2 X0 X1 \\
& X2))))))
\end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((v1_amistd_4 X0) \wedge (l1_compos_1 X0)) \Rightarrow (\forall X1. \\
& ((\neg v1_xboole_0 X1) \wedge ((v1_relat_1 X1) \wedge ((v4_relat_1 X1 \ k5_numbers) \wedge \\
& ((v5_relat_1 X1 \ (u1_compos_1 X0)) \wedge ((v1_funct_1 X1) \wedge ((v1_finset_1 \\
& X1) \wedge ((v1_afinsq_1 X1) \wedge ((v3_compos_1 X1 \ X0) \wedge (v4_compos_1 X1 \ X0)))))) \Rightarrow \\
& (\forall X2.((v6_compos_0 X2 \ (u1_compos_1 X0)) \wedge (m1_subset_1 \\
& X2 \ (u1_compos_1 X0))) \Rightarrow (\forall X3.((v6_compos_0 X3 \ (u1_compos_1 \\
& X0)) \wedge (m1_subset_1 X3 \ (u1_compos_1 X0))) \Rightarrow (\forall X4.((v6_compos_0 \\
& X4 \ (u1_compos_1 X0)) \wedge (m1_subset_1 X4 \ (u1_compos_1 X0))) \Rightarrow (\forall X5. \\
& ((v6_compos_0 X5 \ (u1_compos_1 X0)) \wedge (m1_subset_1 X5 \ (u1_compos_1 \\
& X0))) \Rightarrow (k1_funct_1 \ (k8_compos_1 X0 \ (k2_compos_2 X0 \ (k2_compos_2 \\
& X0 \ (k3_compos_2 X0 \ X2 \ X3) \ X4) \ X5) \ X1) \ k6_numbers = X2)))))) \\
& \hspace{15em} (2)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall X0.(l1_compos_1 X0) \Rightarrow (\forall X1.((\neg v1_xboole_0 X1) \wedge \\
& ((v1_relat_1 X1) \wedge ((v4_relat_1 X1 \ k5_numbers) \wedge ((v5_relat_1 X1 \\
& (u1_compos_1 X0)) \wedge ((v1_funct_1 X1) \wedge ((v1_finset_1 X1) \wedge ((v1_afinsq_1 \\
& X1) \wedge ((v3_compos_1 X1 \ X0) \wedge (v4_compos_1 X1 \ X0)))))) \Rightarrow (\forall X2. \\
& ((\neg v1_xboole_0 X2) \wedge ((v1_relat_1 X2) \wedge ((v4_relat_1 X2 \ k5_numbers) \wedge \\
& ((v5_relat_1 X2 \ (u1_compos_1 X0)) \wedge ((v1_funct_1 X2) \wedge ((v1_finset_1 \\
& X2) \wedge ((v1_afinsq_1 X2) \wedge ((v3_compos_1 X2 \ X0) \wedge (v4_compos_1 X2 \ X0)))))) \Rightarrow \\
& (\forall X3.((\neg v1_xboole_0 X3) \wedge ((v1_relat_1 X3) \wedge ((v4_relat_1 \\
& X3 \ k5_numbers) \wedge ((v5_relat_1 X3 \ (u1_compos_1 X0)) \wedge ((v1_funct_1 \\
& X3) \wedge ((v1_finset_1 X3) \wedge ((v1_afinsq_1 X3) \wedge ((v3_compos_1 X3 \ X0) \wedge \\
& (v4_compos_1 X3 \ X0)))))) \Rightarrow (k8_compos_1 X0 \ (k8_compos_1 X0 \ X1 \\
& X2) \ X3 = k8_compos_1 X0 \ X1 \ (k8_compos_1 X0 \ X2 \ X3)))) \\
& \hspace{15em} (3)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. ((l1_compos_1 X0) \wedge (((\neg v1_xboole_0 \\
& X1) \wedge ((v1_relat_1 X1) \wedge ((v4_relat_1 X1 \ k5_numbers) \wedge ((v5_relat_1 \\
& X1 \ (u1_compos_1 X0)) \wedge ((v1_funct_1 X1) \wedge ((v1_finset_1 X1) \wedge ((v1_afinsq_1 \\
& X1) \wedge ((v3_compos_1 X1 \ X0) \wedge (v4_compos_1 X1 \ X0)))))) \wedge ((\neg v1_xboole_0 \\
& X2) \wedge ((v1_relat_1 X2) \wedge ((v4_relat_1 X2 \ k5_numbers) \wedge ((v5_relat_1 \\
& X2 \ (u1_compos_1 X0)) \wedge ((v1_funct_1 X2) \wedge ((v1_finset_1 X2) \wedge ((v1_afinsq_1 \\
& X2) \wedge ((v3_compos_1 X2 \ X0) \wedge (v4_compos_1 X2 \ X0)))))) \Rightarrow ((\neg v1_xboole_0 \\
& (k8_compos_1 X0 \ X1 \ X2)) \wedge ((v1_relat_1 \ (k8_compos_1 X0 \ X1 \ X2)) \wedge \\
& (v4_relat_1 \ (k8_compos_1 X0 \ X1 \ X2) \ k5_numbers) \wedge ((v5_relat_1 \ (\\
& k8_compos_1 X0 \ X1 \ X2) \ (u1_compos_1 X0)) \wedge ((v1_funct_1 \ (k8_compos_1 \\
& X0 \ X1 \ X2)) \wedge ((v1_finset_1 \ (k8_compos_1 X0 \ X1 \ X2)) \wedge ((v1_afinsq_1 \\
& (k8_compos_1 X0 \ X1 \ X2)) \wedge ((v3_compos_1 \ (k8_compos_1 X0 \ X1 \ X2) \ X0) \wedge \\
& (v4_compos_1 \ (k8_compos_1 X0 \ X1 \ X2) \ X0)))))) \\
& \hspace{15em} (4)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. (((v1_amistd_4 X0) \wedge (l1_compos_1 \\
& X0)) \wedge (((v6_compos_0 X1 (u1_compos_1 X0)) \wedge (m1_subset_1 X1 (u1_compos_1 \\
& X0))) \wedge ((v6_compos_0 X2 (u1_compos_1 X0)) \wedge (m1_subset_1 X2 (u1_compos_1 \\
& X0)))))) \Rightarrow ((\neg v1_xboole_0 (k3_compos_2 X0 X1 X2)) \wedge ((v1_relat_1 \\
& (k3_compos_2 X0 X1 X2)) \wedge ((v4_relat_1 (k3_compos_2 X0 X1 X2) k5_numbers) \wedge \\
& ((v5_relat_1 (k3_compos_2 X0 X1 X2) (u1_compos_1 X0)) \wedge ((v1_funct_1 \\
& (k3_compos_2 X0 X1 X2)) \wedge ((v1_finset_1 (k3_compos_2 X0 X1 X2)) \wedge \\
& ((v1_afinsq_1 (k3_compos_2 X0 X1 X2)) \wedge ((v3_compos_1 (k3_compos_2 \\
& X0 X1 X2) X0) \wedge (v4_compos_1 (k3_compos_2 X0 X1 X2) X0)))))))))) \\
& \hspace{15em} (5)
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& \forall X0. ((v1_amistd_4 X0) \wedge (l1_compos_1 X0)) \Rightarrow (\forall X1. \\
& ((\neg v1_xboole_0 X1) \wedge ((v1_relat_1 X1) \wedge ((v4_relat_1 X1 k5_numbers) \wedge \\
& ((v5_relat_1 X1 (u1_compos_1 X0)) \wedge ((v1_funct_1 X1) \wedge ((v1_finset_1 \\
& X1) \wedge ((v1_afinsq_1 X1) \wedge ((v3_compos_1 X1 X0) \wedge (v4_compos_1 X1 X0)))))))))) \Rightarrow \\
& (\forall X2. ((v6_compos_0 X2 (u1_compos_1 X0)) \wedge (m1_subset_1 \\
& X2 (u1_compos_1 X0))) \Rightarrow (\forall X3. ((v6_compos_0 X3 (u1_compos_1 \\
& X0)) \wedge (m1_subset_1 X3 (u1_compos_1 X0))) \Rightarrow (\forall X4. ((v6_compos_0 \\
& X4 (u1_compos_1 X0)) \wedge (m1_subset_1 X4 (u1_compos_1 X0))) \Rightarrow (\forall X5. \\
& ((v6_compos_0 X5 (u1_compos_1 X0)) \wedge (m1_subset_1 X5 (u1_compos_1 \\
& X0))) \Rightarrow (\forall X6. ((v6_compos_0 X6 (u1_compos_1 X0)) \wedge (m1_subset_1 \\
& X6 (u1_compos_1 X0))) \Rightarrow (\forall X7. ((v6_compos_0 X7 (u1_compos_1 \\
& X0)) \wedge (m1_subset_1 X7 (u1_compos_1 X0))) \Rightarrow (k1_funct_1 (k8_compos_1 \\
& X0 (k2_compos_2 X0 (k2_compos_2 X0 (k2_compos_2 X0 (k2_compos_2 \\
& X0 (k3_compos_2 X0 X2 X3) X4) X5) X6) X7) X1) k6_numbers = X2))))))))))
\end{aligned}$$