

t41_parsp_2 (TMd- tYS6Lu3GRxCx6BKsdeBXL7nxSGu9inK9)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v2_parsp_1 : \iota \Rightarrow o$ be given. Let $v1_parsp_2 : \iota \Rightarrow o$ be given. Let $l1_parsp_1 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $r1_parsp_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r2_parsp_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_parsp_1 X0) \wedge ((v1_parsp_2 \\
& X0) \wedge (l1_parsp_1 X0)))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 \\
& X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3. \\
& (m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow (\forall X4.(m1_subset_1 X4 \\
& (u1_struct_0 X0)) \Rightarrow (\forall X5.(m1_subset_1 X5 (u1_struct_0 X0)) \Rightarrow \\
& (\forall X6.(m1_subset_1 X6 (u1_struct_0 X0)) \Rightarrow (((r2_parsp_2 \\
& X0 X4 X5 X1 X2) \wedge (r2_parsp_2 X0 X4 X5 X3 X6)) \Rightarrow ((r1_parsp_2 X0 X1 X2 X3) \vee \\
& (r2_parsp_2 X0 X1 X2 X3 X6))))))))))
\end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_parsp_1 X0) \wedge ((v1_parsp_2 \\
& X0) \wedge (l1_parsp_1 X0)))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 \\
& X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3. \\
& (m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow (\forall X4.(m1_subset_1 X4 \\
& (u1_struct_0 X0)) \Rightarrow ((r2_parsp_2 X0 X1 X2 X3 X4) \Rightarrow ((\neg r1_parsp_2 X0 \\
& X1 X2 X3) \wedge ((\neg r1_parsp_2 X0 X2 X1 X4) \wedge ((\neg r1_parsp_2 X0 X3 X4 X1) \wedge (\\
& \neg r1_parsp_2 X0 X4 X3 X2))))))))))
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_parsp_1 X0) \wedge ((v1_parsp_2 \\
& X0) \wedge (l1_parsp_1 X0)))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 \\
& X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3. \\
& (m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow (\forall X4.(m1_subset_1 X4 \\
& (u1_struct_0 X0)) \Rightarrow (\neg(\neg r1_parsp_2 X0 X1 X2 X3) \wedge ((r1_parsp_2 X0 \\
& X1 X2 X4) \wedge ((r1_parsp_2 X0 X1 X3 X4) \wedge (X1 \neq X4)))))))))
\end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_parsp_1 X0) \wedge ((v1_parsp_2 \\
& X0) \wedge (l1_parsp_1 X0)))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 \\
& X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3. \\
& (m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow ((r1_parsp_2 X0 X1 X2 X3) \Rightarrow ((\\
& r1_parsp_2 X0 X1 X3 X2) \wedge ((r1_parsp_2 X0 X3 X2 X1) \wedge ((r1_parsp_2 X0 \\
& X2 X1 X3) \wedge ((r1_parsp_2 X0 X2 X3 X1) \wedge (r1_parsp_2 X0 X3 X1 X2))))))))) \\
& \hspace{15em} (4)
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_parsp_1 X0) \wedge ((v1_parsp_2 \\
& X0) \wedge (l1_parsp_1 X0)))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 \\
& X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3. \\
& (m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow (\forall X4.(m1_subset_1 X4 \\
& (u1_struct_0 X0)) \Rightarrow (\forall X5.(m1_subset_1 X5 (u1_struct_0 X0)) \Rightarrow \\
& (\forall X6.(m1_subset_1 X6 (u1_struct_0 X0)) \Rightarrow (((r1_parsp_2 \\
& X0 X1 X2 X3) \wedge ((r2_parsp_2 X0 X1 X4 X2 X5) \wedge (r2_parsp_2 X0 X1 X4 X3 X6))) \Rightarrow \\
& ((X2 = X3) \vee (r2_parsp_2 X0 X2 X5 X3 X6)))))))))
\end{aligned}$$