

t41_prob_4
(TMXT9q8uAd3hUvqffwpTsSnC4At6P7S5CGw)

October 27, 2020

Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v1_prob_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v4_prob_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $m2_prob_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k4_prob_4 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k6_prob_4 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_numbers : \iota$ be given. Let $k7_prob_4 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_xboole_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_xboole_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k7_numbers : \iota$ be given. Let $v10_valued_0 : \iota \Rightarrow o$ be given. Let $v6_supinf_2 : \iota \Rightarrow o$ be given. Let $v4_measure1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $m2_prob_4 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_prob_4 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k7_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall X0. \forall X1. \neg (X0 \in X1) \wedge (v1_xboole_0 X1) \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. (r1_tarski X0 X1) \Rightarrow (X1 = k2_xboole_0 X0 (k4_xboole_0 X1 X0)) \quad (2)$$

Assume the following.

$$\forall X0. \forall X1. (m1_subset_1 X0 (k1_zfmisc_1 X1)) \Leftrightarrow (r1_tarski X0 X1) \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0. (\neg v1_xboole_0 X0) \Rightarrow (\forall X1. ((\neg v1_xboole_0 X1) \wedge \\ & ((v1_prob_1 X1 X0) \wedge ((v4_prob_1 X1 X0) \wedge (m1_subset_1 X1 (k1_zfmisc_1 \\ & (k1_zfmisc_1 X0)))))) \Rightarrow (\forall X2. (m2_prob_1 X2 X0 X1) \Rightarrow (r1_tarski \\ & X1 (k4_prob_4 X0 X1 X2)))) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0.(\neg v1_xboole_0 X0) \Rightarrow (\forall X1.((\neg v1_xboole_0 X1) \wedge \\ & ((v1_prob_1 X1 X0) \wedge ((v4_prob_1 X1 X0) \wedge (m1_subset_1 X1 (k1_zfmisc_1 \\ & (k1_zfmisc_1 X0)))))) \Rightarrow (\forall X2.(m2_prob_1 X2 X0 X1) \Rightarrow ((v1_funct_1 \\ & X2) \wedge ((v1_funct_2 X2 X1 k7_numbers) \wedge ((v10_valued_0 X2) \wedge ((v6_supinf_2 \\ & X2) \wedge ((v4_measure1 X2 X0 X1) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\ & X1 k7_numbers)))))))))) \end{aligned} \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.((\neg v1_xboole_0 X0) \wedge ((\neg v1_xboole_0 X1) \wedge \\ & (m1_subset_1 X1 (k1_zfmisc_1 X0)))) \Rightarrow (\forall X2.(m2_subset_1 \\ & X2 X0 X1) \Leftrightarrow (m1_subset_1 X2 X1)) \end{aligned} \quad (6)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.((\neg v1_xboole_0 X0) \wedge ((\neg v1_xboole_0 \\ & X1) \wedge ((v1_prob_1 X1 X0) \wedge ((v4_prob_1 X1 X0) \wedge (m1_subset_1 X1 (k1_zfmisc_1 \\ & (k1_zfmisc_1 X0)))))) \wedge (m2_prob_1 X2 X0 X1)) \Rightarrow (\forall X3.(m2_prob_4 \\ & X3 X0 X1 X2) \Leftrightarrow (m1_prob_4 X3 X0 X1 X2)) \end{aligned} \quad (7)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(m1_subset_1 X1 (k1_zfmisc_1 \\ & X0)) \Rightarrow (k7_subset_1 X0 X1 X2 = k4_xboole_0 X1 X2) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.((\neg v1_xboole_0 X0) \wedge \\ & (((v1_funct_1 X2) \wedge ((v1_funct_2 X2 X0 X1) \wedge (m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1)))))) \wedge (m1_subset_1 X3 X0)) \Rightarrow (k3_funct_2 X0 \\ & X1 X2 X3 = k1_funct_1 X2 X3) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.((\neg v1_xboole_0 X0) \wedge ((\neg v1_xboole_0 \\ & X1) \wedge ((v1_prob_1 X1 X0) \wedge ((v4_prob_1 X1 X0) \wedge (m1_subset_1 X1 (k1_zfmisc_1 \\ & (k1_zfmisc_1 X0)))))) \wedge (m2_prob_1 X2 X0 X1)) \Rightarrow ((\neg v1_xboole_0 \\ & (k4_prob_4 X0 X1 X2)) \wedge ((v1_prob_1 (k4_prob_4 X0 X1 X2) X0) \wedge (v4_prob_1 \\ & (k4_prob_4 X0 X1 X2) X0))) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.((\neg v1_xboole_0 X0) \wedge ((\neg v1_xboole_0 X1) \wedge \\ & (m1_subset_1 X1 (k1_zfmisc_1 X0)))) \Rightarrow (\forall X2.(m2_subset_1 \\ & X2 X0 X1) \Rightarrow (m1_subset_1 X2 X0)) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.((\neg v1_xboole_0 X0)\wedge((\neg v1_xboole_0 X1)\wedge \\ & ((v1_prob_1 X1 X0)\wedge((v4_prob_1 X1 X0)\wedge(m1_subset_1 X1 (k1_zfmisc_1 \\ & (k1_zfmisc_1 X0))))))\Rightarrow(\forall X2.(m2_prob_1 X2 X0 X1)\Rightarrow((v1_funct_1 \\ & X2)\wedge((v1_funct_2 X2 X1 k1_numbers)\wedge(m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X1 k1_numbers)))))) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.((\neg v1_xboole_0 X0)\wedge(((\neg v1_xboole_0 \\ & X1)\wedge((v1_prob_1 X1 X0)\wedge((v4_prob_1 X1 X0)\wedge(m1_subset_1 X1 (k1_zfmisc_1 \\ & (k1_zfmisc_1 X0))))))\wedge(m2_prob_1 X2 X0 X1))\Rightarrow(m2_prob_1 (k7_prob_4 \\ & X0 X1 X2) X0 (k4_prob_4 X0 X1 X2)) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.((\neg v1_xboole_0 X0)\wedge \\ & (((\neg v1_xboole_0 X1)\wedge((v1_prob_1 X1 X0)\wedge((v4_prob_1 X1 X0)\wedge(m1_subset_1 \\ & X1 (k1_zfmisc_1 (k1_zfmisc_1 X0))))))\wedge((m2_prob_1 X2 X0 X1)\wedge(\\ & m1_subset_1 X3 (k4_prob_4 X0 X1 X2))))\Rightarrow((\neg v1_xboole_0 (k6_prob_4 \\ & X0 X1 X2 X3))\wedge(m1_subset_1 (k6_prob_4 X0 X1 X2 X3) (k1_zfmisc_1 (\\ & k1_zfmisc_1 X0)))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.((\neg v1_xboole_0 X0)\wedge(((\neg v1_xboole_0 \\ & X1)\wedge((v1_prob_1 X1 X0)\wedge((v4_prob_1 X1 X0)\wedge(m1_subset_1 X1 (k1_zfmisc_1 \\ & (k1_zfmisc_1 X0))))))\wedge(m2_prob_1 X2 X0 X1))\Rightarrow((\neg v1_xboole_0 \\ & (k4_prob_4 X0 X1 X2))\wedge(m1_subset_1 (k4_prob_4 X0 X1 X2) (k1_zfmisc_1 \\ & (k1_zfmisc_1 X0)))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} & \forall X0.(\neg v1_xboole_0 X0)\Rightarrow(\forall X1.((\neg v1_xboole_0 X1)\wedge \\ & ((v1_prob_1 X1 X0)\wedge((v4_prob_1 X1 X0)\wedge(m1_subset_1 X1 (k1_zfmisc_1 \\ & (k1_zfmisc_1 X0))))))\Rightarrow(\forall X2.(m2_prob_1 X2 X0 X1)\Rightarrow(\forall X3. \\ & (m2_prob_1 X3 X0 (k4_prob_4 X0 X1 X2))\Rightarrow((X3 = k7_prob_4 X0 X1 X2)\Leftrightarrow \\ & (\forall X4.(X4 \in X1)\Rightarrow(\forall X5.(m2_prob_4 X5 X0 X1 X2)\Rightarrow(k1_funct_1 \\ & X3 (k2_xboole_0 X4 X5) = k1_funct_1 X2 X4)))))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned}
& \forall X0.(\neg v1_xboole_0 X0) \Rightarrow (\forall X1.((\neg v1_xboole_0 X1) \wedge \\
& ((v1_prob_1 X1 X0) \wedge ((v4_prob_1 X1 X0) \wedge (m1_subset_1 X1 (k1_zfmisc_1 \\
& (k1_zfmisc_1 X0)))))) \Rightarrow (\forall X2.(m2_prob_1 X2 X0 X1) \Rightarrow (\forall X3. \\
& (m2_subset_1 X3 (k1_zfmisc_1 X0) (k4_prob_4 X0 X1 X2)) \Rightarrow (\forall X4. \\
& ((\neg v1_xboole_0 X4) \wedge (m1_subset_1 X4 (k1_zfmisc_1 (k1_zfmisc_1 \\
& X0)))) \Rightarrow ((X4 = k6_prob_4 X0 X1 X2 X3) \Leftrightarrow (\forall X5.(X5 \in X4) \Leftrightarrow ((X5 \in \\
& X1) \wedge ((r1_tarski X5 X3) \wedge (m1_prob_4 (k7_subset_1 X0 X3 X5) X0 X1 X2))))))))))
\end{aligned} \tag{17}$$

Assume the following.

$$\forall X0.(v1_xboole_0 X0) \Rightarrow (\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 X0)) \Rightarrow (v1_xboole_0 X1)) \tag{18}$$

Theorem 1

$$\begin{aligned}
& \forall X0.(\neg v1_xboole_0 X0) \Rightarrow (\forall X1.((\neg v1_xboole_0 X1) \wedge \\
& ((v1_prob_1 X1 X0) \wedge ((v4_prob_1 X1 X0) \wedge (m1_subset_1 X1 (k1_zfmisc_1 \\
& (k1_zfmisc_1 X0)))))) \Rightarrow (\forall X2.(m2_prob_1 X2 X0 X1) \Rightarrow (\forall X3. \\
& (m2_subset_1 X3 (k1_zfmisc_1 X0) (k4_prob_4 X0 X1 X2)) \Rightarrow (\forall X4. \\
& (X4 \in k6_prob_4 X0 X1 X2 X3) \Rightarrow (k1_funct_1 X2 X4 = k3_funct_2 (k4_prob_4 \\
& X0 X1 X2) k1_numbers (k7_prob_4 X0 X1 X2) X3))))))
\end{aligned}$$