

t41_seq_1

(TMXZWCGuJ211bDC2By9kDzRLjh6ZXUoy59X)

October 27, 2020

Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $k1_numbers : \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r2_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k20_valued_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k52_valued_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_ordinal1 : \iota$ be given. Let $v3_membered : \iota \Rightarrow o$ be given. Let $k50_valued_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k37_valued_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k35_valued_1 : \iota \Rightarrow \iota$ be given. Let $k18_valued_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v1_valued_0 : \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v1_partfun1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_membered : \iota \Rightarrow o$ be given. Let $v5_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned}
 & \forall X0.((v1_funct_1 X0) \wedge ((v1_funct_2 X0 k5_numbers k1_numbers) \wedge \\
 & (m1_subset_1 X0 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers k1_numbers)))))) \Rightarrow \\
 & (\forall X1.((v1_funct_1 X1) \wedge ((v1_funct_2 X1 k5_numbers k1_numbers) \wedge \\
 & (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers k1_numbers)))))) \Rightarrow \\
 & (\forall X2.((v1_funct_1 X2) \wedge ((v1_funct_2 X2 k5_numbers k1_numbers) \wedge \\
 & (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers k1_numbers)))))) \Rightarrow \\
 & (r2_funct_2 k5_numbers k1_numbers (k20_valued_1 k5_numbers k1_numbers k1_numbers X0 \\
 & k1_numbers (k20_valued_1 k5_numbers k1_numbers k1_numbers k1_numbers X0 \\
 & X1) X2) (k20_valued_1 k5_numbers k1_numbers k1_numbers X0 (k20_valued_1 \\
 & k5_numbers k1_numbers k1_numbers X1 X2))))))
 \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
 & \forall X0. \forall X1. \forall X2. \forall X3. (((v1_funct_1 X2) \wedge \\
 & ((v1_funct_2 X2 X0 X1) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\
 & X0 X1)))))) \wedge ((v1_funct_1 X3) \wedge ((v1_funct_2 X3 X0 X1) \wedge (m1_subset_1 \\
 & X3 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))))) \Rightarrow ((r2_funct_2 X0 X1 X2 \\
 & X3) \Rightarrow (r2_funct_2 X0 X1 X3 X2))
 \end{aligned} \tag{2}$$

Assume the following.

$$k5_numbers = k4_ordinal1 \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.\forall X4.((v3_membered \\ & X1)\wedge((v3_membered X2)\wedge(((v1_funct_1 X3)\wedge(m1_subset_1 X3 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1))))\wedge((v1_funct_1 X4)\wedge(m1_subset_1 X4 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X2))))))\Rightarrow(k52_valued_1 X0 X1 X2 X3 X4 = k50_valued_1 \\ & X3 X4) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.((v3_membered X1)\wedge((v1_funct_1 \\ & X2)\wedge(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))))\Rightarrow(k37_valued_1 \\ & X0 X1 X2 = k35_valued_1 X2) \end{aligned} \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.\forall X4.((v3_membered \\ & X1)\wedge((v3_membered X2)\wedge(((v1_funct_1 X3)\wedge(m1_subset_1 X3 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1))))\wedge((v1_funct_1 X4)\wedge(m1_subset_1 X4 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X2))))))\Rightarrow(k20_valued_1 X0 X1 X2 X3 X4 = k18_valued_1 \\ & X3 X4) \end{aligned} \quad (6)$$

Assume the following.

$$\begin{aligned} & \forall X0.((v1_relat_1 X0)\wedge((v1_funct_1 X0)\wedge(v1_valued_0 X0)))\Rightarrow \\ & (k35_valued_1 (k35_valued_1 X0) = X0) \end{aligned} \quad (7)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.\forall X4.(((\neg v1_xboole_0 \\ & X1)\wedge(v3_membered X1))\wedge(((\neg v1_xboole_0 X2)\wedge(v3_membered X2))\wedge \\ & (((v1_funct_1 X3)\wedge((v1_funct_2 X3 X0 X1)\wedge(m1_subset_1 X3 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1))))\wedge((v1_funct_1 X4)\wedge((v1_funct_2 X4 X0 X2)\wedge \\ & (m1_subset_1 X4 (k1_zfmisc_1 (k2_zfmisc_1 X0 X2))))))\Rightarrow((v1_funct_1 \\ & (k50_valued_1 X3 X4))\wedge(v1_partfun1 (k50_valued_1 X3 X4) X0)) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(((\neg v1_xboole_0 X1)\wedge(v3_membered \\ & X1))\wedge((v1_funct_1 X2)\wedge((v1_funct_2 X2 X0 X1)\wedge(m1_subset_1 X2 \\ & (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))))\Rightarrow((v1_funct_1 (k35_valued_1 \\ & X2))\wedge(v1_partfun1 (k35_valued_1 X2) X0)) \end{aligned} \quad (9)$$

Assume the following.

$$v3_membered k1_numbers \quad (10)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.\forall X4.(((\neg v1_xboole_0 \\ & X1)\wedge(v3_membered X1))\wedge((\neg v1_xboole_0 X2)\wedge(v3_membered X2))\wedge \\ & (((v1_funct_1 X3)\wedge((v1_funct_2 X3 X0 X1)\wedge(m1_subset_1 X3 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1))))))\wedge((v1_funct_1 X4)\wedge((v1_funct_2 X4 X0 X2)\wedge \\ & (m1_subset_1 X4 (k1_zfmisc_1 (k2_zfmisc_1 X0 X2))))))\Rightarrow((v1_funct_1 \\ & (k18_valued_1 X3 X4))\wedge(v1_partfun1 (k18_valued_1 X3 X4) X0)) \end{aligned} \quad (11)$$

Assume the following.

$$\neg v1_xboole_0 k1_numbers \quad (12)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.((v1_relat_1 X1)\wedge((v4_relat_1 X1 X0)\wedge(\\ & (v1_funct_1 X1)\wedge((v1_partfun1 X1 X0)\wedge(v1_valued_0 X1))))\Rightarrow(\\ & (v1_relat_1 (k35_valued_1 X1))\wedge((v1_funct_1 (k35_valued_1 X1))\wedge \\ & ((v1_partfun1 (k35_valued_1 X1) X0)\wedge(v1_valued_0 (k35_valued_1 \\ & X1)))))) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.\forall X4.((v3_membered \\ & X1)\wedge((v3_membered X2)\wedge(((v1_funct_1 X3)\wedge(m1_subset_1 X3 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1))))\wedge((v1_funct_1 X4)\wedge(m1_subset_1 X4 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X2))))))\Rightarrow((v1_funct_1 (k52_valued_1 X0 X1 X2 \\ & X3 X4))\wedge(m1_subset_1 (k52_valued_1 X0 X1 X2 X3 X4) (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 k1_numbers)))))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.((v3_membered X1)\wedge((v1_funct_1 \\ & X2)\wedge(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))))\Rightarrow((v1_funct_1 \\ & (k37_valued_1 X0 X1 X2))\wedge(m1_subset_1 (k37_valued_1 X0 X1 X2) (\\ & k1_zfmisc_1 (k2_zfmisc_1 X0 k1_numbers)))))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.\forall X4.((v3_membered \\ & X1)\wedge((v3_membered X2)\wedge(((v1_funct_1 X3)\wedge(m1_subset_1 X3 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1))))\wedge((v1_funct_1 X4)\wedge(m1_subset_1 X4 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X2))))))\Rightarrow((v1_funct_1 (k20_valued_1 X0 X1 X2 \\ & X3 X4))\wedge(m1_subset_1 (k20_valued_1 X0 X1 X2 X3 X4) (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 k1_numbers)))))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} & \forall X0.((v1_relat_1 X0)\wedge((v1_funct_1 X0)\wedge(v1_valued_0 X0)))\Rightarrow \\ & (\forall X1.((v1_relat_1 X1)\wedge((v1_funct_1 X1)\wedge(v1_valued_0 \\ & X1)))\Rightarrow(k50_valued_1 X0 X1 = k18_valued_1 X0 (k35_valued_1 X1))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.(((v1_relat_1 X0)\wedge((v1_funct_1 X0)\wedge(v1_valued_0 \\ X0)))\wedge((v1_relat_1 X1)\wedge((v1_funct_1 X1)\wedge(v1_valued_0 X1))))\Rightarrow \\ (k18_valued_1 X0 X1 = k18_valued_1 X1 X0) \end{aligned} \quad (18)$$

Assume the following.

$$\forall X0.(v3_membered X0)\Rightarrow(v1_membered X0) \quad (19)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.(\neg v1_xboole_0 X1)\Rightarrow(\forall X2.(m1_subset_1 \\ X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))\Rightarrow((v1_funct_2 X2 X0 X1)\Rightarrow(\\ v1_partfun1 X2 X0))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 \\ (k2_zfmisc_1 X0 X1)))\Rightarrow((v4_relat_1 X2 X0)\wedge(v5_relat_1 X2 X1)) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 \\ (k2_zfmisc_1 X0 X1)))\Rightarrow(v1_relat_1 X2) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 \\ (k2_zfmisc_1 X0 X1)))\Rightarrow((v1_partfun1 X2 X0)\Rightarrow(v1_funct_2 X2 X0 X1)) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.(v1_membered X1)\Rightarrow(\forall X2.(m1_subset_1 \\ X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))\Rightarrow(v1_valued_0 X2)) \end{aligned} \quad (24)$$

Theorem 1

$$\begin{aligned} \forall X0.(((v1_funct_1 X0)\wedge((v1_funct_2 X0 k5_numbers k1_numbers)\wedge \\ (m1_subset_1 X0 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers k1_numbers))))))\Rightarrow \\ (\forall X1.(((v1_funct_1 X1)\wedge((v1_funct_2 X1 k5_numbers k1_numbers)\wedge \\ (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers k1_numbers))))))\Rightarrow \\ (\forall X2.(((v1_funct_1 X2)\wedge((v1_funct_2 X2 k5_numbers k1_numbers)\wedge \\ (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers k1_numbers))))))\Rightarrow \\ (r2_funct_2 k5_numbers k1_numbers (k20_valued_1 k5_numbers k1_numbers \\ k1_numbers X0 (k52_valued_1 k5_numbers k1_numbers k1_numbers \\ X1 X2)) (k52_valued_1 k5_numbers k1_numbers k1_numbers (k20_valued_1 \\ k5_numbers k1_numbers k1_numbers X0 X1) X2)))))) \end{aligned}$$