

t41\_vfunct\_1  
(TMLCJ2CZJN2pQ2baeMDpw9jbowAXLx1Mk9v)

October 27, 2020

Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v13\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v2\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v5\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v6\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v7\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v8\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_normsp\_0 : \iota \Rightarrow o$  be given. Let  $v4\_normsp\_0 : \iota \Rightarrow o$  be given. Let  $v2\_normsp\_1 : \iota \Rightarrow o$  be given. Let  $l1\_normsp\_1 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_1 : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $k2\_zfmisc\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $r1\_tarski : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $r1\_vfunct\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $m2\_subset\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k9\_subset\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k3\_xboole\_0 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_relat\_1 : \iota \Rightarrow o$  be given. Let  $v4\_relat\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_relset\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k9\_xtuple\_0 : \iota \Rightarrow \iota$  be given. Let  $k1\_numbers : \iota$  be given. Let  $r1\_xxreal\_0 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_normsp\_0 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k7\_partfun1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v5\_relat\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Assume the following.

$$\forall X0. \forall X1. \neg (X0 \in X1) \wedge (v1\_xboole\_0 X1) \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. \neg (X0 \in X1) \wedge ((m1\_subset\_1 X1 (k1\_zfmisc\_1 X2)) \wedge (v1\_xboole\_0 X2)) \quad (2)$$

Assume the following.

$$\forall X0. \forall X1. (m1\_subset\_1 X0 (k1\_zfmisc\_1 X1)) \Leftrightarrow (r1\_tarski X0 X1) \quad (3)$$

Assume the following.

$$\forall X0. \forall X1. (m1\_subset\_1 X0 X1) \Rightarrow ((v1\_xboole\_0 X1) \vee (X0 \in X1)) \quad (4)$$

Assume the following.

$$\forall X0. \forall X1. (X0 \in X1) \Rightarrow (m1\_subset\_1 X0 X1) \quad (5)$$

Assume the following.

$$\forall X0.\forall X1.((\neg v1\_xboole\_0 X0)\wedge((\neg v1\_xboole\_0 X1)\wedge(m1\_subset\_1 X1 (k1\_zfmisc\_1 X0))))\Rightarrow(\forall X2.(m2\_subset\_1 X2 X0 X1)\Leftrightarrow(m1\_subset\_1 X2 X1)) \quad (6)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1\_subset\_1 X2 (k1\_zfmisc\_1 X0))\Rightarrow(k9\_subset\_1 X0 X1 X2 = k3\_xboole\_0 X1 X2) \quad (7)$$

Assume the following.

$$\forall X0.\forall X1.((v1\_relat\_1 X1)\wedge(v4\_relat\_1 X1 X0))\Rightarrow(k1\_relset\_1 X0 X1 = k9\_xtuple\_0 X1) \quad (8)$$

Assume the following.

$$\forall X0.\forall X1.((\neg v1\_xboole\_0 X0)\wedge((\neg v1\_xboole\_0 X1)\wedge(m1\_subset\_1 X1 (k1\_zfmisc\_1 X0))))\Rightarrow(\forall X2.(m2\_subset\_1 X2 X0 X1)\Rightarrow(m1\_subset\_1 X2 X0)) \quad (9)$$

Assume the following.

$$\forall X0.\forall X1.((v1\_relat\_1 X1)\wedge(v4\_relat\_1 X1 X0))\Rightarrow(m1\_subset\_1 (k1\_relset\_1 X0 X1) (k1\_zfmisc\_1 X0)) \quad (10)$$

Assume the following.

$$\forall X0.(\neg v1\_xboole\_0 X0)\Rightarrow(\forall X1.((\neg v2\_struct\_0 X1)\wedge(l1\_normsp\_1 X1))\Rightarrow(\forall X2.((v1\_funct\_1 X2)\wedge(m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 (u1\_struct\_0 X1))))))\Rightarrow(\forall X3.(r1\_vfunct\_1 X0 X1 X2 X3)\Leftrightarrow(\exists X4.(m1\_subset\_1 X4 k1\_numbers)\wedge(\forall X5.(m1\_subset\_1 X5 X0)\Rightarrow((X5 \in k9\_subset\_1 X0 X3 (k1\_relset\_1 X0 X2))\Rightarrow(r1\_xxreal\_0 (k1\_normsp\_0 X1 (k7\_partfun1 (u1\_struct\_0 X1) X2 X5)) X4)))))) \quad (11)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(X2 = k3\_xboole\_0 X0 X1)\Leftrightarrow(\forall X3.(X3 \in X2)\Leftrightarrow((X3 \in X0)\wedge(X3 \in X1))) \quad (12)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1)))\Rightarrow((v4\_relat\_1 X2 X0)\wedge(v5\_relat\_1 X2 X1)) \quad (13)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1)))\Rightarrow(v1\_relat\_1 X2) \quad (14)$$

**Theorem 1**

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (\neg v1\_xboole\_0 X2) \Rightarrow (\forall X3. \\ & ((\neg v2\_struct\_0 X3) \wedge ((v13\_algstr\_0 X3) \wedge ((v2\_rlvect\_1 X3) \wedge ( \\ & v3\_rlvect\_1 X3) \wedge (v4\_rlvect\_1 X3) \wedge (v5\_rlvect\_1 X3) \wedge ((v6\_rlvect\_1 \\ & X3) \wedge (v7\_rlvect\_1 X3) \wedge (v8\_rlvect\_1 X3) \wedge ((v3\_normsp\_0 X3) \wedge \\ & ((v4\_normsp\_0 X3) \wedge ((v2\_normsp\_1 X3) \wedge (l1\_normsp\_1 X3)))))))))) \Rightarrow \\ & (\forall X4. ((v1\_funct\_1 X4) \wedge (m1\_subset\_1 X4 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\ & X2 (u1\_struct\_0 X3)))))) \Rightarrow (((r1\_tarski X0 X1) \wedge (r1\_vfunct\_1 X2 X3 \\ & X4 X1)) \Rightarrow (r1\_vfunct\_1 X2 X3 X4 X0)))) \end{aligned}$$