

t42\_geomtrap  
(TMV83Q3jdyEJGsxUQEjqsBUVXRwknt1MBvm)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v13\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v2\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v5\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v6\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v7\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v8\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $l1\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $k1\_domain\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k2\_zfmisc\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k5\_geomtrap : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $r2\_geomtrap : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $k4\_tarski : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $l1\_struct\_0 : \iota \Rightarrow o$  be given. Let  $l2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $l2\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $l1\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall X0. \forall X1. \neg (X0 \in X1) \wedge (v1\_xboole\_0 X1) \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. \forall X3. (k4\_tarski X0 X1 = k4\_tarski X2 X3) \Rightarrow ((X0 = X2) \wedge (X1 = X3)) \quad (2)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. \forall X3. ((\neg v1\_xboole\_0 X0) \wedge \\ & ((\neg v1\_xboole\_0 X1) \wedge ((m1\_subset\_1 X2 X0) \wedge (m1\_subset\_1 X3 X1)))) \Rightarrow \\ & (k1\_domain\_1 X0 X1 X2 X3 = k4\_tarski X2 X3) \end{aligned} \quad (3)$$

Assume the following.

$$\forall X0. ((\neg v2\_struct\_0 X0) \wedge (l1\_struct\_0 X0)) \Rightarrow (\neg v1\_xboole\_0 (u1\_struct\_0 X0)) \quad (4)$$

Assume the following.

$$\forall X0. (l2\_struct\_0 X0) \Rightarrow (l1\_struct\_0 X0) \quad (5)$$

Assume the following.

$$\forall X0. (l2\_algstr\_0 X0) \Rightarrow ((l2\_struct\_0 X0) \wedge (l1\_algstr\_0 X0)) \quad (6)$$

Assume the following.

$$\forall X0.(l1\_rlvect\_1 X0) \Rightarrow (l2\_algstr\_0 X0) \quad (7)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 \\ & X0) \wedge ((v2\_rlvect\_1 X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge \\ & ((v5\_rlvect\_1 X0) \wedge ((v6\_rlvect\_1 X0) \wedge ((v7\_rlvect\_1 X0) \wedge ((v8\_rlvect\_1 \\ & X0) \wedge (l1\_rlvect\_1 X0)))))))))) \wedge ((m1\_subset\_1 X1 (u1\_struct\_0 \\ & X0)) \wedge (m1\_subset\_1 X2 (u1\_struct\_0 X0)))) \Rightarrow (m1\_subset\_1 (k5\_geomtrap \\ & X0 X1 X2) (k1\_zfmisc\_1 (k2\_zfmisc\_1 (k2\_zfmisc\_1 (u1\_struct\_0 \\ & X0) (u1\_struct\_0 X0)) (k2\_zfmisc\_1 (u1\_struct\_0 X0) (u1\_struct\_0 \\ & X0)))))) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.((\neg v1\_xboole\_0 X0) \wedge \\ & ((\neg v1\_xboole\_0 X1) \wedge ((m1\_subset\_1 X2 X0) \wedge (m1\_subset\_1 X3 X1)))) \Rightarrow \\ & (m1\_subset\_1 (k1\_domain\_1 X0 X1 X2 X3) (k2\_zfmisc\_1 X0 X1)) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} & \forall X0.(((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\ & X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v5\_rlvect\_1 X0) \wedge \\ & ((v6\_rlvect\_1 X0) \wedge ((v7\_rlvect\_1 X0) \wedge ((v8\_rlvect\_1 X0) \wedge (l1\_rlvect\_1 \\ & X0)))))))))) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow \\ & (\forall X2.(m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (\forall X3.(m1\_subset\_1 \\ & X3 (k1\_zfmisc\_1 (k2\_zfmisc\_1 (k2\_zfmisc\_1 (u1\_struct\_0 X0) (u1\_struct\_0 \\ & X0)) (k2\_zfmisc\_1 (u1\_struct\_0 X0) (u1\_struct\_0 X0)))))) \Rightarrow ((X3 = \\ & k5\_geomtrap X0 X1 X2) \Leftrightarrow (\forall X4.\forall X5.(k4\_tarski X4 X5 \in \\ & X3) \Leftrightarrow (\exists X6.(m1\_subset\_1 X6 (u1\_struct\_0 X0)) \wedge (\exists X7. \\ & (m1\_subset\_1 X7 (u1\_struct\_0 X0)) \wedge (\exists X8.(m1\_subset\_1 X8 \\ & (u1\_struct\_0 X0)) \wedge (\exists X9.(m1\_subset\_1 X9 (u1\_struct\_0 X0)) \wedge \\ & ((X4 = k1\_domain\_1 (u1\_struct\_0 X0) (u1\_struct\_0 X0) X6 X7) \wedge ((X5 = \\ & k1\_domain\_1 (u1\_struct\_0 X0) (u1\_struct\_0 X0) X8 X9) \wedge (r2\_geomtrap \\ & X0 X1 X2 X6 X7 X8 X9)))))))))) \end{aligned} \quad (10)$$

Assume the following.

$$\forall X0.\forall X1.(v1\_xboole\_0 X0) \Rightarrow (\forall X2.(m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X1 X0))) \Rightarrow (v1\_xboole\_0 X2)) \quad (11)$$

**Theorem 1**

$$\begin{aligned} & \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\ & X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v5\_rlvect\_1 X0) \wedge \\ & ((v6\_rlvect\_1 X0) \wedge ((v7\_rlvect\_1 X0) \wedge ((v8\_rlvect\_1 X0) \wedge (l1\_rlvect\_1 \\ & X0)))))))))) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow \\ & (\forall X2.(m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (\forall X3.(m1\_subset\_1 \\ & X3 (u1\_struct\_0 X0)) \Rightarrow (\forall X4.(m1\_subset\_1 X4 (u1\_struct\_0 \\ & X0)) \Rightarrow (\forall X5.(m1\_subset\_1 X5 (u1\_struct\_0 X0)) \Rightarrow (\forall X6. \\ & (m1\_subset\_1 X6 (u1\_struct\_0 X0)) \Rightarrow ((k1\_domain\_1 (k2\_zfmisc\_1 \\ & (u1\_struct\_0 X0) (u1\_struct\_0 X0)) (k2\_zfmisc\_1 (u1\_struct\_0 \\ & X0) (u1\_struct\_0 X0)) (k1\_domain\_1 (u1\_struct\_0 X0) (u1\_struct\_0 \\ & X0) X1 X2) (k1\_domain\_1 (u1\_struct\_0 X0) (u1\_struct\_0 X0) X3 X4) \in \\ & k5\_geomtrap X0 X5 X6) \Leftrightarrow (r2\_geomtrap X0 X5 X6 X1 X2 X3 X4)))))))))) \end{aligned}$$