

t42_matrix_1
(TMJgwRfcLJGJMXi82jKuSu17Tr53SPWsAP8)

October 27, 2020

Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $m2_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_matrix_1 : \iota \Rightarrow o$ be given. Let $k3_finseq_2 : \iota \Rightarrow \iota$ be given. Let $k4_finseq_1 : \iota \Rightarrow \iota$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_finseq_1 : \iota \Rightarrow \iota$ be given. Let $k1_matrix_1 : \iota \Rightarrow \iota$ be given. Let $k1_xboole_0 : \iota$ be given. Let $k6_numbers : \iota$ be given. Let $r1_xxreal_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $np_0 : \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $k4_ordinal1 : \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_finseq_1 : \iota \Rightarrow o$ be given. Let $k9_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $k1_card_1 : \iota \Rightarrow \iota$ be given. Let $v1_finset_1 : \iota \Rightarrow o$ be given. Let $v3_ordinal1 : \iota \Rightarrow o$ be given. Let $v1_card_1 : \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Let $k10_xtuple_0 : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall X0. \forall X1. \neg(X0 \in X1) \wedge (v1_xboole_0 X1) \quad (1)$$

Assume the following.

$$\forall X0. (v1_xboole_0 X0) \Rightarrow (X0 = k1_xboole_0) \quad (2)$$

Assume the following.

$$\forall X0. (v7_ordinal1 X0) \Rightarrow (\neg(k6_numbers \neq X0) \wedge (r1_xxreal_0 X0 k6_numbers)) \quad (3)$$

Assume the following.

$$v1_xboole_0 np_0 \quad (4)$$

Assume the following.

$$\forall X0. \forall X1. ((\neg v1_xboole_0 X0) \wedge ((\neg v1_xboole_0 X1) \wedge (m1_subset_1 X1 (k1_zfmisc_1 X0)))) \Rightarrow (\forall X2. (m2_subset_1 X2 X0 X1) \Leftrightarrow (m1_subset_1 X2 X1)) \quad (5)$$

Assume the following.

$$\forall X0. \forall X1. (m2_finseq_1 X1 X0) \Leftrightarrow (m1_finseq_1 X1 X0) \quad (6)$$

Assume the following.

$$k6_numbers = k1_xboole_0 \quad (7)$$

Assume the following.

$$k5_numbers = k4_ordinal1 \quad (8)$$

Assume the following.

$$\forall X0.((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge (v1_finseq_1 X0))) \Rightarrow (k4_finseq_1 X0 = k9_xtuple_0 X0) \quad (9)$$

Assume the following.

$$\forall X0.((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge (v1_finseq_1 X0))) \Rightarrow (k3_finseq_1 X0 = k1_card_1 X0) \quad (10)$$

Assume the following.

$$\neg v1_finset_1 k4_ordinal1 \quad (11)$$

Assume the following.

$$(\neg v1_xboole_0 k4_ordinal1) \wedge (v3_ordinal1 k4_ordinal1) \quad (12)$$

Assume the following.

$$\forall X0.(\neg v1_xboole_0 X0) \Rightarrow ((\neg v1_xboole_0 (k1_card_1 X0)) \wedge (v1_card_1 (k1_card_1 X0))) \quad (13)$$

Assume the following.

$$\forall X0.(v1_xboole_0 X0) \Rightarrow (v1_xboole_0 (k9_xtuple_0 X0)) \quad (14)$$

Assume the following.

$$\forall X0.\forall X1.(m1_finseq_1 X1 X0) \Rightarrow ((v1_relat_1 X1) \wedge ((v1_funct_1 X1) \wedge (v1_finseq_1 X1))) \quad (15)$$

Assume the following.

$$m1_subset_1 k5_numbers (k1_zfmisc_1 k1_numbers) \quad (16)$$

Assume the following.

$$\forall X0.((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge (v1_finseq_1 X0))) \Rightarrow (m2_subset_1 (k3_finseq_1 X0) k1_numbers k5_numbers) \quad (17)$$

Assume the following.

$$\begin{aligned} & \forall X0.((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge ((v1_finseq_1 \\ & X0) \wedge (v1_matrix_1 X0)))) \Rightarrow (\forall X1.(m1_subset_1 X1 k5_numbers) \Rightarrow \\ & (((\neg r1_xxreal_0 (k3_finseq_1 X0) k1_xboole_0) \Rightarrow ((X1 = k1_matrix_1 \\ & X0) \Leftrightarrow (\exists X2.((v1_relat_1 X2) \wedge ((v1_funct_1 X2) \wedge (v1_finseq_1 \\ & X2)))) \wedge ((X2 \in k10_xtuple_0 X0) \wedge (k3_finseq_1 X2 = X1)))))) \wedge ((r1_xxreal_0 \\ & (k3_finseq_1 X0) k1_xboole_0) \Rightarrow ((X1 = k1_matrix_1 X0) \Leftrightarrow (X1 = k1_xboole_0)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\forall X0.((v1_relat_1 X0) \wedge (v1_funct_1 X0)) \Rightarrow (\forall X1.(X1 = k10_xtuple_0 X0) \Leftrightarrow (\forall X2.(X2 \in X1) \Leftrightarrow (\exists X3.(X3 \in k9_xtuple_0 X0) \wedge (X2 = k1_funct_1 X0 X3)))) \quad (19)$$

Assume the following.

$$\forall X0.((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge (v1_finseq_1 X0))) \Rightarrow ((v1_matrix_1 X0) \Leftrightarrow (\exists X1.(v7_ordinal1 X1) \wedge (\forall X2. \neg (X2 \in k10_xtuple_0 X0) \wedge (\forall X3.((v1_relat_1 X3) \wedge ((v1_funct_1 X3) \wedge (v1_finseq_1 X3))) \Rightarrow (\neg (X3 = X2) \wedge (k3_finseq_1 X3 = X1))))))) \quad (20)$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k4_ordinal1) \Rightarrow (v7_ordinal1 X0) \quad (21)$$

Assume the following.

$$\forall X0.(v1_finset_1 X0) \Rightarrow (\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 X0)) \Rightarrow (v1_finset_1 X1)) \quad (22)$$

Assume the following.

$$\forall X0.(v1_xboole_0 X0) \Rightarrow (v1_finset_1 X0) \quad (23)$$

Theorem 1

$$\forall X0.(v7_ordinal1 X0) \Rightarrow (\forall X1.(\neg v1_xboole_0 X1) \Rightarrow (\forall X2.(m2_finseq_1 X2 X1) \Rightarrow (\forall X3.((v1_matrix_1 X3) \wedge (m2_finseq_1 X3 (k3_finseq_2 X1)))) \Rightarrow (((X0 \in k4_finseq_1 X3) \wedge (k1_funct_1 X3 X0 = X2)) \Rightarrow (k3_finseq_1 X2 = k1_matrix_1 X3))))))$$