

# t42\_matrix\_6 (TMYS- nKaXBq4TqbZ9KDJKDPQswhSguX7cFY)

October 27, 2020

Let  $v7\_ordinal1 : \iota \Rightarrow o$  be given. Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v6\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v13\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v33\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v3\_group\_1 : \iota \Rightarrow o$  be given. Let  $v5\_group\_1 : \iota \Rightarrow o$  be given. Let  $v2\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_vectsp\_1 : \iota \Rightarrow o$  be given. Let  $v5\_vectsp\_1 : \iota \Rightarrow o$  be given. Let  $l6\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $m1\_matrix\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $v1\_matrix\_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k4\_matrix\_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k5\_matrix\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k12\_matrix\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v4\_matrix\_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v1\_matrix\_1 : \iota \Rightarrow o$  be given. Let  $m2\_finseq\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k3\_finseq\_2 : \iota \Rightarrow \iota$  be given. Let  $k1\_matrix\_1 : \iota \Rightarrow \iota$  be given. Let  $k3\_finseq\_1 : \iota \Rightarrow \iota$  be given. Let  $k4\_matrix\_3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $k2\_matrix\_1 : \iota \Rightarrow \iota$  be given. Let  $k2\_zfmisc\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k2\_finseq\_1 : \iota \Rightarrow \iota$  be given. Let  $k4\_matrix\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $l1\_struct\_0 : \iota \Rightarrow o$  be given. Let  $l2\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $l5\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $l2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $l1\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $k5\_matrix\_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $r2\_matrix\_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Assume the following.

$$\begin{aligned}
& \forall X0. ((\neg v2\_struct\_0 X0) \wedge ((\neg v6\_struct\_0 X0) \wedge ((v13\_algstr\_0 \\
& X0) \wedge ((v33\_algstr\_0 X0) \wedge ((v3\_group\_1 X0) \wedge ((v5\_group\_1 X0) \wedge ( \\
& (v2\_rlvect\_1 X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v4\_vectsp\_1 \\
& X0) \wedge ((v5\_vectsp\_1 X0) \wedge (l6\_algstr\_0 X0)))))))))) \Rightarrow (\forall X1. \\
& ((v1\_matrix\_1 X1) \wedge (m2\_finseq\_1 X1 (k3\_finseq\_2 (u1\_struct\_0 \\
& X0)))) \Rightarrow (\forall X2. ((v1\_matrix\_1 X2) \wedge (m2\_finseq\_1 X2 (k3\_finseq\_2 \\
& (u1\_struct\_0 X0)))) \Rightarrow (\forall X3. ((v1\_matrix\_1 X3) \wedge (m2\_finseq\_1 \\
& X3 (k3\_finseq\_2 (u1\_struct\_0 X0)))) \Rightarrow (((k1\_matrix\_1 X1 = k3\_finseq\_1 \\
& X2) \wedge (k1\_matrix\_1 X2 = k3\_finseq\_1 X3)) \Rightarrow (k4\_matrix\_3 X0 (k4\_matrix\_3 \\
& X0 X1 X2) X3 = k4\_matrix\_3 X0 X1 (k4\_matrix\_3 X0 X2 X3))))))
\end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0.(v7\_ordinal1\ X0) \Rightarrow (\forall X1.(\neg v1\_xboole\_0\ X1) \Rightarrow ( \\ & \forall X2.(m1\_matrix\_1\ X2\ X1\ X0\ X0) \Rightarrow ((k3\_finseq\_1\ X2 = X0) \wedge ((k1\_matrix\_1 \\ & X2 = X0) \wedge (k2\_matrix\_1\ X2 = k2\_zfmisc\_1\ (k2\_finseq\_1\ X0)\ (k2\_finseq\_1 \\ & X0)))))) \end{aligned} \quad (2)$$

Assume the following.

$$\begin{aligned} & \forall X0.(v7\_ordinal1\ X0) \Rightarrow (\forall X1.((\neg v2\_struct\_0\ X1) \wedge \\ & ((\neg v6\_struct\_0\ X1) \wedge ((v13\_algstr\_0\ X1) \wedge ((v33\_algstr\_0\ X1) \wedge ( \\ & (v3\_group\_1\ X1) \wedge ((v5\_group\_1\ X1) \wedge ((v2\_rlvect\_1\ X1) \wedge ((v3\_rlvect\_1 \\ & X1) \wedge ((v4\_rlvect\_1\ X1) \wedge ((v4\_vectsp\_1\ X1) \wedge ((v5\_vectsp\_1\ X1) \wedge \\ & (l6\_algstr\_0\ X1)))))))))) \Rightarrow (\forall X2.(m1\_matrix\_1\ X2\ (u1\_struct\_0 \\ & X1)\ X0\ X0) \Rightarrow (k4\_matrix\_3\ X1\ X2\ (k12\_matrix\_1\ X1\ X0) = X2))) \end{aligned} \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.((v7\_ordinal1\ X0) \wedge ((\neg v1\_xboole\_0 \\ & X1) \wedge (m1\_matrix\_1\ X2\ X1\ X0\ X0))) \Rightarrow (k5\_matrix\_1\ X0\ X1\ X2 = k4\_matrix\_1 \\ & X1\ X2) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.((v7\_ordinal1\ X0) \wedge \\ & (((\neg v2\_struct\_0\ X1) \wedge ((\neg v6\_struct\_0\ X1) \wedge ((v13\_algstr\_0\ X1) \wedge \\ & ((v33\_algstr\_0\ X1) \wedge ((v3\_group\_1\ X1) \wedge ((v5\_group\_1\ X1) \wedge ((v2\_rlvect\_1 \\ & X1) \wedge ((v3\_rlvect\_1\ X1) \wedge ((v4\_rlvect\_1\ X1) \wedge ((v4\_vectsp\_1\ X1) \wedge \\ & ((v5\_vectsp\_1\ X1) \wedge (l6\_algstr\_0\ X1)))))))))) \wedge ((m1\_matrix\_1 \\ & X2\ (u1\_struct\_0\ X1)\ X0\ X0) \wedge (m1\_matrix\_1\ X3\ (u1\_struct\_0\ X1)\ X0\ X0))) \Rightarrow \\ & (k4\_matrix\_6\ X0\ X1\ X2\ X3 = k4\_matrix\_3\ X1\ X2\ X3) \end{aligned} \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2\_struct\_0\ X0) \wedge (l1\_struct\_0\ X0)) \Rightarrow (\neg v1\_xboole\_0 \\ & (u1\_struct\_0\ X0)) \end{aligned} \quad (6)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.((\neg v1\_xboole\_0\ X0) \wedge ((v7\_ordinal1 \\ & X1) \wedge (v7\_ordinal1\ X2))) \Rightarrow (\forall X3.(m1\_matrix\_1\ X3\ X0\ X1\ X2) \Rightarrow \\ & ((v1\_matrix\_1\ X3) \wedge (m2\_finseq\_1\ X3\ (k3\_finseq\_2\ X0)))) \end{aligned} \quad (7)$$

Assume the following.

$$\forall X0.(l6\_algstr\_0\ X0) \Rightarrow ((l2\_algstr\_0\ X0) \wedge (l5\_algstr\_0\ X0)) \quad (8)$$

Assume the following.

$$\forall X0.(l2\_struct\_0\ X0) \Rightarrow (l1\_struct\_0\ X0) \quad (9)$$

Assume the following.

$$\forall X0.(l2\_algstr\_0 X0) \Rightarrow ((l2\_struct\_0 X0) \wedge (l1\_algstr\_0 X0)) \quad (10)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.((v7\_ordinal1 X0) \wedge (((\neg v2\_struct\_0 \\ & X1) \wedge ((\neg v6\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v33\_algstr\_0 X1) \wedge \\ & ((v3\_group\_1 X1) \wedge ((v5\_group\_1 X1) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 \\ & X1) \wedge ((v4\_rlvect\_1 X1) \wedge ((v4\_vectsp\_1 X1) \wedge ((v5\_vectsp\_1 X1) \wedge \\ & (l6\_algstr\_0 X1)))))))))) \wedge (m1\_matrix\_1 X2 (u1\_struct\_0 X1) \\ & X0 X0)) \Rightarrow (m1\_matrix\_1 (k5\_matrix\_6 X0 X1 X2) (u1\_struct\_0 X1) X0 \\ & X0) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.((v7\_ordinal1 X0) \wedge ((\neg v1\_xboole\_0 \\ & X1) \wedge (m1\_matrix\_1 X2 X1 X0 X0))) \Rightarrow (m1\_matrix\_1 (k5\_matrix\_1 X0 X1 \\ & X2) X1 X0 X0) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.(((\neg v2\_struct\_0 X0) \wedge (l6\_algstr\_0 X0)) \wedge \\ & (v7\_ordinal1 X1)) \Rightarrow (m1\_matrix\_1 (k12\_matrix\_1 X0 X1) (u1\_struct\_0 \\ & X0) X1 X1) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned} & \forall X0.(v7\_ordinal1 X0) \Rightarrow (\forall X1.((\neg v2\_struct\_0 X1) \wedge \\ & ((\neg v6\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v33\_algstr\_0 X1) \wedge ( \\ & (v3\_group\_1 X1) \wedge ((v5\_group\_1 X1) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 \\ & X1) \wedge ((v4\_rlvect\_1 X1) \wedge ((v4\_vectsp\_1 X1) \wedge ((v5\_vectsp\_1 X1) \wedge \\ & (l6\_algstr\_0 X1)))))))))) \Rightarrow (\forall X2.(m1\_matrix\_1 X2 (u1\_struct\_0 \\ & X1) X0 X0) \Rightarrow ((v4\_matrix\_6 X2 X0 X1) \Leftrightarrow ((v1\_matrix\_6 X2 X0 X1) \wedge (k5\_matrix\_1 \\ & X0 (u1\_struct\_0 X1) X2 = k5\_matrix\_6 X0 X1 X2)))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} & \forall X0.(v7\_ordinal1 X0) \Rightarrow (\forall X1.((\neg v2\_struct\_0 X1) \wedge \\ & ((\neg v6\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v33\_algstr\_0 X1) \wedge ( \\ & (v3\_group\_1 X1) \wedge ((v5\_group\_1 X1) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 \\ & X1) \wedge ((v4\_rlvect\_1 X1) \wedge ((v4\_vectsp\_1 X1) \wedge ((v5\_vectsp\_1 X1) \wedge \\ & (l6\_algstr\_0 X1)))))))))) \Rightarrow (\forall X2.(m1\_matrix\_1 X2 (u1\_struct\_0 \\ & X1) X0 X0) \Rightarrow ((v1\_matrix\_6 X2 X0 X1) \Rightarrow (\forall X3.(m1\_matrix\_1 X3 \\ & (u1\_struct\_0 X1) X0 X0) \Rightarrow ((X3 = k5\_matrix\_6 X0 X1 X2) \Leftrightarrow (r2\_matrix\_6 \\ & X0 X1 X3 X2)))))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned}
& \forall X0.(v7\_ordinal1\ X0) \Rightarrow (\forall X1.((\neg v2\_struct\_0\ X1) \wedge \\
& ((\neg v6\_struct\_0\ X1) \wedge ((v13\_algstr\_0\ X1) \wedge ((v33\_algstr\_0\ X1) \wedge \\
& (v3\_group\_1\ X1) \wedge ((v5\_group\_1\ X1) \wedge ((v2\_rlvect\_1\ X1) \wedge ((v3\_rlvect\_1 \\
& X1) \wedge ((v4\_rlvect\_1\ X1) \wedge ((v4\_vectsp\_1\ X1) \wedge ((v5\_vectsp\_1\ X1) \wedge \\
& (l6\_algstr\_0\ X1)))))))))) \Rightarrow (\forall X2.(m1\_matrix\_1\ X2\ (u1\_struct\_0 \\
& X1)\ X0\ X0) \Rightarrow (\forall X3.(m1\_matrix\_1\ X3\ (u1\_struct\_0\ X1)\ X0\ X0) \Rightarrow \\
& ((r2\_matrix\_6\ X0\ X1\ X2\ X3) \Leftrightarrow ((k4\_matrix\_3\ X1\ X2\ X3 = k4\_matrix\_3\ X1 \\
& X3\ X2) \wedge (k4\_matrix\_3\ X1\ X2\ X3 = k12\_matrix\_1\ X1\ X0))))))
\end{aligned} \tag{16}$$

**Theorem 1**

$$\begin{aligned}
& \forall X0.(v7\_ordinal1\ X0) \Rightarrow (\forall X1.((\neg v2\_struct\_0\ X1) \wedge \\
& ((\neg v6\_struct\_0\ X1) \wedge ((v13\_algstr\_0\ X1) \wedge ((v33\_algstr\_0\ X1) \wedge \\
& (v3\_group\_1\ X1) \wedge ((v5\_group\_1\ X1) \wedge ((v2\_rlvect\_1\ X1) \wedge ((v3\_rlvect\_1 \\
& X1) \wedge ((v4\_rlvect\_1\ X1) \wedge ((v4\_vectsp\_1\ X1) \wedge ((v5\_vectsp\_1\ X1) \wedge \\
& (l6\_algstr\_0\ X1)))))))))) \Rightarrow (\forall X2.(m1\_matrix\_1\ X2\ (u1\_struct\_0 \\
& X1)\ X0\ X0) \Rightarrow (((v1\_matrix\_6\ X2\ X0\ X1) \wedge (k4\_matrix\_6\ X0\ X1\ (k5\_matrix\_1 \\
& X0\ (u1\_struct\_0\ X1)\ X2)\ X2 = k12\_matrix\_1\ X1\ X0)) \Leftrightarrow (v4\_matrix\_6\ X2 \\
& X0\ X1)))
\end{aligned}$$