

t42_matrixr1
(TMPQ2QrJcFGAcRC1fNEgiZ5PsiAC49PkWKh)

October 27, 2020

Let $v1_matrix_1 : \iota \Rightarrow o$ be given. Let $m2_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_finseq_2 : \iota \Rightarrow \iota$ be given. Let $k1_numbers : \iota$ be given. Let $k3_matrixr1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k8_matrixr1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_finseq_1 : \iota \Rightarrow \iota$ be given. Let $k1_matrix_1 : \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v6_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v33_algstr_0 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $v5_group_1 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_vectsp_1 : \iota \Rightarrow o$ be given. Let $v5_vectsp_1 : \iota \Rightarrow o$ be given. Let $l6_algstr_0 : \iota \Rightarrow o$ be given. Let $k2_matrix_3 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_matrix_3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k1_matrix_4 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v2_xxreal_0 : \iota \Rightarrow o$ be given. Let $np_1 : \iota$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $m1_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k4_ordinal1 : \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v5_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_finset_1 : \iota \Rightarrow o$ be given. Let $v1_finseq_1 : \iota \Rightarrow o$ be given. Let $v2_finseq_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $g6_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_vectsp_1 : \iota$ be given. Let $v36_algstr_0 : \iota \Rightarrow o$ be given. Let $v3_vectsp_1 : \iota \Rightarrow o$ be given. Let $v6_vectsp_1 : \iota \Rightarrow o$ be given. Let $v6_membered : \iota \Rightarrow o$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Let $m1_matrix_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $l5_algstr_0 : \iota \Rightarrow o$ be given. Let $l4_algstr_0 : \iota \Rightarrow o$ be given. Let $l4_struct_0 : \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $l3_struct_0 : \iota \Rightarrow o$ be given. Let $k6_numbers : \iota$ be given. Let $k35_binop_2 : \iota$ be given. Let $k33_binop_2 : \iota$ be given. Let $k2_matrixr1 : \iota \Rightarrow \iota$ be given. Let $k3_matrix_3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_matrixr1 : \iota \Rightarrow \iota$ be given. Let $u1_algstr_0 : \iota \Rightarrow \iota$ be given. Let $u2_algstr_0 : \iota \Rightarrow \iota$ be given. Let $u3_struct_0 : \iota \Rightarrow \iota$ be given. Let $u2_struct_0 :$

$\iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall X0.(m1_subset_1 X0 k5_numbers) \Rightarrow (\forall X1.(m1_subset_1 \\ & X1 k5_numbers) \Rightarrow (\forall X2.((\neg v2_struct_0 X2) \wedge ((\neg v6_struct_0 \\ & X2) \wedge ((v13_algstr_0 X2) \wedge ((v33_algstr_0 X2) \wedge ((v3_group_1 X2) \wedge \\ & ((v5_group_1 X2) \wedge ((v2_rlvect_1 X2) \wedge ((v3_rlvect_1 X2) \wedge ((v4_rlvect_1 \\ & X2) \wedge ((v4_vectsp_1 X2) \wedge ((v5_vectsp_1 X2) \wedge (l6_algstr_0 X2)))))))))) \Rightarrow \\ & (k2_matrix_3 X2 (k1_matrix_3 X2 X0 X1) = k1_matrix_3 X2 X0 X1))) \end{aligned} \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 \\ & X0) \wedge ((v33_algstr_0 X0) \wedge ((v3_group_1 X0) \wedge ((v5_group_1 X0) \wedge (\\ & (v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v4_vectsp_1 \\ & X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow (\forall X1. \\ & ((v1_matrix_1 X1) \wedge (m2_finseq_1 X1 (k3_finseq_2 (u1_struct_0 \\ & X0)))) \Rightarrow (k1_matrix_4 X0 X1 X1 = k1_matrix_3 X0 (k3_finseq_1 X1) (\\ & k1_matrix_1 X1))) \end{aligned} \quad (2)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 \\ & X0) \wedge ((v33_algstr_0 X0) \wedge ((v3_group_1 X0) \wedge ((v5_group_1 X0) \wedge (\\ & (v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v4_vectsp_1 \\ & X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow (\forall X1. \\ & ((v1_matrix_1 X1) \wedge (m2_finseq_1 X1 (k3_finseq_2 (u1_struct_0 \\ & X0)))) \Rightarrow (\forall X2.((v1_matrix_1 X2) \wedge (m2_finseq_1 X2 (k3_finseq_2 \\ & (u1_struct_0 X0)))) \Rightarrow (((k3_finseq_1 X1 = k3_finseq_1 X2) \wedge (k1_matrix_1 \\ & X1 = k1_matrix_1 X2)) \Rightarrow (X1 = k1_matrix_4 X0 X1 (k1_matrix_4 X0 X2 X2)))))) \end{aligned} \quad (3)$$

Assume the following.

$$\begin{aligned} & ((v2_xxreal_0 np_1) \wedge (m2_subset_1 np_1 k1_numbers k5_numbers)) \wedge \\ & ((m1_subset_1 np_1 k5_numbers) \wedge (m1_subset_1 np_1 k1_numbers)) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((\neg v1_xboole_0 X0) \wedge ((\neg v1_xboole_0 X1) \wedge \\ & (m1_subset_1 X1 (k1_zfmisc_1 X0)))) \Rightarrow (\forall X2. (m2_subset_1 \\ & X2 X0 X1) \Leftrightarrow (m1_subset_1 X2 X1)) \end{aligned} \quad (5)$$

Assume the following.

$$\forall X0. \forall X1. (m2_finseq_1 X1 X0) \Leftrightarrow (m1_finseq_1 X1 X0) \quad (6)$$

Assume the following.

$$k5_numbers = k4_ordinal1 \quad (7)$$

Assume the following.

$$\begin{aligned} \forall X0.(\neg v1_xboole_0 X0) \Rightarrow (\exists X1.(m1_finseq_1 X1 X0) \wedge \\ ((v1_relat_1 X1) \wedge ((v4_relat_1 X1 k5_numbers) \wedge ((v5_relat_1 X1 \\ X0) \wedge ((v1_funct_1 X1) \wedge ((\neg v1_xboole_0 X1) \wedge ((v1_finset_1 X1) \wedge \\ ((v1_finseq_1 X1) \wedge (v2_finseq_1 X1)))))))))) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.\forall X2.\forall X3.\forall X4.(((v1_funct_1 \\ X1) \wedge ((v1_funct_2 X1 (k2_zfmisc_1 X0 X0) X0) \wedge (m1_subset_1 X1 (k1_zfmisc_1 \\ (k2_zfmisc_1 (k2_zfmisc_1 X0 X0) X0)))))) \wedge (((v1_funct_1 X2) \wedge (\\ v1_funct_2 X2 (k2_zfmisc_1 X0 X0) X0) \wedge (m1_subset_1 X2 (k1_zfmisc_1 \\ (k2_zfmisc_1 (k2_zfmisc_1 X0 X0) X0)))))) \wedge ((m1_subset_1 X3 X0) \wedge \\ (m1_subset_1 X4 X0))) \Rightarrow (\forall X5.\forall X6.\forall X7.\forall X8. \\ \forall X9.(g6_algstr_0 X0 X1 X2 X3 X4 = g6_algstr_0 X5 X6 X7 X8 X9) \Rightarrow \\ ((X0 = X5) \wedge ((X1 = X6) \wedge ((X2 = X7) \wedge ((X3 = X8) \wedge (X4 = X9)))))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} (\neg v6_struct_0 k2_vectsp_1) \wedge ((v13_algstr_0 k2_vectsp_1) \wedge ((\\ v33_algstr_0 k2_vectsp_1) \wedge ((v36_algstr_0 k2_vectsp_1) \wedge ((v2_rlvect_1 \\ k2_vectsp_1) \wedge ((v3_rlvect_1 k2_vectsp_1) \wedge ((v4_rlvect_1 k2_vectsp_1) \wedge \\ ((v3_group_1 k2_vectsp_1) \wedge ((v5_group_1 k2_vectsp_1) \wedge ((v3_vectsp_1 \\ k2_vectsp_1) \wedge ((v5_vectsp_1 k2_vectsp_1) \wedge (v6_vectsp_1 k2_vectsp_1)))))))))) \end{aligned} \quad (10)$$

Assume the following.

$$(v36_algstr_0 k2_vectsp_1) \wedge (v4_vectsp_1 k2_vectsp_1) \quad (11)$$

Assume the following.

$$v6_membered k4_ordinal1 \quad (12)$$

Assume the following.

$$(\neg v2_struct_0 k2_vectsp_1) \wedge (v36_algstr_0 k2_vectsp_1) \quad (13)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0) \wedge (l1_struct_0 X0)) \Rightarrow (\neg v1_xboole_0 \\ (u1_struct_0 X0)) \quad (14)$$

Assume the following.

$$\neg v1_xboole_0 k1_numbers \quad (15)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.((\neg v1_xboole_0 X0) \wedge ((\neg v1_xboole_0 X1) \wedge \\ (m1_subset_1 X1 (k1_zfmisc_1 X0)))) \Rightarrow (\forall X2.(m2_subset_1 \\ X2 X0 X1) \Rightarrow (m1_subset_1 X2 X0)) \end{aligned} \quad (16)$$

Assume the following.

$$\forall X0.\forall X1.(m2_finseq_1 X1 X0)\Rightarrow((v1_funct_1 X1)\wedge((v1_finseq_1 X1)\wedge(m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers X0)))))) \quad (17)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((\neg v1_xboole_0 X0)\wedge((v7_ordinal1 X1)\wedge(v7_ordinal1 X2)))\Rightarrow(\forall X3.(m1_matrix_1 X3 X0 X1 X2)\Rightarrow((v1_matrix_1 X3)\wedge(m2_finseq_1 X3 (k3_finseq_2 X0)))) \quad (18)$$

Assume the following.

$$\forall X0.\forall X1.(m1_finseq_1 X1 X0)\Rightarrow((v1_relat_1 X1)\wedge((v1_funct_1 X1)\wedge(v1_finseq_1 X1))) \quad (19)$$

Assume the following.

$$\forall X0.(l6_algstr_0 X0)\Rightarrow((l2_algstr_0 X0)\wedge(l5_algstr_0 X0)) \quad (20)$$

Assume the following.

$$\forall X0.(l5_algstr_0 X0)\Rightarrow((l4_algstr_0 X0)\wedge(l4_struct_0 X0)) \quad (21)$$

Assume the following.

$$\forall X0.(l4_struct_0 X0)\Rightarrow((l2_struct_0 X0)\wedge(l3_struct_0 X0)) \quad (22)$$

Assume the following.

$$\forall X0.(l2_struct_0 X0)\Rightarrow(l1_struct_0 X0) \quad (23)$$

Assume the following.

$$m2_subset_1 k6_numbers k1_numbers k5_numbers \quad (24)$$

Assume the following.

$$m1_subset_1 k5_numbers (k1_zfmisc_1 k1_numbers) \quad (25)$$

Assume the following.

$$\forall X0.((v1_relat_1 X0)\wedge((v1_funct_1 X0)\wedge(v1_finseq_1 X0)))\Rightarrow(m2_subset_1 (k3_finseq_1 X0) k1_numbers k5_numbers) \quad (26)$$

Assume the following.

$$(v1_funct_1 k35_binop_2)\wedge((v1_funct_2 k35_binop_2 (k2_zfmisc_1 k1_numbers k1_numbers) k1_numbers)\wedge(m1_subset_1 k35_binop_2 (k1_zfmisc_1 (k2_zfmisc_1 (k2_zfmisc_1 k1_numbers k1_numbers) k1_numbers)))) \quad (27)$$

Assume the following.

$$(v1_funct_1 \ k33_binop_2) \wedge ((v1_funct_2 \ k33_binop_2 \ (k2_zfmisc_1 \ k1_numbers \ k1_numbers) \ k1_numbers) \wedge (m1_subset_1 \ k33_binop_2 \ (k1_zfmisc_1 \ (k2_zfmisc_1 \ (k2_zfmisc_1 \ k1_numbers \ k1_numbers) \ k1_numbers)))) \quad (28)$$

Assume the following.

$$(v36_algstr_0 \ k2_vectsp_1) \wedge (l6_algstr_0 \ k2_vectsp_1) \quad (29)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (((\neg v2_struct_0 \ X0) \wedge (\neg v6_struct_0 \ X0) \wedge ((v13_algstr_0 \ X0) \wedge ((v33_algstr_0 \ X0) \wedge ((v3_group_1 \ X0) \wedge \\ & ((v5_group_1 \ X0) \wedge ((v2_rlvect_1 \ X0) \wedge ((v3_rlvect_1 \ X0) \wedge ((v4_rlvect_1 \ X0) \wedge ((v4_vectsp_1 \ X0) \wedge ((v5_vectsp_1 \ X0) \wedge (l6_algstr_0 \ X0)))))))))) \wedge \\ & ((v7_ordinal1 \ X1) \wedge (v7_ordinal1 \ X2))) \Rightarrow (m1_matrix_1 \ (k1_matrix_3 \ X0 \ X1 \ X2) \ (u1_struct_0 \ X0) \ X1 \ X2) \end{aligned} \quad (30)$$

Assume the following.

$$\forall X0. ((v1_relat_1 \ X0) \wedge ((v1_funct_1 \ X0) \wedge ((v1_finseq_1 \ X0) \wedge (v1_matrix_1 \ X0)))) \Rightarrow (m1_subset_1 \ (k1_matrix_1 \ X0) \ k5_numbers) \quad (31)$$

Assume the following.

$$\forall X0. (v7_ordinal1 \ X0) \Rightarrow (\forall X1. (v7_ordinal1 \ X1) \Rightarrow (k8_matrixr1 \ X0 \ X1 = k2_matrixr1 \ (k1_matrix_3 \ k2_vectsp_1 \ X0 \ X1))) \quad (32)$$

Assume the following.

$$k2_vectsp_1 = g6_algstr_0 \ k1_numbers \ k33_binop_2 \ k35_binop_2 \ np_1 \ k6_numbers \quad (33)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((v1_matrix_1 \ X0) \wedge (m2_finseq_1 \ X0 \ (k3_finseq_2 \ k1_numbers))) \Rightarrow \\ & (\forall X1. ((v1_matrix_1 \ X1) \wedge (m2_finseq_1 \ X1 \ (k3_finseq_2 \ k1_numbers))) \Rightarrow \\ & (k3_matrixr1 \ X0 \ X1 = k2_matrixr1 \ (k3_matrix_3 \ k2_vectsp_1 \ (k1_matrixr1 \ X0) \ (k1_matrixr1 \ X1)))) \end{aligned} \quad (34)$$

Assume the following.

$$\forall X0. ((v1_matrix_1 \ X0) \wedge (m2_finseq_1 \ X0 \ (k3_finseq_2 \ (u1_struct_0 \ k2_vectsp_1)))) \Rightarrow (k2_matrixr1 \ X0 = X0) \quad (35)$$

Assume the following.

$$\forall X0. ((v1_matrix_1 \ X0) \wedge (m2_finseq_1 \ X0 \ (k3_finseq_2 \ k1_numbers))) \Rightarrow (k1_matrixr1 \ X0 = X0) \quad (36)$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 \\
& X0) \wedge ((v33_algstr_0 X0) \wedge ((v3_group_1 X0) \wedge ((v5_group_1 X0) \wedge (\\
& (v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v4_vectsp_1 \\
& X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow (\forall X1. \\
& ((v1_matrix_1 X1) \wedge (m2_finseq_1 X1 (k3_finseq_2 (u1_struct_0 \\
& X0)))) \Rightarrow (\forall X2.((v1_matrix_1 X2) \wedge (m2_finseq_1 X2 (k3_finseq_2 \\
& (u1_struct_0 X0)))) \Rightarrow (k1_matrix_4 X0 X1 X2 = k3_matrix_3 X0 X1 (k2_matrix_3 \\
& X0 X2))))
\end{aligned} \tag{37}$$

Assume the following.

$$\forall X0. \forall X1. (v1_xboole_0 X0) \Rightarrow (\forall X2. (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \Rightarrow (v1_xboole_0 X2)) \tag{38}$$

Assume the following.

$$\forall X0. (v6_membered X0) \Rightarrow (\forall X1. (m1_subset_1 X1 X0) \Rightarrow (v7_ordinal1 X1)) \tag{39}$$

Assume the following.

$$\forall X0. (l6_algstr_0 X0) \Rightarrow ((v36_algstr_0 X0) \Rightarrow (X0 = g6_algstr_0 (u1_struct_0 X0) (u1_algstr_0 X0) (u2_algstr_0 X0) (u3_struct_0 X0) (u2_struct_0 X0))) \tag{40}$$

Theorem 1

$$\forall X0. ((v1_matrix_1 X0) \wedge (m2_finseq_1 X0 (k3_finseq_2 k1_numbers))) \Rightarrow (k3_matrixr1 X0 (k8_matrixr1 (k3_finseq_1 X0) (k1_matrix_1 X0)) = X0)$$