

t42_tmap_1
(TMczy8KK7dCTrdqmfWh7U5v8vNeiaM5vxYJ)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v2_pre_topc : \iota \Rightarrow o$ be given. Let $l1_pre_topc : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r1_tmap_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_connsp_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k8_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k7_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $k7_relat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k8_relat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v3_pre_topc : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0.(\neg v1_xboole_0 X0) \Rightarrow (\forall X1.(\neg v1_xboole_0 X1) \Rightarrow \\ & (\forall X2.((v1_funct_1 X2) \wedge ((v1_funct_2 X2 X0 X1) \wedge (m1_subset_1 \\ & X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))))) \Rightarrow (\forall X3.(m1_subset_1 \\ & X3 (k1_zfmisc_1 X0)) \Rightarrow (\forall X4.(m1_subset_1 X4 (k1_zfmisc_1 \\ & X1)) \Rightarrow ((r1_tarski (k7_relset_1 X0 X1 X2 X3) X4) \Leftrightarrow (r1_tarski X3 (k8_relset_1 \\ & X0 X1 X2 X4)))))) \end{aligned} \tag{1}$$

Assume the following.

$$\forall X0. \forall X1. ((v1_relat_1 X1) \wedge (v1_funct_1 X1)) \Rightarrow (r1_tarski (k7_relat_1 X1 (k8_relat_1 X1 X0)) X0) \tag{2}$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v2_pre_topc X0) \wedge (l1_pre_topc \\ & X0))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. \\ & (m1_subset_1 X2 (k1_zfmisc_1 (u1_struct_0 X0))) \Rightarrow ((m1_connsp_2 \\ & X2 X0 X1) \Leftrightarrow (\exists X3.(m1_subset_1 X3 (k1_zfmisc_1 (u1_struct_0 \\ & X0))) \wedge ((v3_pre_topc X3 X0) \wedge ((r1_tarski X3 X2) \wedge (X1 \in X3)))))) \end{aligned} \tag{3}$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. ((X0 \in X1) \wedge (m1_subset_1 X1 (k1_zfmisc_1 X2))) \Rightarrow (m1_subset_1 X0 X2) \tag{4}$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((r1_tarSKI X0 X1)\wedge(r1_tarSKI X1 X2))\Rightarrow(r1_tarSKI X0 X2) \quad (5)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.\forall X3.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))\Rightarrow(k8_relset_1 X0 X1 X2 X3 = k8_relat_1 X2 X3) \quad (6)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.\forall X3.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))\Rightarrow(k7_relset_1 X0 X1 X2 X3 = k7_relat_1 X2 X3) \quad (7)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0)\wedge(l1_struct_0 X0))\Rightarrow(\neg v1_xboole_0 (u1_struct_0 X0)) \quad (8)$$

Assume the following.

$$\forall X0.\forall X1.(((\neg v2_struct_0 X0)\wedge((v2_pre_topc X0)\wedge(l1_pre_topc X0)))\wedge(m1_subset_1 X1 (u1_struct_0 X0)))\Rightarrow(\forall X2.(m1_connsp_2 X2 X0 X1)\Rightarrow(m1_subset_1 X2 (k1_zfmisc_1 (u1_struct_0 X0)))) \quad (9)$$

Assume the following.

$$\forall X0.(l1_pre_topc X0)\Rightarrow(l1_struct_0 X0) \quad (10)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.\forall X3.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))\Rightarrow(m1_subset_1 (k8_relset_1 X0 X1 X2 X3) (k1_zfmisc_1 X0)) \quad (11)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.\forall X3.((\neg v1_xboole_0 X0)\wedge(((v1_funct_1 X2)\wedge((v1_funct_2 X2 X0 X1)\wedge(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))))))\wedge(m1_subset_1 X3 X0)))\Rightarrow(m1_subset_1 (k3_funct_2 X0 X1 X2 X3) X1) \quad (12)$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_pre_topc X0) \wedge (l1_pre_topc \\
& X0))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((v2_pre_topc X1) \wedge (l1_pre_topc \\
& X1)))) \Rightarrow (\forall X2.((v1_funct_1 X2) \wedge ((v1_funct_2 X2 (u1_struct_0 \\
& X0) (u1_struct_0 X1)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\
& (u1_struct_0 X0) (u1_struct_0 X1)))))) \Rightarrow (\forall X3.(m1_subset_1 \\
& X3 (u1_struct_0 X0)) \Rightarrow ((r1_tmap_1 X0 X1 X2 X3) \Leftrightarrow (\forall X4.(m1_connsp_2 \\
& X4 X1 (k3_funct_2 (u1_struct_0 X0) (u1_struct_0 X1) X2 X3)) \Rightarrow (\exists X5. \\
& (m1_connsp_2 X5 X0 X3) \wedge (r1_tarski (k7_relset_1 (u1_struct_0 X0) \\
& (u1_struct_0 X1) X2 X5) X4))))))
\end{aligned} \tag{13}$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \Rightarrow (v1_relat_1 X2) \tag{14}$$

Theorem 1

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_pre_topc X0) \wedge (l1_pre_topc \\
& X0))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((v2_pre_topc X1) \wedge (l1_pre_topc \\
& X1)))) \Rightarrow (\forall X2.((v1_funct_1 X2) \wedge ((v1_funct_2 X2 (u1_struct_0 \\
& X1) (u1_struct_0 X0)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\
& (u1_struct_0 X1) (u1_struct_0 X0)))))) \Rightarrow (\forall X3.(m1_subset_1 \\
& X3 (u1_struct_0 X1)) \Rightarrow ((r1_tmap_1 X1 X0 X2 X3) \Leftrightarrow (\forall X4.(m1_connsp_2 \\
& X4 X0 (k3_funct_2 (u1_struct_0 X1) (u1_struct_0 X0) X2 X3)) \Rightarrow (m1_connsp_2 \\
& (k8_relset_1 (u1_struct_0 X1) (u1_struct_0 X0) X2 X4) X1 X3))))))
\end{aligned}$$