

t42_toprns_1

(TMG5E6fCkWr7EMuBT9E5S6WZVFrhGCVfcGx)

October 27, 2020

Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Let $k5_numbers : \iota$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k15_euclid : \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v3_toprns_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k4_toprns_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_toprns_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_toprns_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k4_ordinal1 : \iota$ be given. Let $v3_ordinal1 : \iota \Rightarrow o$ be given. Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0.(m2_subset_1 X0 k1_numbers k5_numbers) \Rightarrow (\forall X1. \\ & ((v1_funct_1 X1) \wedge ((v1_funct_2 X1 k5_numbers (u1_struct_0 (k15_euclid \\ & X0))) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (\\ & u1_struct_0 (k15_euclid X0))))))) \Rightarrow ((v3_toprns_1 X1 X0) \Rightarrow (v3_toprns_1 \\ & (k3_toprns_1 X0 X1) X0))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0.(m2_subset_1 X0 k1_numbers k5_numbers) \Rightarrow (\forall X1. \\ & ((v1_funct_1 X1) \wedge ((v1_funct_2 X1 k5_numbers (u1_struct_0 (k15_euclid \\ & X0))) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (\\ & u1_struct_0 (k15_euclid X0))))))) \Rightarrow (\forall X2. ((v1_funct_1 \\ & X2) \wedge ((v1_funct_2 X2 k5_numbers (u1_struct_0 (k15_euclid X0))) \wedge \\ & (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\ & (k15_euclid X0))))))) \Rightarrow (((v3_toprns_1 X1 X0) \wedge (v3_toprns_1 X2 \\ & X0)) \Rightarrow (v3_toprns_1 (k1_toprns_1 X0 X1 X2) X0))) \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((\neg v1_xboole_0 X0) \wedge ((\neg v1_xboole_0 X1) \wedge \\ & (m1_subset_1 X1 (k1_zfmisc_1 X0)))) \Rightarrow (\forall X2. (m2_subset_1 \\ & X2 X0 X1) \Leftrightarrow (m1_subset_1 X2 X1)) \end{aligned} \tag{3}$$

Assume the following.

$$k5_numbers = k4_ordinal1 \tag{4}$$

Assume the following.

$$(\neg v1_xboole_0 \ k4_ordinal1) \wedge (v3_ordinal1 \ k4_ordinal1) \quad (5)$$

Assume the following.

$$m1_subset_1 \ k5_numbers \ (k1_zfmisc_1 \ k1_numbers) \quad (6)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((v7_ordinal1 \ X0) \wedge ((v1_funct_1 \ X1) \wedge ((\\ & v1_funct_2 \ X1 \ k5_numbers \ (u1_struct_0 \ (k15_euclid \ X0))) \wedge (m1_subset_1 \\ & X1 \ (k1_zfmisc_1 \ (k2_zfmisc_1 \ k5_numbers \ (u1_struct_0 \ (k15_euclid \\ & X0)))))) \Rightarrow ((v1_funct_1 \ (k3_toprns_1 \ X0 \ X1)) \wedge ((v1_funct_2 \ (\\ & k3_toprns_1 \ X0 \ X1) \ k5_numbers \ (u1_struct_0 \ (k15_euclid \ X0))) \wedge \\ & (m1_subset_1 \ (k3_toprns_1 \ X0 \ X1) \ (k1_zfmisc_1 \ (k2_zfmisc_1 \ k5_numbers \\ & (u1_struct_0 \ (k15_euclid \ X0)))))) \end{aligned} \quad (7)$$

Assume the following.

$$\begin{aligned} & \forall X0. (v7_ordinal1 \ X0) \Rightarrow (\forall X1. ((v1_funct_1 \ X1) \wedge ((\\ & v1_funct_2 \ X1 \ k5_numbers \ (u1_struct_0 \ (k15_euclid \ X0))) \wedge (m1_subset_1 \\ & X1 \ (k1_zfmisc_1 \ (k2_zfmisc_1 \ k5_numbers \ (u1_struct_0 \ (k15_euclid \\ & X0)))))) \Rightarrow (\forall X2. ((v1_funct_1 \ X2) \wedge ((v1_funct_2 \ X2 \ k5_numbers \\ & (u1_struct_0 \ (k15_euclid \ X0))) \wedge (m1_subset_1 \ X2 \ (k1_zfmisc_1 \\ & (k2_zfmisc_1 \ k5_numbers \ (u1_struct_0 \ (k15_euclid \ X0)))))) \Rightarrow \\ & (k4_toprns_1 \ X0 \ X1 \ X2 = k1_toprns_1 \ X0 \ X1 \ (k3_toprns_1 \ X0 \ X2)))) \end{aligned} \quad (8)$$

Assume the following.

$$\forall X0. (m1_subset_1 \ X0 \ k4_ordinal1) \Rightarrow (v7_ordinal1 \ X0) \quad (9)$$

Assume the following.

$$\forall X0. (v1_xboole_0 \ X0) \Rightarrow (\forall X1. (m1_subset_1 \ X1 \ (k1_zfmisc_1 \ X0)) \Rightarrow (v1_xboole_0 \ X1)) \quad (10)$$

Theorem 1

$$\begin{aligned} & \forall X0. (m2_subset_1 \ X0 \ k1_numbers \ k5_numbers) \Rightarrow (\forall X1. \\ & ((v1_funct_1 \ X1) \wedge ((v1_funct_2 \ X1 \ k5_numbers \ (u1_struct_0 \ (k15_euclid \\ & X0))) \wedge (m1_subset_1 \ X1 \ (k1_zfmisc_1 \ (k2_zfmisc_1 \ k5_numbers \ (\\ & u1_struct_0 \ (k15_euclid \ X0)))))) \Rightarrow (\forall X2. ((v1_funct_1 \\ & X2) \wedge ((v1_funct_2 \ X2 \ k5_numbers \ (u1_struct_0 \ (k15_euclid \ X0))) \wedge \\ & (m1_subset_1 \ X2 \ (k1_zfmisc_1 \ (k2_zfmisc_1 \ k5_numbers \ (u1_struct_0 \\ & (k15_euclid \ X0)))))) \Rightarrow (((v3_toprns_1 \ X1 \ X0) \wedge (v3_toprns_1 \ X2 \\ & X0)) \Rightarrow (v3_toprns_1 \ (k4_toprns_1 \ X0 \ X1 \ X2) \ X0)))) \end{aligned}$$