

t43_dilworth
(TMUGLRFP1PdrAZPGaLH9SjXzYcxkWmBjTjT)

October 27, 2020

Let $v3_dilworth : \iota \Rightarrow o$ be given. Let $l1_orders_2 : \iota \Rightarrow o$ be given. Let $v1_dilworth : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k5_card_1 : \iota \Rightarrow \iota$ be given. Let $k1_dilworth : \iota \Rightarrow \iota$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_yellow_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r1_xxreal_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k9_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_xboole_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xxreal_0 : \iota \Rightarrow o$ be given. Let $v1_orders_2 : \iota \Rightarrow o$ be given. Let $v4_yellow_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_yellow_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_finset_1 : \iota \Rightarrow o$ be given. Let $k4_ordinal1 : \iota$ be given. Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0.((v3_dilworth X0) \wedge (l1_orders_2 X0)) \Rightarrow (\forall X1. \\ & (m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0))) \Rightarrow (r1_xxreal_0 \\ & (k1_dilworth (k5_yellow_0 X0 X1)) (k1_dilworth X0))) \end{aligned} \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0.(l1_orders_2 X0) \Rightarrow (\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 \\ & (u1_struct_0 X0))) \Rightarrow (\forall X2.((v1_dilworth X2 X0) \wedge (m1_subset_1 \\ & X2 (k1_zfmisc_1 (u1_struct_0 X0)))) \Rightarrow ((v1_dilworth (k9_subset_1 \\ & (u1_struct_0 X0) X2 X1) (k5_yellow_0 X0 X1)) \wedge (m1_subset_1 (k9_subset_1 \\ & (u1_struct_0 X0) X2 X1) (k1_zfmisc_1 (u1_struct_0 (k5_yellow_0 \\ & X0 X1))))))))) \end{aligned} \quad (2)$$

Assume the following.

$$\forall X0. \forall X1.(r1_tarski X0 X1) \Rightarrow (k3_xboole_0 X0 X1 = X0) \quad (3)$$

Assume the following.

$$\forall X0.(v1_xxreal_0 X0) \Rightarrow (\forall X1.(v1_xxreal_0 X1) \Rightarrow ((r1_xxreal_0 X0 X1) \wedge (r1_xxreal_0 X1 X0)) \Rightarrow (X0 = X1)) \quad (4)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2.(m1_subset_1 X2 (k1_zfmisc_1 X0)) \Rightarrow (k9_subset_1 X0 X1 X2 = k3_xboole_0 X1 X2) \quad (5)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.((v3_dilworth\ X0)\wedge(l1_orders_2\ X0))\wedge \\ (m1_subset_1\ X1\ (k1_zfmisc_1\ (u1_struct_0\ X0)))\Rightarrow((v1_orders_2 \\ (k5_yellow_0\ X0\ X1))\wedge((v4_yellow_0\ (k5_yellow_0\ X0\ X1)\ X0)\wedge(v3_dilworth \\ (k5_yellow_0\ X0\ X1)))) \end{aligned} \quad (6)$$

Assume the following.

$$\forall X0.(l1_orders_2\ X0)\Rightarrow(\forall X1.(m1_yellow_0\ X1\ X0)\Rightarrow (l1_orders_2\ X1)) \quad (7)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.((l1_orders_2\ X0)\wedge(m1_subset_1\ X1\ (k1_zfmisc_1 \\ (u1_struct_0\ X0))))\Rightarrow((v1_orders_2\ (k5_yellow_0\ X0\ X1))\wedge((v4_yellow_0 \\ (k5_yellow_0\ X0\ X1)\ X0)\wedge(m1_yellow_0\ (k5_yellow_0\ X0\ X1)\ X0))) \end{aligned} \quad (8)$$

Assume the following.

$$\forall X0.(v1_finset_1\ X0)\Rightarrow(m1_subset_1\ (k5_card_1\ X0)\ k4_ordinal1) \quad (9)$$

Assume the following.

$$\forall X0.((v3_dilworth\ X0)\wedge(l1_orders_2\ X0))\Rightarrow(v7_ordinal1\ (k1_dilworth\ X0)) \quad (10)$$

Assume the following.

$$\begin{aligned} \forall X0.((v3_dilworth\ X0)\wedge(l1_orders_2\ X0))\Rightarrow(\forall X1. \\ (v7_ordinal1\ X1)\Rightarrow((X1 = k1_dilworth\ X0)\Leftrightarrow((\exists X2.((v1_finset_1 \\ X2)\wedge((v1_dilworth\ X2\ X0)\wedge(m1_subset_1\ X2\ (k1_zfmisc_1\ (u1_struct_0 \\ X0))))\wedge(k5_card_1\ X2 = X1))\wedge(\forall X2.((v1_finset_1\ X2)\wedge \\ (v1_dilworth\ X2\ X0)\wedge(m1_subset_1\ X2\ (k1_zfmisc_1\ (u1_struct_0 \\ X0))))\Rightarrow(r1_xxreal_0\ (k5_card_1\ X2)\ X1)))))) \end{aligned} \quad (11)$$

Assume the following.

$$\forall X0.(m1_subset_1\ X0\ k4_ordinal1)\Rightarrow(v7_ordinal1\ X0) \quad (12)$$

Assume the following.

$$\begin{aligned} \forall X0.((v3_dilworth\ X0)\wedge(l1_orders_2\ X0))\Rightarrow(\forall X1. \\ (m1_subset_1\ X1\ (k1_zfmisc_1\ (u1_struct_0\ X0)))\Rightarrow((v1_dilworth \\ X1\ X0)\Rightarrow((v1_finset_1\ X1)\wedge(v1_dilworth\ X1\ X0)))) \end{aligned} \quad (13)$$

Assume the following.

$$\forall X0.(v7_ordinal1\ X0)\Rightarrow(v1_xxreal_0\ X0) \quad (14)$$

Theorem 1

$$\begin{aligned} & \forall X0.((v3_dilworth\ X0)\wedge(l1_orders_2\ X0))\Rightarrow(\forall X1. \\ & ((v1_dilworth\ X1\ X0)\wedge(m1_subset_1\ X1\ (k1_zfmisc_1\ (u1_struct_0 \\ & \quad X0))))\Rightarrow(\forall X2.(m1_subset_1\ X2\ (k1_zfmisc_1\ (u1_struct_0 \\ & X0)))\Rightarrow(((k5_card_1\ X1 = k1_dilworth\ X0)\wedge(r1_tarski\ X1\ X2))\Rightarrow(k1_dilworth \\ & \quad (k5_yellow_0\ X0\ X2) = k1_dilworth\ X0)))) \end{aligned}$$