

# t43\_fintopo3 (TMNNPit- fEePo8sQWKpbwT2XRKEZnT9nTJgY)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $l1\_orders\_2 : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $v3\_orders\_2 : \iota \Rightarrow o$  be given. Let  $k5\_numbers : \iota$  be given. Let  $r1\_tarski : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k9\_fintopo3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k1\_fintopo3 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k1\_xboole\_0 : \iota$  be given. Let  $k4\_ordinal1 : \iota$  be given. Let  $k6\_numbers : \iota$  be given. Let  $m2\_subset\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_numbers : \iota$  be given. Let  $k2\_nat\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $np\_1 : \iota$  be given. Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_1 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k2\_zfmisc\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k3\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k1\_funct\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v3\_ordinal1 : \iota \Rightarrow o$  be given. Let  $v7\_ordinal1 : \iota \Rightarrow o$  be given. Let  $k8\_fintopo3 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2\_struct\_0 X0) \wedge (l1\_orders\_2 X0)) \Rightarrow (\forall X1. \\ & (m1\_subset\_1 X1 (k1\_zfmisc\_1 (u1\_struct\_0 X0))) \Rightarrow ((v3\_orders\_2 \\ & X0) \Rightarrow (r1\_tarski (k1\_fintopo3 X0 X1) X1))) \end{aligned} \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. ((r1\_tarski X0 X1) \wedge (r1\_tarski X1 X2)) \Rightarrow (r1\_tarski X0 X2) \quad (2)$$

Assume the following.

$$m1\_subset\_1 k1\_xboole\_0 k4\_ordinal1 \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0 : \iota \Rightarrow o. ((X0 k6\_numbers) \wedge (\forall X1. (m2\_subset\_1 \\ & X1 k1\_numbers k5\_numbers) \Rightarrow ((X0 X1) \Rightarrow (X0 (k2\_nat\_1 X1 np\_1)))))) \Rightarrow \\ & (\forall X1. (m2\_subset\_1 X1 k1\_numbers k5\_numbers) \Rightarrow (X0 X1)) \end{aligned} \quad (4)$$

Assume the following.

$$\forall X0. \forall X1. r1\_tarski X0 X0 \quad (5)$$

Assume the following.

$$\forall X0.\forall X1.((\neg v1\_xboole\_0 X0)\wedge((\neg v1\_xboole\_0 X1)\wedge(m1\_subset\_1 X1 (k1\_zfmisc\_1 X0))))\Rightarrow(\forall X2.(m2\_subset\_1 X2 X0 X1)\Leftrightarrow(m1\_subset\_1 X2 X1)) \quad (6)$$

Assume the following.

$$k6\_numbers = k1\_xboole\_0 \quad (7)$$

Assume the following.

$$k5\_numbers = k4\_ordinal1 \quad (8)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.\forall X3.((\neg v1\_xboole\_0 X0)\wedge(((v1\_funct\_1 X2)\wedge((v1\_funct\_2 X2 X0 X1)\wedge(m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1))))))\wedge(m1\_subset\_1 X3 X0)))\Rightarrow(k3\_funct\_2 X0 X1 X2 X3 = k1\_funct\_1 X2 X3) \quad (9)$$

Assume the following.

$$(\neg v1\_xboole\_0 k4\_ordinal1)\wedge(v3\_ordinal1 k4\_ordinal1) \quad (10)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(((\neg v2\_struct\_0 X0)\wedge(l1\_orders\_2 X0))\wedge((m1\_subset\_1 X1 (k1\_zfmisc\_1 (u1\_struct\_0 X0)))\wedge(v7\_ordinal1 X2)))\Rightarrow(m1\_subset\_1 (k9\_fintopo3 X0 X1 X2) (k1\_zfmisc\_1 (u1\_struct\_0 X0)))) \quad (11)$$

Assume the following.

$$\forall X0.\forall X1.(((\neg v2\_struct\_0 X0)\wedge(l1\_orders\_2 X0))\wedge(m1\_subset\_1 X1 (k1\_zfmisc\_1 (u1\_struct\_0 X0))))\Rightarrow(((v1\_funct\_1 (k8\_fintopo3 X0 X1))\wedge((v1\_funct\_2 (k8\_fintopo3 X0 X1) k5\_numbers (k1\_zfmisc\_1 (u1\_struct\_0 X0)))\wedge(m1\_subset\_1 (k8\_fintopo3 X0 X1) (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (k1\_zfmisc\_1 (u1\_struct\_0 X0)))))))) \quad (12)$$

Assume the following.

$$m1\_subset\_1 k5\_numbers (k1\_zfmisc\_1 k1\_numbers) \quad (13)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.\forall X3.((\neg v1\_xboole\_0 X0)\wedge(((v1\_funct\_1 X2)\wedge((v1\_funct\_2 X2 X0 X1)\wedge(m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1))))))\wedge(m1\_subset\_1 X3 X0)))\Rightarrow(m1\_subset\_1 (k3\_funct\_2 X0 X1 X2 X3) X1) \quad (14)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2\_struct\_0 X0) \wedge (l1\_orders\_2 X0)) \Rightarrow (\forall X1. \\ & (m1\_subset\_1 X1 (k1\_zfmisc\_1 (u1\_struct\_0 X0))) \Rightarrow (\forall X2. \\ & (v7\_ordinal1 X2) \Rightarrow (k9\_fintopo3 X0 X1 X2 = k1\_funct\_1 (k8\_fintopo3 \\ & X0 X1) X2))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2\_struct\_0 X0) \wedge (l1\_orders\_2 X0)) \Rightarrow (\forall X1. \\ & (m1\_subset\_1 X1 (k1\_zfmisc\_1 (u1\_struct\_0 X0))) \Rightarrow (\forall X2. \\ & ((v1\_funct\_1 X2) \wedge ((v1\_funct\_2 X2 k5\_numbers (k1\_zfmisc\_1 (u1\_struct\_0 \\ & X0))) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers ( \\ & k1\_zfmisc\_1 (u1\_struct\_0 X0))))))) \Rightarrow ((X2 = k8\_fintopo3 X0 X1) \Leftrightarrow \\ & ((\forall X3.(m1\_subset\_1 X3 k5\_numbers) \Rightarrow (\forall X4.(m1\_subset\_1 \\ & X4 (k1\_zfmisc\_1 (u1\_struct\_0 X0))) \Rightarrow ((X4 = k3\_funct\_2 k5\_numbers \\ & (k1\_zfmisc\_1 (u1\_struct\_0 X0)) X2 X3) \Rightarrow (k3\_funct\_2 k5\_numbers \\ & (k1\_zfmisc\_1 (u1\_struct\_0 X0)) X2 (k2\_nat\_1 X3 np\_1) = k1\_fintopo3 \\ & X0 X4)))) \wedge (k3\_funct\_2 k5\_numbers (k1\_zfmisc\_1 (u1\_struct\_0 X0)) \\ & X2 k6\_numbers = X1)))))) \end{aligned} \quad (16)$$

Assume the following.

$$\forall X0.(m1\_subset\_1 X0 k4\_ordinal1) \Rightarrow (v7\_ordinal1 X0) \quad (17)$$

Assume the following.

$$\forall X0.(v1\_xboole\_0 X0) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (k1\_zfmisc\_1 X0)) \Rightarrow (v1\_xboole\_0 X1)) \quad (18)$$

**Theorem 1**

$$\begin{aligned} & \forall X0.((\neg v2\_struct\_0 X0) \wedge (l1\_orders\_2 X0)) \Rightarrow (\forall X1. \\ & (m1\_subset\_1 X1 (k1\_zfmisc\_1 (u1\_struct\_0 X0))) \Rightarrow ((v3\_orders\_2 \\ & X0) \Rightarrow (\forall X2.(m1\_subset\_1 X2 k5\_numbers) \Rightarrow (r1\_tarski (k9\_fintopo3 \\ & X0 X1 X2) X1)))) \end{aligned}$$