

t43_group_2

(TMKCHQ7L3eyhexhtzHyfRa6Ag8LFA4eiATd)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v2_group_1 : \iota \Rightarrow o$ be given. Let $l3_algstr_0 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $m1_group_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k6_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_relat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k5_binop_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_binop_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_domain_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_tarski : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $u2_algstr_0 : \iota \Rightarrow \iota$ be given. Let $k2_tarski : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_tarski : \iota \Rightarrow \iota$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_realset1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall X0. \forall X1. \forall X2. ((v1_relat_1 X2) \wedge (v1_funct_1 X2)) \Rightarrow ((X0 \in X1) \Rightarrow (k1_funct_1 (k5_relat_1 X2 X1) X0 = k1_funct_1 X2 X0)) \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. (m1_subset_1 X0 X1) \Rightarrow ((v1_xboole_0 X1) \vee (X0 \in X1)) \quad (2)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. \forall X3. (((v1_funct_1 X1) \wedge ((v1_funct_2 X1 (k2_zfmisc_1 X0 X0) X0) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 (k2_zfmisc_1 X0 X0) X0) X0)))) \wedge ((m1_subset_1 X2 X0) \wedge (m1_subset_1 X3 X0))) \Rightarrow (k5_binop_1 X0 X1 X2 X3 = k1_binop_1 X1 X2 X3)) \quad (3)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. \forall X3. ((\neg v1_xboole_0 X0) \wedge ((\neg v1_xboole_0 X1) \wedge ((m1_subset_1 X2 X0) \wedge (m1_subset_1 X3 X1)))) \Rightarrow (k1_domain_1 X0 X1 X2 X3 = k4_tarski X2 X3) \quad (4)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0)\wedge(l1_struct_0 X0))\Rightarrow(\neg v1_xboole_0 (u1_struct_0 X0)) \quad (5)$$

Assume the following.

$$\forall X0.\forall X1.((\neg v1_xboole_0 X0)\wedge(\neg v1_xboole_0 X1))\Rightarrow(\neg v1_xboole_0 (k2_zfmisc_1 X0 X1)) \quad (6)$$

Assume the following.

$$\forall X0.(l3_algstr_0 X0)\Rightarrow((v1_funct_1 (u2_algstr_0 X0))\wedge((v1_funct_2 (u2_algstr_0 X0) (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X0)) (u1_struct_0 X0))\wedge(m1_subset_1 (u2_algstr_0 X0) (k1_zfmisc_1 (k2_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X0)) (u1_struct_0 X0)))))) \quad (7)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0)\wedge((v2_group_1 X0)\wedge(l3_algstr_0 X0)))\Rightarrow(\forall X1.(m1_group_2 X1 X0)\Rightarrow((\neg v2_struct_0 X1)\wedge((v2_group_1 X1)\wedge(l3_algstr_0 X1)))) \quad (8)$$

Assume the following.

$$\forall X0.(l3_algstr_0 X0)\Rightarrow(l1_struct_0 X0) \quad (9)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.\forall X3.((\neg v1_xboole_0 X0)\wedge((\neg v1_xboole_0 X1)\wedge((m1_subset_1 X2 X0)\wedge(m1_subset_1 X3 X1))))\Rightarrow(m1_subset_1 (k1_domain_1 X0 X1 X2 X3) (k2_zfmisc_1 X0 X1)) \quad (10)$$

Assume the following.

$$\forall X0.\forall X1.k4_tarski X0 X1 = k2_tarski (k2_tarski X0 X1) (k1_tarski X0) \quad (11)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0)\wedge((v2_group_1 X0)\wedge(l3_algstr_0 X0)))\Rightarrow(\forall X1.((\neg v2_struct_0 X1)\wedge((v2_group_1 X1)\wedge(l3_algstr_0 X1))))\Rightarrow((m1_group_2 X1 X0)\Leftrightarrow((r1_tarski (u1_struct_0 X1) (u1_struct_0 X0))\wedge(u2_algstr_0 X1 = k1_realset1 (u2_algstr_0 X0) (u1_struct_0 X1)))) \quad (12)$$

Assume the following.

$$\forall X0.(v1_relat_1 X0)\Rightarrow(\forall X1.k1_realset1 X0 X1 = k5_relat_1 X0 (k2_zfmisc_1 X1 X1)) \quad (13)$$

Assume the following.

$$\forall X0.((v1_relat_1 X0) \wedge (v1_funct_1 X0)) \Rightarrow (\forall X1. \forall X2. k1_binop_1 X0 X1 X2 = k1_funct_1 X0 (k4_tarski X1 X2)) \quad (14)$$

Assume the following.

$$\forall X0.(l3_algstr_0 X0) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (k6_algstr_0 X0 X1 X2 = k5_binop_1 (u1_struct_0 X0) (u2_algstr_0 X0) X1 X2))) \quad (15)$$

Assume the following.

$$\forall X0. \forall X1. k2_tarski X0 X1 = k2_tarski X1 X0 \quad (16)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \Rightarrow (v1_relat_1 X2) \quad (17)$$

Theorem 1

$$\forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge (l3_algstr_0 X0))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_group_2 X3 X0) \Rightarrow (\forall X4.(m1_subset_1 X4 (u1_struct_0 X3)) \Rightarrow (\forall X5.(m1_subset_1 X5 (u1_struct_0 X3)) \Rightarrow (((X4 = X1) \wedge (X5 = X2)) \Rightarrow (k6_algstr_0 X3 X4 X5 = k6_algstr_0 X0 X1 X2))))))))))$$