

t43_nat_1

(TMQ3rWacm4o2j6X3F1Phrs2s2ehaphTzvSX)

October 27, 2020

Let $v1_finset_1 : \iota \Rightarrow o$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_xxreal_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_card_1 : \iota \Rightarrow \iota$ be given. Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Let $r1_ordinal1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_card_1 : \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k4_ordinal1 : \iota$ be given. Assume the following.

$$\forall X0.(v7_ordinal1 X0) \Rightarrow (\forall X1.(v7_ordinal1 X1) \Rightarrow ((r1_xxreal_0 X0 X1) \Leftrightarrow (r1_ordinal1 X0 X1))) \quad (1)$$

Assume the following.

$$\forall X0.\forall X1.(r1_tarski X0 X1) \Rightarrow (r1_ordinal1 (k1_card_1 X0) (k1_card_1 X1)) \quad (2)$$

Assume the following.

$$\forall X0.(v1_finset_1 X0) \Rightarrow (k5_card_1 X0 = k1_card_1 X0) \quad (3)$$

Assume the following.

$$\forall X0.(v1_finset_1 X0) \Rightarrow (m1_subset_1 (k5_card_1 X0) k4_ordinal1) \quad (4)$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k4_ordinal1) \Rightarrow (v7_ordinal1 X0) \quad (5)$$

Theorem 1

$$\forall X0.(v1_finset_1 X0) \Rightarrow (\forall X1.(v1_finset_1 X1) \Rightarrow ((r1_tarski X0 X1) \Rightarrow (r1_xxreal_0 (k5_card_1 X0) (k5_card_1 X1))))$$