

t43\_topreal9

(TMG5mDqEkcMzcm3wE73S6yJMAuUA3SGWnga)

October 27, 2020

Let  $v1\_xreal\_0 : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $k15\_euclid : \iota \Rightarrow \iota$  be given. Let  $np\_2 : \iota$  be given. Let  $k5\_jgraph\_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k12\_euclid : \iota \Rightarrow \iota$  be given. Let  $k5\_algstr\_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k19\_euclid : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall X0.(v1\_xreal\_0 X0) \Rightarrow (\forall X1.(v1\_xreal\_0 X1) \Rightarrow (\forall X2. \\ & (v1\_xreal\_0 X2) \Rightarrow (k5\_jgraph\_6 X0 X1 X2 = ReplSep (toset (\lambda X3 : \\ & \iota.m1\_subset\_1 X3 (u1\_struct\_0 (k15\_euclid np\_2)))) (\lambda X3 : \\ & \iota.k12\_euclid (k5\_algstr\_0 (k15\_euclid np\_2) X3 (k19\_euclid \\ & X0 X1)) = X2) (\lambda X3 : \iota.X3)))))) \end{aligned} \quad (1)$$

**Theorem 1**

$$\begin{aligned} & \forall X0.(v1\_xreal\_0 X0) \Rightarrow (\forall X1.(v1\_xreal\_0 X1) \Rightarrow (\forall X2. \\ & (v1\_xreal\_0 X2) \Rightarrow (\forall X3.(m1\_subset\_1 X3 (u1\_struct\_0 (k15\_euclid \\ & np\_2)))) \Rightarrow ((X3 \in k5\_jgraph\_6 X0 X1 X2) \Leftrightarrow (k12\_euclid (k5\_algstr\_0 \\ & (k15\_euclid np\_2) X3 (k19\_euclid X0 X1)) = X2)))))) \end{aligned}$$