

t44_monoid_0

(TMZTS43RYWBByDjJLwmeQEdHWaxBhessJyg)

October 27, 2020

Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k5_monoid_0 : \iota$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Let $k5_numbers : \iota$ be given. Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $l3_algstr_0 : \iota \Rightarrow o$ be given. Let $m1_monoid_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u2_algstr_0 : \iota \Rightarrow \iota$ be given. Let $k6_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k4_ordinal1 : \iota$ be given. Let $v3_ordinal1 : \iota \Rightarrow o$ be given. Let $m2_monoid_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m5_monoid_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v22_algstr_0 : \iota \Rightarrow o$ be given. Let $v4_vectsp_1 : \iota \Rightarrow o$ be given. Let $k4_monoid_0 : \iota$ be given. Let $v15_algstr_0 : \iota \Rightarrow o$ be given. Let $v1_group_1 : \iota \Rightarrow o$ be given. Let $v17_monoid_0 : \iota \Rightarrow o$ be given. Let $k2_monoid_0 : \iota$ be given. Let $k3_monoid_0 : \iota$ be given. Assume the following.

$$\begin{aligned}
 & \forall X0.((\neg v2_struct_0 X0) \wedge (l3_algstr_0 X0)) \Rightarrow (\forall X1. \\
 & (m1_monoid_0 X1 X0) \Rightarrow ((u1_struct_0 X1 = u1_struct_0 X0) \wedge ((r1_funct_2 \\
 & (k2_zfmisc_1 (u1_struct_0 X1) (u1_struct_0 X1)) (u1_struct_0 \\
 & X1) (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X0)) (u1_struct_0 \\
 & X0) (u2_algstr_0 X1) (u2_algstr_0 X0)) \wedge (\forall X2.(m1_subset_1 \\
 & X2 (u1_struct_0 X1)) \Rightarrow (\forall X3.(m1_subset_1 X3 (u1_struct_0 \\
 & X1)) \Rightarrow (\forall X4.(m1_subset_1 X4 (u1_struct_0 X0)) \Rightarrow (\forall X5. \\
 & (m1_subset_1 X5 (u1_struct_0 X0)) \Rightarrow (((X2 = X4) \wedge (X3 = X5)) \Rightarrow (k6_algstr_0 \\
 & X1 X2 X3 = k6_algstr_0 X0 X4 X5))))))))))
 \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
 & \forall X0. \forall X1. ((\neg v1_xboole_0 X0) \wedge ((\neg v1_xboole_0 X1) \wedge \\
 & (m1_subset_1 X1 (k1_zfmisc_1 X0)))) \Rightarrow (\forall X2.(m2_subset_1 \\
 & X2 X0 X1) \Leftrightarrow (m1_subset_1 X2 X1))
 \end{aligned} \tag{2}$$

Assume the following.

$$k5_numbers = k4_ordinal1 \tag{3}$$

Assume the following.

$$(\neg v1_xboole_0 k4_ordinal1) \wedge (v3_ordinal1 k4_ordinal1) \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((l3_algstr_0 X0) \wedge (m2_monoid_0 X1 X0)) \Rightarrow \\ & (\forall X2. (m5_monoid_0 X2 X0 X1) \Rightarrow (m2_monoid_0 X2 X0)) \end{aligned} \quad (5)$$

Assume the following.

$$\forall X0. (l3_algstr_0 X0) \Rightarrow (\forall X1. (m2_monoid_0 X1 X0) \Rightarrow (l3_algstr_0 X1)) \quad (6)$$

Assume the following.

$$m1_subset_1 k5_numbers (k1_zfmisc_1 k1_numbers) \quad (7)$$

Assume the following.

$$\begin{aligned} & (\neg v2_struct_0 k5_monoid_0) \wedge ((v22_algstr_0 k5_monoid_0) \wedge ((\\ & v4_vectsp_1 k5_monoid_0) \wedge (m1_monoid_0 k5_monoid_0 k4_monoid_0))) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} & (\neg v2_struct_0 k4_monoid_0) \wedge ((v15_algstr_0 k4_monoid_0) \wedge ((\\ & v1_group_1 k4_monoid_0) \wedge ((v17_monoid_0 k4_monoid_0) \wedge (m5_monoid_0 \\ & k4_monoid_0 k2_monoid_0 k3_monoid_0)))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} & (\neg v2_struct_0 k3_monoid_0) \wedge ((v15_algstr_0 k3_monoid_0) \wedge (m2_monoid_0 \\ & k3_monoid_0 k2_monoid_0)) \end{aligned} \quad (10)$$

Assume the following.

$$(\neg v2_struct_0 k2_monoid_0) \wedge (l3_algstr_0 k2_monoid_0) \quad (11)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v15_algstr_0 X0) \wedge ((v1_group_1 \\ & X0) \wedge ((v17_monoid_0 X0) \wedge (m5_monoid_0 X0 k2_monoid_0 k3_monoid_0)))))) \Rightarrow \\ & ((X0 = k4_monoid_0) \Leftrightarrow (u1_struct_0 X0 = k5_numbers)) \end{aligned} \quad (12)$$

Assume the following.

$$\forall X0. (v1_xboole_0 X0) \Rightarrow (\forall X1. (m1_subset_1 X1 (k1_zfmisc_1 X0)) \Rightarrow (v1_xboole_0 X1)) \quad (13)$$

Theorem 1

$$\forall X0. (m1_subset_1 X0 (u1_struct_0 k5_monoid_0)) \Leftrightarrow (m2_subset_1 X0 k1_numbers k5_numbers)$$