

t44_topgen_4 (TM-
MVeIXbQLf615ZrEA2SMVyFb7bG4FRvKK3)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v2_pre_topc : \iota \Rightarrow o$ be given. Let $l1_pre_topc : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $v3_pre_topc : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v6_topgen_4 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k6_domain_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_tops_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_setfam_1 : \iota \Rightarrow \iota$ be given. Let $k1_tarski : \iota \Rightarrow \iota$ be given. Let $k6_setfam_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v1_finset_1 : \iota \Rightarrow o$ be given. Let $v4_card_3 : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_pre_topc X0) \wedge (l1_pre_topc \\ & X0))) \Rightarrow (\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 \\ & X0))) \Rightarrow (\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k1_zfmisc_1 \\ & (u1_struct_0 X0)))) \Rightarrow ((X2 = k6_domain_1 (k1_zfmisc_1 (u1_struct_0 \\ & X0)) X1) \Rightarrow ((v3_pre_topc X1 X0) \Leftrightarrow (v1_tops_2 X2 X0)))))) \end{aligned} \quad (1)$$

Assume the following.

$$\forall X0.k1_setfam_1 (k1_tarski X0) = X0 \quad (2)$$

Assume the following.

$$\forall X0.\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 (k1_zfmisc_1 X0))) \Rightarrow (k6_setfam_1 X0 X1 = k1_setfam_1 X1) \quad (3)$$

Assume the following.

$$\forall X0.\forall X1.((\neg v1_xboole_0 X0) \wedge (m1_subset_1 X1 X0)) \Rightarrow (k6_domain_1 X0 X1 = k1_tarski X1) \quad (4)$$

Assume the following.

$$\forall X0.\neg v1_xboole_0 (k1_zfmisc_1 X0) \quad (5)$$

Assume the following.

$$\forall X0.v1_finset_1 (k1_tarski X0) \quad (6)$$

Assume the following.

$$\forall X0.\forall X1.((\neg v1_xboole_0 X0)\wedge(m1_subset_1 X1 X0))\Rightarrow (m1_subset_1 (k6_domain_1 X0 X1) (k1_zfmisc_1 X0)) \quad (7)$$

Assume the following.

$$\begin{aligned} \forall X0.((v2_pre_topc X0)\wedge(l1_pre_topc X0))\Rightarrow(\forall X1. \\ (m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0)))\Rightarrow((v6_topgen_4 \\ X1 X0)\Leftrightarrow(\exists X2.((v4_card_3 X2)\wedge((v1_tops_2 X2 X0)\wedge(m1_subset_1 \\ X2 (k1_zfmisc_1 (k1_zfmisc_1 (u1_struct_0 X0))))))\wedge(X1 = k6_setfam_1 \\ (u1_struct_0 X0) X2)))) \end{aligned} \quad (8)$$

Assume the following.

$$\forall X0.(v1_finset_1 X0)\Rightarrow(v4_card_3 X0) \quad (9)$$

Theorem 1

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0)\wedge((v2_pre_topc X0)\wedge(l1_pre_topc \\ X0)))\Rightarrow(\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 \\ X0)))\Rightarrow((v3_pre_topc X1 X0)\Rightarrow(v6_topgen_4 X1 X0))) \end{aligned}$$