

t45_fvaluat1

(TMctNpDN1kDkoahMnXzBCT7zfDZNrsX8be5)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v6_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $v5_vectsp_1 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v1_realset2 : \iota \Rightarrow o$ be given. Let $l6_algstr_0 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $m1_fvaluat1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v3_fvaluat1 : \iota \Rightarrow o$ be given. Let $k3_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k7_numbers : \iota$ be given. Let $np_1 : \iota$ be given. Let $r2_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_fvaluat1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xxreal_0 : \iota \Rightarrow o$ be given. Let $k4_xxreal_3 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_fvaluat1 : \iota \Rightarrow \iota$ be given. Let $k2_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v2_fvaluat1 : \iota \Rightarrow o$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $l5_algstr_0 : \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_algstr_0 : \iota \Rightarrow o$ be given. Let $v33_algstr_0 : \iota \Rightarrow o$ be given. Let $v5_group_1 : \iota \Rightarrow o$ be given. Let $v4_vectsp_1 : \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0.(v1_xxreal_0 X0) \Rightarrow (k4_xxreal_3 np_1 X0 = X0) \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 \\ & X0) \wedge ((v3_group_1 X0) \wedge ((v5_vectsp_1 X0) \wedge ((v2_rlvect_1 X0) \wedge \\ & (v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v1_realset2 X0) \wedge (l6_algstr_0 \\ & X0)))))))))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow \\ & (\forall X2.(m1_fvaluat1 X2 X0) \Rightarrow ((k3_funct_2 (u1_struct_0 X0) \\ & k7_numbers X2 X1 = np_1) \Rightarrow (k1_fvaluat1 (k2_relset_1 k7_numbers \\ & X2) = np_1)))) \end{aligned} \quad (2)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.(((v1_funct_1 X2)\wedge \\ & ((v1_funct_2 X2 X0 X1)\wedge(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\ & X0 X1)))))\wedge((v1_funct_1 X3)\wedge((v1_funct_2 X3 X0 X1)\wedge(m1_subset_1 \\ & X3 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))))))\Rightarrow((r2_funct_2 X0 X1 X2 \\ & X3)\Leftrightarrow(X2 = X3)) \end{aligned} \quad (3)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0)\wedge(l1_struct_0 X0))\Rightarrow(\neg v1_xboole_0 (u1_struct_0 X0)) \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0.(l6_algstr_0 X0)\Rightarrow(\forall X1.(m1_fvaluat1 X1 X0)\Rightarrow \\ & ((v1_funct_1 X1)\wedge((v1_funct_2 X1 (u1_struct_0 X0) k7_numbers)\wedge \\ & ((v2_fvaluat1 X1)\wedge(m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 \\ & (u1_struct_0 X0) k7_numbers))))))) \end{aligned} \quad (5)$$

Assume the following.

$$\forall X0.(l6_algstr_0 X0)\Rightarrow((l2_algstr_0 X0)\wedge(l5_algstr_0 X0)) \quad (6)$$

Assume the following.

$$\forall X0.(l2_struct_0 X0)\Rightarrow(l1_struct_0 X0) \quad (7)$$

Assume the following.

$$\forall X0.(l2_algstr_0 X0)\Rightarrow((l2_struct_0 X0)\wedge(l1_algstr_0 X0)) \quad (8)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.((\neg v1_xboole_0 X0)\wedge \\ & (((v1_funct_1 X2)\wedge((v1_funct_2 X2 X0 X1)\wedge(m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1)))))\wedge(m1_subset_1 X3 X0)))\Rightarrow(m1_subset_1 (\\ & k3_funct_2 X0 X1 X2 X3) X1) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0)\wedge((\neg v6_struct_0 X0)\wedge((v13_algstr_0 \\ & X0)\wedge((v3_group_1 X0)\wedge((v5_vectsp_1 X0)\wedge((v2_rlvect_1 X0)\wedge(\\ & (v3_rlvect_1 X0)\wedge((v4_rlvect_1 X0)\wedge((v1_realset2 X0)\wedge(l6_algstr_0 \\ & X0))))))))))\Rightarrow(\forall X1.(m1_fvaluat1 X1 X0)\Rightarrow((v3_fvaluat1 \\ & X0)\Rightarrow(\forall X2.(m1_fvaluat1 X2 X0)\Rightarrow((X2 = k5_fvaluat1 X0 X1)\Leftrightarrow \\ & (\forall X3.(m1_subset_1 X3 (u1_struct_0 X0))\Rightarrow(k3_funct_2 (u1_struct_0 \\ & X0) k7_numbers X1 X3 = k4_xxreal_3 (k3_funct_2 (u1_struct_0 X0) \\ & k7_numbers X2 X3) (k1_fvaluat1 (k2_relset_1 k7_numbers X1))))))) \end{aligned} \quad (10)$$

Assume the following.

$$\forall X0.\forall X1.((v1_xxreal_0 X0)\wedge(v1_xxreal_0 X1))\Rightarrow(k4_xxreal_3 X0 X1 = k4_xxreal_3 X1 X0) \quad (11)$$

Assume the following.

$$\begin{aligned} \forall X0.(l6_algstr_0 X0)\Rightarrow(((\neg v6_struct_0 X0)\wedge((v13_algstr_0 \\ X0)\wedge((v2_rlvect_1 X0)\wedge((v3_rlvect_1 X0)\wedge((v4_rlvect_1 X0)\wedge \\ ((v5_vectsp_1 X0)\wedge(v1_realset2 X0))))))\Rightarrow((\neg v6_struct_0 X0)\wedge \\ ((v33_algstr_0 X0)\wedge((v3_group_1 X0)\wedge((v5_group_1 X0)\wedge(v4_vectsp_1 \\ X0)))))) \end{aligned} \quad (12)$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k7_numbers)\Rightarrow(v1_xxreal_0 X0) \quad (13)$$

Theorem 1

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0)\wedge((\neg v6_struct_0 X0)\wedge((v13_algstr_0 \\ X0)\wedge((v3_group_1 X0)\wedge((v5_vectsp_1 X0)\wedge((v2_rlvect_1 X0)\wedge \\ (v3_rlvect_1 X0)\wedge((v4_rlvect_1 X0)\wedge((v1_realset2 X0)\wedge(l6_algstr_0 \\ X0))))))))\Rightarrow(\forall X1.(m1_subset_1 X1 (u1_struct_0 X0))\Rightarrow \\ (\forall X2.(m1_fvaluat1 X2 X0)\Rightarrow(((v3_fvaluat1 X0)\wedge(k3_funct_2 \\ (u1_struct_0 X0) k7_numbers X2 X1 = np_1))\Rightarrow(r2_funct_2 (u1_struct_0 \\ X0) k7_numbers (k5_fvaluat1 X0 X2) X2)))) \end{aligned}$$