

t45_geomtrap
(TMMTJRZa783Bp6mbSdmskR7Jd2bTpHNc7tq)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v5_rlvect_1 : \iota \Rightarrow o$ be given. Let $v6_rlvect_1 : \iota \Rightarrow o$ be given. Let $v7_rlvect_1 : \iota \Rightarrow o$ be given. Let $v8_rlvect_1 : \iota \Rightarrow o$ be given. Let $l1_rlvect_1 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k7_geomtrap : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r1_analmetr : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_geomtrap : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k9_geomtrap : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $g1_geomtrap : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_geomtrap : \iota \Rightarrow o$ be given. Let $l1_geomtrap : \iota \Rightarrow o$ be given. Let $k6_geomtrap : \iota \Rightarrow \iota$ be given. Let $k5_geomtrap : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_binop_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u1_midsp_1 : \iota \Rightarrow \iota$ be given. Let $u1_analoaf : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (((v1_funct_1 X1) \wedge (v1_funct_2 \\ & X1 (k2_zfmisc_1 X0 X0) X0) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 \\ & (k2_zfmisc_1 X0 X0) X0)))) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\ & (k2_zfmisc_1 X0 X0) X0)))) \Rightarrow (\forall X3. \forall X4. \\ & \forall X5. (g1_geomtrap X0 X1 X2 = g1_geomtrap X3 X4 X5) \Rightarrow ((X0 = X3) \wedge \\ & ((X1 = X4) \wedge (X2 = X5)))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (((\neg v2_struct_0 X0) \wedge (v13_algstr_0 \\ & X0) \wedge (v2_rlvect_1 X0) \wedge (v3_rlvect_1 X0) \wedge (v4_rlvect_1 X0) \wedge \\ & ((v5_rlvect_1 X0) \wedge (v6_rlvect_1 X0) \wedge (v7_rlvect_1 X0) \wedge (v8_rlvect_1 \\ & X0) \wedge (l1_rlvect_1 X0)))))) \wedge ((m1_subset_1 X1 (u1_struct_0 \\ & X0)) \wedge (m1_subset_1 X2 (u1_struct_0 X0))) \Rightarrow ((\neg v2_struct_0 (k7_geomtrap \\ & X0 X1 X2)) \wedge (v1_geomtrap (k7_geomtrap X0 X1 X2))) \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0.\forall X1.\forall X2.(((\neg v2_struct_0 X0)\wedge((v13_algstr_0 \\
& X0)\wedge((v2_rlvect_1 X0)\wedge((v3_rlvect_1 X0)\wedge((v4_rlvect_1 X0)\wedge \\
& ((v5_rlvect_1 X0)\wedge((v6_rlvect_1 X0)\wedge((v7_rlvect_1 X0)\wedge((v8_rlvect_1 \\
& X0)\wedge(l1_rlvect_1 X0))))))))))\wedge((m1_subset_1 X1 (u1_struct_0 \\
& X0))\wedge(m1_subset_1 X2 (u1_struct_0 X0)))\Rightarrow((v1_geomtrap (k7_geomtrap \\
& X0 X1 X2))\wedge(l1_geomtrap (k7_geomtrap X0 X1 X2)))
\end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0)\wedge((v13_algstr_0 X0)\wedge((v2_rlvect_1 \\
& X0)\wedge((v3_rlvect_1 X0)\wedge((v4_rlvect_1 X0)\wedge((v5_rlvect_1 X0)\wedge \\
& ((v6_rlvect_1 X0)\wedge((v7_rlvect_1 X0)\wedge((v8_rlvect_1 X0)\wedge(l1_rlvect_1 \\
& X0))))))))))\Rightarrow((v1_funct_1 (k6_geomtrap X0))\wedge((v1_funct_2 (\\
& k6_geomtrap X0) (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X0)) \\
& (u1_struct_0 X0))\wedge(m1_subset_1 (k6_geomtrap X0) (k1_zfmisc_1 \\
& (k2_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X0)) \\
& (u1_struct_0 X0))))))
\end{aligned} \tag{4}$$

Assume the following.

$$\begin{aligned}
& \forall X0.\forall X1.\forall X2.(((\neg v2_struct_0 X0)\wedge((v13_algstr_0 \\
& X0)\wedge((v2_rlvect_1 X0)\wedge((v3_rlvect_1 X0)\wedge((v4_rlvect_1 X0)\wedge \\
& ((v5_rlvect_1 X0)\wedge((v6_rlvect_1 X0)\wedge((v7_rlvect_1 X0)\wedge((v8_rlvect_1 \\
& X0)\wedge(l1_rlvect_1 X0))))))))))\wedge((m1_subset_1 X1 (u1_struct_0 \\
& X0))\wedge(m1_subset_1 X2 (u1_struct_0 X0)))\Rightarrow(m1_subset_1 (k5_geomtrap \\
& X0 X1 X2) (k1_zfmisc_1 (k2_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 \\
& X0) (u1_struct_0 X0)) (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 \\
& X0))))))
\end{aligned} \tag{5}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0)\wedge((v13_algstr_0 X0)\wedge((v2_rlvect_1 \\
& X0)\wedge((v3_rlvect_1 X0)\wedge((v4_rlvect_1 X0)\wedge((v5_rlvect_1 X0)\wedge \\
& ((v6_rlvect_1 X0)\wedge((v7_rlvect_1 X0)\wedge((v8_rlvect_1 X0)\wedge(l1_rlvect_1 \\
& X0))))))))))\Rightarrow(\forall X1.(m1_subset_1 X1 (u1_struct_0 X0))\Rightarrow \\
& (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0))\Rightarrow(k7_geomtrap X0 \\
& X1 X2 = g1_geomtrap (u1_struct_0 X0) (k6_geomtrap X0) (k5_geomtrap \\
& X0 X1 X2)))
\end{aligned} \tag{6}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\
& X0)))))))))) \Rightarrow (\forall X1.((v1_funct_1 X1) \wedge ((v1_funct_2 X1 (\\
& k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X0)) (u1_struct_0 X0)) \wedge \\
& (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 \\
& X0) (u1_struct_0 X0)) (u1_struct_0 X0)))))) \Rightarrow ((X1 = k6_geomtrap \\
& X0) \Leftrightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3. \\
& (m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow (k5_binop_1 (u1_struct_0 X0) \\
& X1 X2 X3 = k1_geomtrap X0 X2 X3))))))
\end{aligned} \tag{7}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge (l1_geomtrap X0)) \Rightarrow (\forall X1. \\
& (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 \\
& (u1_struct_0 X0)) \Rightarrow (k9_geomtrap X0 X1 X2 = k5_binop_1 (u1_struct_0 \\
& X0) (u1_midsp_1 X0) X1 X2)))
\end{aligned} \tag{8}$$

Assume the following.

$$\forall X0.(l1_geomtrap X0) \Rightarrow ((v1_geomtrap X0) \Rightarrow (X0 = g1_geomtrap (u1_struct_0 X0) (u1_midsp_1 X0) (u1_analoaf X0))) \tag{9}$$

Theorem 1

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\
& X0)))))))))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow \\
& (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 \\
& X3 (u1_struct_0 X0)) \Rightarrow (\forall X4.(m1_subset_1 X4 (u1_struct_0 \\
& X0)) \Rightarrow (\forall X5.(m1_subset_1 X5 (u1_struct_0 (k7_geomtrap X0 \\
& X1 X2)) \Rightarrow (\forall X6.(m1_subset_1 X6 (u1_struct_0 (k7_geomtrap \\
& X0 X1 X2)) \Rightarrow (((r1_analmetr X0 X1 X2) \wedge ((X3 = X5) \wedge (X4 = X6))) \Rightarrow (k1_geomtrap \\
& X0 X3 X4 = k9_geomtrap (k7_geomtrap X0 X1 X2) X5 X6))))))))))
\end{aligned}$$