

t45_scm_halt

(TMKiGw48qRbBWgVvYMCuBFsK4GbLgZDuAzr)

October 27, 2020

Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $v5_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_compos_1 : \iota \Rightarrow \iota$ be given. Let $k1_scmfsa_2 : \iota$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_partfun1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $v5_funct_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_memstr_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $np_3 : \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v1_finset_1 : \iota \Rightarrow o$ be given. Let $v1_afinsq_1 : \iota \Rightarrow o$ be given. Let $v1_ami_2 : \iota \Rightarrow o$ be given. Let $v1_scmfsa_m : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_scm_halt : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r2_scm_halt : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_xxreal_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k6_numbers : \iota$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r8_pboole : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_scmfsa6b : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_scmfsa8b : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_funct_4 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k7_memstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_nat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_card_1 : \iota \Rightarrow \iota$ be given. Let $np_7 : \iota$ be given. Let $r6_scmfsa7b : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_scmfsa_m : \iota \Rightarrow \iota$ be given. Let $r5_scmfsa7b : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned}
 & \forall X0. ((v1_relat_1 X0) \wedge ((v4_relat_1 X0 k5_numbers) \wedge ((v5_relat_1 \\
 & X0 (u1_compos_1 k1_scmfsa_2)) \wedge ((v1_funct_1 X0) \wedge (v1_partfun1 \\
 & X0 k5_numbers)))) \Rightarrow (\forall X1. ((v1_relat_1 X1) \wedge ((v4_relat_1 \\
 & X1 (u1_struct_0 k1_scmfsa_2)) \wedge ((v1_funct_1 X1) \wedge ((v5_funct_1 \\
 & X1 (k2_memstr_0 np_3 k1_scmfsa_2)) \wedge (v1_partfun1 X1 (u1_struct_0 \\
 & k1_scmfsa_2)))))) \Rightarrow (\forall X2. ((\neg v1_xboole_0 X2) \wedge ((v1_relat_1 \\
 & X2) \wedge ((v4_relat_1 X2 k5_numbers) \wedge ((v5_relat_1 X2 (u1_compos_1 \\
 & k1_scmfsa_2)) \wedge ((v1_funct_1 X2) \wedge ((v1_finset_1 X2) \wedge (v1_afinsq_1 \\
 & X2)))))) \Rightarrow ((r2_scm_halt X2 X1 X0) \Leftrightarrow (r6_scmfsa7b X2 (k1_scmfsa_m \\
 & X1) X0)))
 \end{aligned}
 \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((v1_relat_1 X0) \wedge ((v4_relat_1 X0 k5_numbers) \wedge ((v5_relat_1 \\
& X0 (u1_compos_1 k1_scmf_sa_2)) \wedge ((v1_funct_1 X0) \wedge (v1_partfun1 \\
& X0 k5_numbers)))))) \Rightarrow (\forall X1.((v1_relat_1 X1) \wedge ((v4_relat_1 \\
& X1 (u1_struct_0 k1_scmf_sa_2)) \wedge ((v1_funct_1 X1) \wedge ((v5_funct_1 \\
& X1 (k2_memstr_0 np_3 k1_scmf_sa_2)) \wedge (v1_partfun1 X1 (u1_struct_0 \\
& k1_scmf_sa_2)))))) \Rightarrow (\forall X2.((\neg v1_xboole_0 X2) \wedge ((v1_relat_1 \\
& X2) \wedge ((v4_relat_1 X2 k5_numbers) \wedge ((v5_relat_1 X2 (u1_compos_1 \\
& k1_scmf_sa_2)) \wedge ((v1_funct_1 X2) \wedge ((v1_finset_1 X2) \wedge (v1_afinsq_1 \\
& X2)))))) \Rightarrow ((r1_scm_halt X2 X1 X0) \Leftrightarrow (r5_scmf_sa7b X2 (k1_scmf_sa_m \\
& X1) X0)))
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((v1_relat_1 X0) \wedge ((v4_relat_1 X0 k5_numbers) \wedge ((v5_relat_1 \\
& X0 (u1_compos_1 k1_scmf_sa_2)) \wedge ((v1_funct_1 X0) \wedge (v1_partfun1 \\
& X0 k5_numbers)))))) \Rightarrow (\forall X1.((v1_relat_1 X1) \wedge ((v4_relat_1 \\
& X1 (u1_struct_0 k1_scmf_sa_2)) \wedge ((v1_funct_1 X1) \wedge ((v5_funct_1 \\
& X1 (k2_memstr_0 np_3 k1_scmf_sa_2)) \wedge (v1_partfun1 X1 (u1_struct_0 \\
& k1_scmf_sa_2)))))) \Rightarrow (\forall X2.((\neg v1_xboole_0 X2) \wedge ((v1_relat_1 \\
& X2) \wedge ((v4_relat_1 X2 k5_numbers) \wedge ((v5_relat_1 X2 (u1_compos_1 \\
& k1_scmf_sa_2)) \wedge ((v1_funct_1 X2) \wedge ((v1_finset_1 X2) \wedge (v1_afinsq_1 \\
& X2)))))) \Rightarrow (\forall X3.((\neg v1_xboole_0 X3) \wedge ((v1_relat_1 X3) \wedge \\
& ((v4_relat_1 X3 k5_numbers) \wedge ((v5_relat_1 X3 (u1_compos_1 k1_scmf_sa_2)) \wedge \\
& ((v1_funct_1 X3) \wedge ((v1_finset_1 X3) \wedge (v1_afinsq_1 X3)))))) \Rightarrow \\
& (\forall X4.((v1_ami_2 X4) \wedge ((\neg v1_scmf_sa_m X4) \wedge (m1_subset_1 \\
& X4 (u1_struct_0 k1_scmf_sa_2)))) \Rightarrow (((r5_scmf_sa7b X2 (k1_scmf_sa_m \\
& X1) X0) \wedge (r6_scmf_sa7b X2 (k1_scmf_sa_m X1) X0)) \Rightarrow ((r1_xxreal_0 k6_numbers \\
& (k1_funct_1 X1 X4) \vee (r8_pboole (u1_struct_0 k1_scmf_sa_2) (k1_scmf_sa6b \\
& (k3_scmf_sa8b X4 X2 X3) X1 X0) (k1_funct_4 (k1_scmf_sa6b X2 X1 X0) (\\
& k7_memstr_0 np_3 k1_scmf_sa_2 (k2_nat_1 (k2_nat_1 (k2_nat_1 (\\
& k5_card_1 X2) (k5_card_1 X3)) (k5_card_1 X3)) np_7))))))))))
\end{aligned} \tag{3}$$

Theorem 1

$$\begin{aligned}
& \forall X0.((v1_relat_1 X0) \wedge ((v4_relat_1 X0 k5_numbers) \wedge ((v5_relat_1 \\
& X0 (u1_compos_1 k1_scmfsa_2)) \wedge ((v1_funct_1 X0) \wedge (v1_partfun1 \\
& X0 k5_numbers)))))) \Rightarrow (\forall X1.((v1_relat_1 X1) \wedge ((v4_relat_1 \\
& X1 (u1_struct_0 k1_scmfsa_2)) \wedge ((v1_funct_1 X1) \wedge ((v5_funct_1 \\
& X1 (k2_memstr_0 np_3 k1_scmfsa_2)) \wedge (v1_partfun1 X1 (u1_struct_0 \\
& k1_scmfsa_2)))))) \Rightarrow (\forall X2.((\neg v1_xboole_0 X2) \wedge ((v1_relat_1 \\
& X2) \wedge ((v4_relat_1 X2 k5_numbers) \wedge ((v5_relat_1 X2 (u1_compos_1 \\
& k1_scmfsa_2)) \wedge ((v1_funct_1 X2) \wedge ((v1_finset_1 X2) \wedge (v1_afinsq_1 \\
& X2)))))) \Rightarrow (\forall X3.((\neg v1_xboole_0 X3) \wedge ((v1_relat_1 X3) \wedge \\
& ((v4_relat_1 X3 k5_numbers) \wedge ((v5_relat_1 X3 (u1_compos_1 k1_scmfsa_2)) \wedge \\
& ((v1_funct_1 X3) \wedge ((v1_finset_1 X3) \wedge (v1_afinsq_1 X3)))))) \Rightarrow \\
& (\forall X4.((v1_ami_2 X4) \wedge ((\neg v1_scmfsa_m X4) \wedge (m1_subset_1 \\
& X4 (u1_struct_0 k1_scmfsa_2)))))) \Rightarrow (((r1_scm_halt X2 X1 X0) \wedge (r2_scm_halt \\
& X2 X1 X0)) \Rightarrow ((r1_xreal_0 k6_numbers (k1_funct_1 X1 X4)) \vee (r8_pboole \\
& (u1_struct_0 k1_scmfsa_2) (k1_scmfsa6b (k3_scmfsa8b X4 X2 X3) \\
& X1 X0) (k1_funct_4 (k1_scmfsa6b X2 X1 X0) (k7_memstr_0 np_3 k1_scmfsa_2 \\
& (k2_nat_1 (k2_nat_1 (k2_nat_1 (k5_card_1 X2) (k5_card_1 X3)) (\\
& k5_card_1 X3)) np_7)))))))))
\end{aligned}$$