

t46\_cqc\_the2  
(TMEiJhz8iDt5N9enBNtZ6LmeSafASXVoH5G)

October 27, 2020

Let  $m1\_qc\_lang1 : \iota \Rightarrow o$  be given. Let  $m2\_subset\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k9\_qc\_lang1 : \iota \Rightarrow \iota$  be given. Let  $k3\_cqc\_lang : \iota \Rightarrow \iota$  be given. Let  $k2\_qc\_lang1 : \iota \Rightarrow \iota$  be given. Let  $k3\_qc\_lang1 : \iota \Rightarrow \iota$  be given. Let  $v2\_cqc\_the1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k10\_cqc\_lang : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k11\_cqc\_lang : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k6\_cqc\_lang : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k8\_cqc\_lang : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall X0.(m1\_qc\_lang1 X0) \Rightarrow (\forall X1.(m2\_subset\_1 X1 (k9\_qc\_lang1 \\ X0) (k3\_cqc\_lang X0)) \Rightarrow (\forall X2.(m2\_subset\_1 X2 (k2\_qc\_lang1 \\ X0) (k3\_qc\_lang1 X0)) \Rightarrow ((v2\_cqc\_the1 (k8\_cqc\_lang X0 (k11\_cqc\_lang \\ X0 X2 (k6\_cqc\_lang X0 (k6\_cqc\_lang X0 X1)))) (k11\_cqc\_lang X0 X2 X1)) \\ X0) \wedge (v2\_cqc\_the1 (k8\_cqc\_lang X0 (k11\_cqc\_lang X0 X2 X1) (k11\_cqc\_lang \\ X0 X2 (k6\_cqc\_lang X0 (k6\_cqc\_lang X0 X1)))) X0)))) \end{aligned} \quad (1)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.((\neg v1\_xboole\_0 X0) \wedge ((\neg v1\_xboole\_0 X1) \wedge \\ (m1\_subset\_1 X1 (k1\_zfmisc\_1 X0)))) \Rightarrow (\forall X2.(m2\_subset\_1 \\ X2 X0 X1) \Leftrightarrow (m1\_subset\_1 X2 X1)) \end{aligned} \quad (2)$$

Assume the following.

$$\begin{aligned} \forall X0.(m1\_qc\_lang1 X0) \Rightarrow (\forall X1.(m2\_subset\_1 X1 (k9\_qc\_lang1 \\ X0) (k3\_cqc\_lang X0)) \Rightarrow (\forall X2.(m2\_subset\_1 X2 (k9\_qc\_lang1 \\ X0) (k3\_cqc\_lang X0)) \Rightarrow (((v2\_cqc\_the1 (k8\_cqc\_lang X0 X1 X2) X0) \wedge \\ (v2\_cqc\_the1 (k8\_cqc\_lang X0 X2 X1) X0)) \Leftrightarrow (v2\_cqc\_the1 (k10\_cqc\_lang \\ X0 X1 X2) X0)))) \end{aligned} \quad (3)$$

Assume the following.

$$\forall X0.(m1\_qc\_lang1 X0) \Rightarrow (\neg v1\_xboole\_0 (k3\_qc\_lang1 X0)) \quad (4)$$

Assume the following.

$$\forall X0.(m1\_qc\_lang1 X0) \Rightarrow (\neg v1\_xboole\_0 (k3\_cqc\_lang X0)) \quad (5)$$

Assume the following.

$$\forall X0.\forall X1.((m1\_qc\_lang1\ X0)\wedge(m1\_subset\_1\ X1\ (k3\_cqc\_lang\ X0)))\Rightarrow(m2\_subset\_1\ (k6\_cqc\_lang\ X0\ X1)\ (k9\_qc\_lang1\ X0)\ (k3\_cqc\_lang\ X0)) \quad (6)$$

Assume the following.

$$\forall X0.(m1\_qc\_lang1\ X0)\Rightarrow(m1\_subset\_1\ (k3\_qc\_lang1\ X0)\ (k1\_zfmisc\_1\ (k2\_qc\_lang1\ X0))) \quad (7)$$

Assume the following.

$$\forall X0.(m1\_qc\_lang1\ X0)\Rightarrow(m1\_subset\_1\ (k3\_cqc\_lang\ X0)\ (k1\_zfmisc\_1\ (k9\_qc\_lang1\ X0))) \quad (8)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((m1\_qc\_lang1\ X0)\wedge((m1\_subset\_1\ X1\ (k3\_qc\_lang1\ X0))\wedge(m1\_subset\_1\ X2\ (k3\_cqc\_lang\ X0))))\Rightarrow(m2\_subset\_1\ (k11\_cqc\_lang\ X0\ X1\ X2)\ (k9\_qc\_lang1\ X0)\ (k3\_cqc\_lang\ X0)) \quad (9)$$

Assume the following.

$$\forall X0.(v1\_xboole\_0\ X0)\Rightarrow(\forall X1.(m1\_subset\_1\ X1\ (k1\_zfmisc\_1\ X0))\Rightarrow(v1\_xboole\_0\ X1)) \quad (10)$$

**Theorem 1**

$$\forall X0.(m1\_qc\_lang1\ X0)\Rightarrow(\forall X1.(m2\_subset\_1\ X1\ (k9\_qc\_lang1\ X0)\ (k3\_cqc\_lang\ X0))\Rightarrow(\forall X2.(m2\_subset\_1\ X2\ (k2\_qc\_lang1\ X0)\ (k3\_qc\_lang1\ X0))\Rightarrow(v2\_cqc\_the1\ (k10\_cqc\_lang\ X0\ (k11\_cqc\_lang\ X0\ X2\ (k6\_cqc\_lang\ X0\ (k6\_cqc\_lang\ X0\ X1)))\ (k11\_cqc\_lang\ X0\ X2\ X1)\ X0))))$$