

t46_matrix_8

(TMUTX7Coh5zEeBnT3YomauwQWhYbkEL2xKa)

October 27, 2020

Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v6_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v33_algstr_0 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $v5_group_1 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_vectsp_1 : \iota \Rightarrow o$ be given. Let $v5_vectsp_1 : \iota \Rightarrow o$ be given. Let $l6_algstr_0 : \iota \Rightarrow o$ be given. Let $m1_matrix_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $r2_matrix_8 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_xxreal_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k6_numbers : \iota$ be given. Let $k2_matrix_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_matrix_1 : \iota \Rightarrow o$ be given. Let $m2_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_finseq_2 : \iota \Rightarrow \iota$ be given. Let $k3_finseq_1 : \iota \Rightarrow \iota$ be given. Let $k1_matrix_1 : \iota \Rightarrow \iota$ be given. Let $k4_matrix_3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_matrix_3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k2_matrix_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_finseq_1 : \iota \Rightarrow \iota$ be given. Let $k5_matrix_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_matrix_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_matrix_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $l5_algstr_0 : \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_algstr_0 : \iota \Rightarrow o$ be given. Let $v1_matrix_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned}
 & \forall X0. ((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 \\
 & X0) \wedge ((v33_algstr_0 X0) \wedge ((v3_group_1 X0) \wedge ((v5_group_1 X0) \wedge (\\
 & (v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v4_vectsp_1 \\
 & X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow (\forall X1. \\
 & ((v1_matrix_1 X1) \wedge (m2_finseq_1 X1 (k3_finseq_2 (u1_struct_0 \\
 & X0)))) \Rightarrow (\forall X2. ((v1_matrix_1 X2) \wedge (m2_finseq_1 X2 (k3_finseq_2 \\
 & (u1_struct_0 X0)))) \Rightarrow (\forall X3. ((v1_matrix_1 X3) \wedge (m2_finseq_1 \\
 & X3 (k3_finseq_2 (u1_struct_0 X0)))) \Rightarrow (((k3_finseq_1 X2 = k3_finseq_1 \\
 & X3) \wedge ((k1_matrix_1 X2 = k1_matrix_1 X3) \wedge (k3_finseq_1 X1 = k1_matrix_1 \\
 & X2))) \Rightarrow ((r1_xxreal_0 (k3_finseq_1 X2) k6_numbers) \vee ((r1_xxreal_0 \\
 & (k3_finseq_1 X1) k6_numbers) \vee (k4_matrix_3 X0 (k3_matrix_3 X0 \\
 & X2 X3) X1 = k3_matrix_3 X0 (k4_matrix_3 X0 X2 X1) (k4_matrix_3 X0 X3 \\
 & X1)))))))))
 \end{aligned}$$

(1)

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v33_algstr_0 X0) \wedge ((v3_group_1 X0) \wedge ((v5_group_1 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow (\forall X1. \\
& ((v1_matrix_1 X1) \wedge (m2_finseq_1 X1 (k3_finseq_2 (u1_struct_0 X0)))) \Rightarrow (\forall X2. ((v1_matrix_1 X2) \wedge (m2_finseq_1 X2 (k3_finseq_2 (u1_struct_0 X0)))) \Rightarrow (\forall X3. ((v1_matrix_1 X3) \wedge (m2_finseq_1 X3 (k3_finseq_2 (u1_struct_0 X0)))) \Rightarrow (((k3_finseq_1 X2 = k3_finseq_1 X3) \wedge ((k1_matrix_1 X2 = k1_matrix_1 X3) \wedge (k1_matrix_1 X1 = k3_finseq_1 X2))) \Rightarrow ((r1_xreal_0 (k3_finseq_1 X1) k6_numbers) \vee ((r1_xreal_0 (k3_finseq_1 X2) k6_numbers) \vee (k4_matrix_3 X0 X1 (k3_matrix_3 X0 X2 X3) = k3_matrix_3 X0 (k4_matrix_3 X0 X1 X2) (k4_matrix_3 X0 X1 X3)))))))))
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0.(v7_ordinal1 X0) \Rightarrow (\forall X1. (\neg v1_xboole_0 X1) \Rightarrow (\forall X2. (m1_matrix_1 X2 X1 X0 X0) \Rightarrow ((k3_finseq_1 X2 = X0) \wedge ((k1_matrix_1 X2 = X0) \wedge (k2_matrix_1 X2 = k2_zfmisc_1 (k2_finseq_1 X0) (k2_finseq_1 X0))))))
\end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. ((v7_ordinal1 X0) \wedge ((\neg v1_xboole_0 X1) \wedge (m1_matrix_1 X2 X1 X0 X0))) \Rightarrow (k5_matrix_1 X0 X1 X2 = k4_matrix_1 X1 X2)
\end{aligned} \tag{4}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. \forall X3. ((v7_ordinal1 X0) \wedge (((\neg v2_struct_0 X1) \wedge ((\neg v6_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v33_algstr_0 X1) \wedge ((v3_group_1 X1) \wedge ((v5_group_1 X1) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v4_vectsp_1 X1) \wedge ((v5_vectsp_1 X1) \wedge (l6_algstr_0 X1)))))))))) \wedge ((m1_matrix_1 X2 (u1_struct_0 X1) X0 X0) \wedge (m1_matrix_1 X3 (u1_struct_0 X1) X0 X0))) \Rightarrow (k4_matrix_6 X0 X1 X2 X3 = k4_matrix_3 X1 X2 X3)
\end{aligned} \tag{5}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. \forall X3. ((v7_ordinal1 X0) \wedge (((\neg v2_struct_0 X1) \wedge ((\neg v6_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v33_algstr_0 X1) \wedge ((v3_group_1 X1) \wedge ((v5_group_1 X1) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v4_vectsp_1 X1) \wedge ((v5_vectsp_1 X1) \wedge (l6_algstr_0 X1)))))))))) \wedge ((m1_matrix_1 X2 (u1_struct_0 X1) X0 X0) \wedge (m1_matrix_1 X3 (u1_struct_0 X1) X0 X0))) \Rightarrow (k2_matrix_6 X0 X1 X2 X3 = k3_matrix_3 X1 X2 X3)
\end{aligned} \tag{6}$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0) \wedge (l1_struct_0 X0)) \Rightarrow (\neg v1_xboole_0 (u1_struct_0 X0)) \quad (7)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. ((\neg v1_xboole_0 X0) \wedge ((v7_ordinal1 X1) \wedge (v7_ordinal1 X2))) \Rightarrow (\forall X3. (m1_matrix_1 X3 X0 X1 X2) \Rightarrow ((v1_matrix_1 X3) \wedge (m2_finseq_1 X3 (k3_finseq_2 X0)))) \quad (8)$$

Assume the following.

$$\forall X0. (l6_algstr_0 X0) \Rightarrow ((l2_algstr_0 X0) \wedge (l5_algstr_0 X0)) \quad (9)$$

Assume the following.

$$\forall X0. (l2_algstr_0 X0) \Rightarrow ((l2_struct_0 X0) \wedge (l1_algstr_0 X0)) \quad (10)$$

Assume the following.

$$\forall X0. (l1_algstr_0 X0) \Rightarrow (l1_struct_0 X0) \quad (11)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. ((v7_ordinal1 X0) \wedge ((\neg v1_xboole_0 X1) \wedge (m1_matrix_1 X2 X1 X0 X0))) \Rightarrow (m1_matrix_1 (k5_matrix_1 X0 X1 X2) X1 X0 X0) \quad (12)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. \forall X3. ((v7_ordinal1 X0) \wedge (((\neg v2_struct_0 X1) \wedge ((\neg v6_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v33_algstr_0 X1) \wedge ((v3_group_1 X1) \wedge ((v5_group_1 X1) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v4_vectsp_1 X1) \wedge ((v5_vectsp_1 X1) \wedge (l6_algstr_0 X1)))))))))))))) \wedge ((m1_matrix_1 X2 (u1_struct_0 X1) X0 X0) \wedge (m1_matrix_1 X3 (u1_struct_0 X1) X0 X0))) \Rightarrow (m1_matrix_1 (k4_matrix_6 X0 X1 X2 X3) (u1_struct_0 X1) X0 X0) \quad (13)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. \forall X3. ((v7_ordinal1 X0) \wedge (((\neg v2_struct_0 X1) \wedge ((\neg v6_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v33_algstr_0 X1) \wedge ((v3_group_1 X1) \wedge ((v5_group_1 X1) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v4_vectsp_1 X1) \wedge ((v5_vectsp_1 X1) \wedge (l6_algstr_0 X1)))))))))))))) \wedge ((m1_matrix_1 X2 (u1_struct_0 X1) X0 X0) \wedge (m1_matrix_1 X3 (u1_struct_0 X1) X0 X0))) \Rightarrow (m1_matrix_1 (k2_matrix_6 X0 X1 X2 X3) (u1_struct_0 X1) X0 X0) \quad (14)$$

Assume the following.

$$\begin{aligned}
& \forall X0.(v7_ordinal1\ X0) \Rightarrow (\forall X1.((\neg v2_struct_0\ X1) \wedge \\
& ((\neg v6_struct_0\ X1) \wedge ((v13_algstr_0\ X1) \wedge ((v33_algstr_0\ X1) \wedge \\
& (v3_group_1\ X1) \wedge ((v5_group_1\ X1) \wedge ((v2_rlvect_1\ X1) \wedge ((v3_rlvect_1 \\
& X1) \wedge ((v4_rlvect_1\ X1) \wedge ((v4_vectsp_1\ X1) \wedge ((v5_vectsp_1\ X1) \wedge \\
& (l6_algstr_0\ X1)))))))))) \Rightarrow (\forall X2.(m1_matrix_1\ X2\ (u1_struct_0 \\
& X1)\ X0\ X0) \Rightarrow (\forall X3.(m1_matrix_1\ X3\ (u1_struct_0\ X1)\ X0\ X0) \Rightarrow \\
& ((r2_matrix_8\ X0\ X1\ X2\ X3) \Leftrightarrow (\exists X4.(m1_matrix_1\ X4\ (u1_struct_0 \\
& X1)\ X0\ X0) \wedge ((v1_matrix_6\ X4\ X0\ X1) \wedge (X2 = k4_matrix_6\ X0\ X1\ (k4_matrix_6 \\
& X0\ X1\ (k5_matrix_1\ X0\ (u1_struct_0\ X1)\ X4)\ X3)\ X4))))))
\end{aligned} \tag{15}$$

Theorem 1

$$\begin{aligned}
& \forall X0.(v7_ordinal1\ X0) \Rightarrow (\forall X1.((\neg v2_struct_0\ X1) \wedge \\
& ((\neg v6_struct_0\ X1) \wedge ((v13_algstr_0\ X1) \wedge ((v33_algstr_0\ X1) \wedge \\
& (v3_group_1\ X1) \wedge ((v5_group_1\ X1) \wedge ((v2_rlvect_1\ X1) \wedge ((v3_rlvect_1 \\
& X1) \wedge ((v4_rlvect_1\ X1) \wedge ((v4_vectsp_1\ X1) \wedge ((v5_vectsp_1\ X1) \wedge \\
& (l6_algstr_0\ X1)))))))))) \Rightarrow (\forall X2.(m1_matrix_1\ X2\ (u1_struct_0 \\
& X1)\ X0\ X0) \Rightarrow (\forall X3.(m1_matrix_1\ X3\ (u1_struct_0\ X1)\ X0\ X0) \Rightarrow \\
& ((r2_matrix_8\ X0\ X1\ X2\ X3) \Rightarrow ((r1_xxreal_0\ X0\ k6_numbers) \vee (r2_matrix_8 \\
& X0\ X1\ (k2_matrix_6\ X0\ X1\ X2\ X2)\ (k2_matrix_6\ X0\ X1\ X3\ X3))))))
\end{aligned}$$