

t46_prob_3

(TMZAT33g4RmcZsN7wEjausHb7DiPe1NsGNm)

October 27, 2020

Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v1_prob_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v4_prob_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $v5_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $k9_setfam_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $m2_prob_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_prob_2 : \iota \Rightarrow o$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_kurato_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_series_1 : \iota \Rightarrow \iota$ be given. Let $k8_prob_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v2_comseq_2 : \iota \Rightarrow o$ be given. Let $k3_series_1 : \iota \Rightarrow \iota$ be given. Let $k2_seq_2 : \iota \Rightarrow \iota$ be given. Let $k1_rinf sup1 : \iota \Rightarrow \iota$ be given. Let $k1_numbers : \iota$ be given. Assume the following.

$$\begin{aligned}
 & \forall X0. (\neg v1_xboole_0 X0) \Rightarrow (\forall X1. ((\neg v1_xboole_0 X1) \wedge \\
 & ((v1_prob_1 X1 X0) \wedge ((v4_prob_1 X1 X0) \wedge (m1_subset_1 X1 (k1_zfmisc_1 \\
 & (k1_zfmisc_1 X0)))))) \Rightarrow (\forall X2. ((v5_relat_1 X2 X1) \wedge ((v1_funct_1 \\
 & X2) \wedge ((v1_funct_2 X2 k5_numbers (k9_setfam_1 X0)) \wedge (m1_subset_1 \\
 & X2 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (k9_setfam_1 X0)))))) \Rightarrow \\
 & (\forall X3. (m2_prob_1 X3 X0 X1) \Rightarrow ((v1_prob_2 X2) \Rightarrow ((v2_comseq_2 \\
 & (k3_series_1 (k8_prob_1 X0 X1 X2 X3)) \wedge ((k2_seq_2 (k3_series_1 \\
 & (k8_prob_1 X0 X1 X2 X3)) = k1_rinf sup1 (k3_series_1 (k8_prob_1 X0 \\
 & X1 X2 X3)) \wedge (k2_seq_2 (k3_series_1 (k8_prob_1 X0 X1 X2 X3)) = k1_funct_1 \\
 & X3 (k1_kurato_0 X0 X2)))))))))
 \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
 & \forall X0. \forall X1. ((\neg v1_xboole_0 X0) \wedge ((\neg v1_xboole_0 X1) \wedge \\
 & ((v1_prob_1 X1 X0) \wedge ((v4_prob_1 X1 X0) \wedge (m1_subset_1 X1 (k1_zfmisc_1 \\
 & (k1_zfmisc_1 X0)))))) \Rightarrow (\forall X2. (m2_prob_1 X2 X0 X1) \Rightarrow ((v1_funct_1 \\
 & X2) \wedge ((v1_funct_2 X2 X1 k1_numbers) \wedge (m1_subset_1 X2 (k1_zfmisc_1 \\
 & (k2_zfmisc_1 X1 k1_numbers))))))
 \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0.\forall X1.\forall X2.\forall X3.(((\neg v1_xboole_0 \\
& X1)\wedge((v1_prob_1 X1 X0)\wedge((v4_prob_1 X1 X0)\wedge(m1_subset_1 X1 (k1_zfmisc_1 \\
& (k1_zfmisc_1 X0))))))\wedge(((v5_relat_1 X2 X1)\wedge((v1_funct_1 X2)\wedge \\
& ((v1_funct_2 X2 k5_numbers (k9_setfam_1 X0))\wedge(m1_subset_1 X2 \\
& (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (k9_setfam_1 X0))))))\wedge \\
& ((v1_funct_1 X3)\wedge((v1_funct_2 X3 X1 k1_numbers)\wedge(m1_subset_1 \\
& X3 (k1_zfmisc_1 (k2_zfmisc_1 X1 k1_numbers))))))\Rightarrow((v1_funct_1 \\
& (k8_prob_1 X0 X1 X2 X3))\wedge((v1_funct_2 (k8_prob_1 X0 X1 X2 X3) k5_numbers \\
& k1_numbers)\wedge(m1_subset_1 (k8_prob_1 X0 X1 X2 X3) (k1_zfmisc_1 \\
& (k2_zfmisc_1 k5_numbers k1_numbers))))))
\end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((v1_funct_1 X0)\wedge((v1_funct_2 X0 k5_numbers k1_numbers)\wedge \\
& (m1_subset_1 X0 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers k1_numbers))))\Rightarrow \\
& (k4_series_1 X0 = k2_seq_2 (k3_series_1 X0))
\end{aligned} \tag{4}$$

Theorem 1

$$\begin{aligned}
& \forall X0.(\neg v1_xboole_0 X0)\Rightarrow(\forall X1.((\neg v1_xboole_0 X1)\wedge \\
& ((v1_prob_1 X1 X0)\wedge((v4_prob_1 X1 X0)\wedge(m1_subset_1 X1 (k1_zfmisc_1 \\
& (k1_zfmisc_1 X0))))))\Rightarrow(\forall X2.(((v5_relat_1 X2 X1)\wedge((v1_funct_1 \\
& X2)\wedge((v1_funct_2 X2 k5_numbers (k9_setfam_1 X0))\wedge(m1_subset_1 \\
& X2 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (k9_setfam_1 X0))))))\Rightarrow \\
& (\forall X3.(m2_prob_1 X3 X0 X1)\Rightarrow((v1_prob_2 X2)\Rightarrow(k1_funct_1 \\
& X3 (k1_kurato_0 X0 X2) = k4_series_1 (k8_prob_1 X0 X1 X2 X3))))))
\end{aligned}$$