

t46_rlvect_1
(TMR2S5BEnydrs1tdF24NYfM2qp2qprdTFnV)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k4_rlvect_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_finseq_4 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_finseq_4 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k11_finseq_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k7_finseq_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k9_finseq_1 : \iota \Rightarrow \iota$ be given. Let $k10_finseq_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $m2_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k8_finseq_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $m1_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_finseq_1 : \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k12_finseq_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_algstr_0 : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v3_rlvect_1 \\ & X0) \wedge ((v4_rlvect_1 X0) \wedge (l2_algstr_0 X0)))))) \Rightarrow (\forall X1.(m1_subset_1 \\ & X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 \\ & X0)) \Rightarrow (k4_rlvect_1 X0 (k2_finseq_4 (u1_struct_0 X0) X1 X2) = k1_algstr_0 \\ & X0 X1 X2))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (k11_finseq_1 X0 X1 X2 = k7_finseq_1 \\ & (k9_finseq_1 X0) (k10_finseq_1 X1 X2)) \wedge (k11_finseq_1 X0 X1 X2 = \\ & k7_finseq_1 (k10_finseq_1 X0 X1) (k9_finseq_1 X2)) \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 \\ & X0) \wedge (l2_algstr_0 X0)))) \Rightarrow (\forall X1.(m2_finseq_1 X1 (u1_struct_0 \\ & X0)) \Rightarrow (\forall X2.(m2_finseq_1 X2 (u1_struct_0 X0)) \Rightarrow (k4_rlvect_1 \\ & X0 (k8_finseq_1 (u1_struct_0 X0) X1 X2) = k1_algstr_0 X0 (k4_rlvect_1 \\ & X0 X1) (k4_rlvect_1 X0 X2)))) \end{aligned} \tag{3}$$

Assume the following.

$$\forall X0.\forall X1.(m2_finseq_1 X1 X0)\Leftrightarrow(m1_finseq_1 X1 X0) \quad (4)$$

Assume the following.

$$\forall X0.k9_finseq_1 X0 = k5_finseq_1 X0 \quad (5)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((m1_finseq_1 X1 X0)\wedge(m1_finseq_1 X2 X0))\Rightarrow(k8_finseq_1 X0 X1 X2 = k7_finseq_1 X1 X2) \quad (6)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.((\neg v1_xboole_0 X0)\wedge \\ & ((m1_subset_1 X1 X0)\wedge((m1_subset_1 X2 X0)\wedge(m1_subset_1 X3 X0))))\Rightarrow \\ & (k3_finseq_4 X0 X1 X2 X3 = k11_finseq_1 X1 X2 X3) \end{aligned} \quad (7)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.((\neg v1_xboole_0 X0)\wedge((m1_subset_1 \\ & X1 X0)\wedge(m1_subset_1 X2 X0)))\Rightarrow(k2_finseq_4 X0 X1 X2 = k10_finseq_1 \\ & X1 X2) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.((\neg v1_xboole_0 X0)\wedge(m1_subset_1 X1 X0))\Rightarrow \\ & (k12_finseq_1 X0 X1 = k5_finseq_1 X1) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0)\wedge((v13_algstr_0 X0)\wedge((v3_rlvect_1 \\ & X0)\wedge((v4_rlvect_1 X0)\wedge(l2_algstr_0 X0))))\Rightarrow(\forall X1.(m1_subset_1 \\ & X1 (u1_struct_0 X0))\Rightarrow(k4_rlvect_1 X0 (k12_finseq_1 (u1_struct_0 \\ & X0) X1) = X1)) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0)\wedge(l1_struct_0 X0))\Rightarrow(\neg v1_xboole_0 \\ & (u1_struct_0 X0)) \end{aligned} \quad (11)$$

Assume the following.

$$\forall X0.(l2_algstr_0 X0)\Rightarrow((l2_struct_0 X0)\wedge(l1_algstr_0 X0)) \quad (12)$$

Assume the following.

$$\forall X0.(l1_algstr_0 X0)\Rightarrow(l1_struct_0 X0) \quad (13)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((\neg v1_xboole_0 X0)\wedge((m1_subset_1 X1 X0)\wedge(m1_subset_1 X2 X0)))\Rightarrow(m2_finseq_1 (k2_finseq_4 X0 X1 X2) X0) \quad (14)$$

Assume the following.

$$\forall X0.\forall X1.((\neg v1_xboole_0 X0)\wedge(m1_subset_1 X1 X0))\Rightarrow(m2_finseq_1 (k12_finseq_1 X0 X1) X0) \quad (15)$$

Theorem 1

$$\forall X0.((\neg v2_struct_0 X0)\wedge((v13_algstr_0 X0)\wedge((v3_rlvect_1 X0)\wedge((v4_rlvect_1 X0)\wedge(l2_algstr_0 X0)))))\Rightarrow(\forall X1.(m1_subset_1 X1 (u1_struct_0 X0))\Rightarrow(\forall X2.(m1_subset_1 X2 (u1_struct_0 X0))\Rightarrow(\forall X3.(m1_subset_1 X3 (u1_struct_0 X0))\Rightarrow(k4_rlvect_1 X0 (k3_finseq_4 (u1_struct_0 X0) X1 X2 X3) = k1_algstr_0 X0 (k1_algstr_0 X0 X1 X2) X3))))$$