

## t46\_rusub\_5

(TMJpsf4rm6fZNPt9PApUHjiTLpq7CvMy6Tg)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v13\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v2\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v5\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v6\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v7\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v8\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v2\_bhsp\_1 : \iota \Rightarrow o$  be given. Let  $l1\_bhsp\_1 : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $k1\_numbers : \iota$  be given. Let  $k6\_numbers : \iota$  be given. Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $k4\_bhsp\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $r1\_xxreal\_0 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k4\_bhsp\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall X0. \forall X1. \forall X2. ((X0 \in X1) \wedge (m1\_subset\_1 X1 (k1\_zfmisc\_1 X2))) \Rightarrow (m1\_subset\_1 X0 X2) \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v5\_rlvect\_1 X0) \wedge \\ & ((v6\_rlvect\_1 X0) \wedge ((v7\_rlvect\_1 X0) \wedge ((v8\_rlvect\_1 X0) \wedge ((v2\_bhsp\_1 X0) \wedge (l1\_bhsp\_1 X0)))))))))) \Rightarrow (\forall X1. (m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow (\forall X2. (m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (\forall X3. \\ & (m1\_subset\_1 X3 k1\_numbers) \Rightarrow ((X1 \in k4\_bhsp\_2 X0 X2 X3) \Leftrightarrow (\neg r1\_xxreal\_0 X3 (k4\_bhsp\_1 X0 X2 X1)))))) \end{aligned} \quad (2)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v5\_rlvect\_1 X0) \wedge \\ & ((v6\_rlvect\_1 X0) \wedge ((v7\_rlvect\_1 X0) \wedge ((v8\_rlvect\_1 X0) \wedge ((v2\_bhsp\_1 X0) \wedge (l1\_bhsp\_1 X0)))))))))) \Rightarrow (\forall X1. (m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow (\forall X2. (m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (r1\_xxreal\_0 k6\_numbers (k4\_bhsp\_1 X0 X1 X2)))) \end{aligned} \quad (3)$$

Assume the following.

$$\forall X0. \forall X1. (m1\_subset\_1 X0 X1) \Rightarrow ((v1\_xboole\_0 X1) \vee (X0 \in X1)) \quad (4)$$

Assume the following.

$$\forall X0.\exists X1.m1\_subset\_1 X1 X0 \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(((\neg v2\_struct\_0 X0)\wedge((v13\_algstr\_0 \\ & X0)\wedge((v2\_rlvect\_1 X0)\wedge((v3\_rlvect\_1 X0)\wedge((v4\_rlvect\_1 X0)\wedge \\ & ((v5\_rlvect\_1 X0)\wedge((v6\_rlvect\_1 X0)\wedge((v7\_rlvect\_1 X0)\wedge((v8\_rlvect\_1 \\ & X0)\wedge((v2\_bhsp\_1 X0)\wedge(l1\_bhsp\_1 X0))))))))))\wedge((m1\_subset\_1 \\ & X1 (u1\_struct\_0 X0)\wedge(m1\_subset\_1 X2 k1\_numbers)))\Rightarrow(m1\_subset\_1 \\ & (k4\_bhsp\_2 X0 X1 X2) (k1\_zfmisc\_1 (u1\_struct\_0 X0))) \end{aligned} \quad (6)$$

**Theorem 1**

$$\begin{aligned} & \forall X0.(((\neg v2\_struct\_0 X0)\wedge((v13\_algstr\_0 X0)\wedge((v2\_rlvect\_1 \\ & X0)\wedge((v3\_rlvect\_1 X0)\wedge((v4\_rlvect\_1 X0)\wedge((v5\_rlvect\_1 X0)\wedge \\ & ((v6\_rlvect\_1 X0)\wedge((v7\_rlvect\_1 X0)\wedge((v8\_rlvect\_1 X0)\wedge((v2\_bhsp\_1 \\ & X0)\wedge(l1\_bhsp\_1 X0))))))))))\Rightarrow(\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 \\ & X0))\Rightarrow(\forall X2.(m1\_subset\_1 X2 k1\_numbers)\Rightarrow((X2 = k6\_numbers)\Rightarrow \\ & (v1\_xboole\_0 (k4\_bhsp\_2 X0 X1 X2)))) \end{aligned}$$