

## t47\_rewrite2

(TMVM5mrwoTaLHDVdPPfrDuTMMy9qknz2M1f1)

October 27, 2020

Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $k2\_zfmisc\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k8\_afinsq\_1 : \iota \Rightarrow \iota$  be given. Let  $k8\_rewrite2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. (m1\_subset\_1 X1 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\ & (k8\_afinsq\_1 X0) (k8\_afinsq\_1 X0)))) \Rightarrow (\forall X2. (m1\_subset\_1 \\ & X2 (k8\_afinsq\_1 X0)) \Rightarrow (\forall X3. (m1\_subset\_1 X3 (k8\_afinsq\_1 \\ & X0)) \Rightarrow ((X2 \in k8\_rewrite2 X0 X1 X3) \Leftrightarrow (r3\_rewrite2 X0 X1 X3 X2)))) \end{aligned} \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. (m1\_subset\_1 X1 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\ & (k8\_afinsq\_1 X0) (k8\_afinsq\_1 X0)))) \Rightarrow (\forall X2. (m1\_subset\_1 \\ & X2 (k8\_afinsq\_1 X0)) \Rightarrow (r3\_rewrite2 X0 X1 X2 X2)) \end{aligned} \quad (2)$$

### Theorem 1

$$\begin{aligned} & \forall X0. \forall X1. (m1\_subset\_1 X1 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\ & (k8\_afinsq\_1 X0) (k8\_afinsq\_1 X0)))) \Rightarrow (\forall X2. (m1\_subset\_1 \\ & X2 (k8\_afinsq\_1 X0)) \Rightarrow (X2 \in k8\_rewrite2 X0 X1 X2)) \end{aligned}$$