

t47_yellow_9
(TMRAJxawaSeY3RkXmnE743jzg418DakU2H9)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v3_orders_2 : \iota \Rightarrow o$ be given. Let $v5_orders_2 : \iota \Rightarrow o$ be given. Let $v24_waybel_0 : \iota \Rightarrow o$ be given. Let $l1_orders_2 : \iota \Rightarrow o$ be given. Let $g1_orders_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $u1_orders_2 : \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $v1_waybel11 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v1_waybel_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_yellow_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_yellow_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r1_xboole_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0.((\neg v2_struct_0 X0) \wedge ((v3_orders_2 X0) \wedge ((v5_orders_2 X0) \wedge (l1_orders_2 X0)))) \Rightarrow ((v24_waybel_0 X0) \Leftrightarrow (\forall X1.((\neg v1_xboole_0 X1) \wedge ((v1_waybel_0 X1 X0) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0)))))) \Rightarrow (r1_yellow_0 X0 X1))) \quad (1)$$

Assume the following.

$$\forall X0.(l1_orders_2 X0) \Rightarrow (\forall X1.(l1_orders_2 X1) \Rightarrow ((g1_orders_2 (u1_struct_0 X0) (u1_orders_2 X0) = g1_orders_2 (u1_struct_0 X1) (u1_orders_2 X1)) \Rightarrow (\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (u1_struct_0 X0))) \Rightarrow (\forall X3.(m1_subset_1 X3 (k1_zfmisc_1 (u1_struct_0 X1))) \Rightarrow (((X2 = X3) \wedge (v1_waybel_0 X2 X0)) \Rightarrow (v1_waybel_0 X3 X1))))))) \quad (2)$$

Assume the following.

$$\forall X0.(l1_orders_2 X0) \Rightarrow (\forall X1.(l1_orders_2 X1) \Rightarrow ((g1_orders_2 (u1_struct_0 X0) (u1_orders_2 X0) = g1_orders_2 (u1_struct_0 X1) (u1_orders_2 X1)) \Rightarrow (\forall X2.(r1_yellow_0 X0 X2) \Rightarrow (k1_yellow_0 X0 X2 = k1_yellow_0 X1 X2)))) \quad (3)$$

Assume the following.

$$\forall X0.\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 X0 X0))) \Rightarrow (\forall X2.\forall X3.(g1_orders_2 X0 X1 = g1_orders_2 X2 X3) \Rightarrow ((X0 = X2) \wedge (X1 = X3))) \quad (4)$$

Assume the following.

$$\forall X0.(l1_orders_2 X0) \Rightarrow (m1_subset_1 (u1_orders_2 X0) (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X0)))) \quad (5)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v3_orders_2 X0) \wedge (l1_orders_2 X0))) \Rightarrow (\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0))) \Rightarrow ((v1_waybel11 X1 X0) \Leftrightarrow (\forall X2.((\neg v1_xboole_0 X2) \wedge (v1_waybel_0 X2 X0) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (u1_struct_0 X0)))) \Rightarrow (\neg(k1_yellow_0 X0 X2 \in X1) \wedge (r1_xboole_0 X2 X1)))))) \quad (6) \end{aligned}$$

Theorem 1

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v3_orders_2 X0) \wedge ((v5_orders_2 X0) \wedge ((v24_waybel_0 X0) \wedge (l1_orders_2 X0)))))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((v3_orders_2 X1) \wedge (l1_orders_2 X1))) \Rightarrow ((g1_orders_2 (u1_struct_0 X0) (u1_orders_2 X0) = g1_orders_2 (u1_struct_0 X1) (u1_orders_2 X1)) \Rightarrow (\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (u1_struct_0 X0))) \Rightarrow (\forall X3.(m1_subset_1 X3 (k1_zfmisc_1 (u1_struct_0 X1))) \Rightarrow (((X2 = X3) \wedge (v1_waybel11 X2 X0)) \Rightarrow (v1_waybel11 X3 X1))))))) \end{aligned}$$