

t49_cat_1 (TMRc- sYR7jAZXUwfvjbuUnFNFbx9BqtAEYbx)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v11_struct_0 : \iota \Rightarrow o$ be given. Let $v2_cat_1 : \iota \Rightarrow o$ be given. Let $v3_cat_1 : \iota \Rightarrow o$ be given. Let $v4_cat_1 : \iota \Rightarrow o$ be given. Let $v5_cat_1 : \iota \Rightarrow o$ be given. Let $v6_cat_1 : \iota \Rightarrow o$ be given. Let $l1_cat_1 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $v11_cat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_cat_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_cat_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_tarski : \iota \Rightarrow \iota$ be given. Let $k1_xboole_0 : \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge (l1_cat_1 \\ & X0))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. \\ & (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_cat_1 X3 X0 \\ & X1 X2) \Rightarrow ((\forall X4.(m1_cat_1 X4 X0 X1 X2) \Rightarrow (X3 = X4)) \Rightarrow ((k2_cat_1 \\ & X0 X1 X2 = k1_xboole_0) \vee (k2_cat_1 X0 X1 X2 = k1_tarski X3)))))) \end{aligned} \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge (l1_cat_1 \\ & X0))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. \\ & (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_cat_1 X3 X0 \\ & X1 X2) \Rightarrow ((k2_cat_1 X0 X1 X2 = k1_tarski X3) \Rightarrow (\forall X4.(m1_cat_1 \\ & X4 X0 X1 X2) \Rightarrow (X3 = X4)))))) \end{aligned} \quad (2)$$

Assume the following.

$$\forall X0. \neg v1_xboole_0 (k1_tarski X0) \quad (3)$$

Assume the following.

$$v1_xboole_0 k1_xboole_0 \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge ((v2_cat_1 \\ & X0) \wedge ((v3_cat_1 X0) \wedge ((v4_cat_1 X0) \wedge ((v5_cat_1 X0) \wedge ((v6_cat_1 \\ & X0) \wedge (l1_cat_1 X0)))))))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 \\ & X0)) \Rightarrow ((v11_cat_1 X1 X0) \Leftrightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 \\ & X0)) \Rightarrow ((k2_cat_1 X0 X1 X2 \neq k1_xboole_0) \wedge (\exists X3.(m1_cat_1 \\ & X3 X0 X1 X2) \wedge (\forall X4.(m1_cat_1 X4 X0 X1 X2) \Rightarrow (X3 = X4)))))) \end{aligned} \quad (5)$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge ((v2_cat_1 \\ & X0) \wedge ((v3_cat_1 X0) \wedge ((v4_cat_1 X0) \wedge ((v5_cat_1 X0) \wedge ((v6_cat_1 \\ & X0) \wedge (l1_cat_1 X0))))))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 \\ & X0)) \Rightarrow ((v11_cat_1 X1 X0) \Leftrightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 \\ & X0)) \Rightarrow (\exists X3.(m1_cat_1 X3 X0 X1 X2) \wedge (k2_cat_1 X0 X1 X2 = k1_tarski \\ & X3)))))) \end{aligned}$$