

t49_matrix16 (TMHKLbZh- Hetma5wKb2jtjt3HUjTQT1dcFXX)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v6_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v33_algstr_0 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $v5_group_1 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_vectsp_1 : \iota \Rightarrow o$ be given. Let $v5_vectsp_1 : \iota \Rightarrow o$ be given. Let $l6_algstr_0 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $m2_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v4_matrix16 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_finseq_1 : \iota \Rightarrow \iota$ be given. Let $r1_xxreal_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k6_numbers : \iota$ be given. Let $k3_matrix_3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_matrix13 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_matrix16 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k9_fvsun_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_fvsun_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Let $m1_matrix_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_matrix_1 : \iota \Rightarrow \iota$ be given. Let $k2_matrix_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_finseq_1 : \iota \Rightarrow \iota$ be given. Let $v1_matrix_1 : \iota \Rightarrow o$ be given. Let $k3_finseq_2 : \iota \Rightarrow \iota$ be given. Let $k6_matrix_3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $k4_ordinal1 : \iota$ be given. Let $v3_ordinal1 : \iota \Rightarrow o$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_finseq_1 : \iota \Rightarrow o$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $l5_algstr_0 : \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_algstr_0 : \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Assume the following.

$$\forall X0. \forall X1. \forall X2. \neg (X0 \in X1) \wedge ((m1_subset_1 X1 (k1_zfmisc_1 X2)) \wedge (v1_xboole_0 X2)) \quad (1)$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 \\
& X0) \wedge ((v33_algstr_0 X0) \wedge ((v3_group_1 X0) \wedge ((v5_group_1 X0) \wedge (\\
& (v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v4_vectsp_1 \\
& X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow (\forall X1. \\
& (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m2_finseq_1 X2 \\
& (u1_struct_0 X0)) \Rightarrow ((v4_matrix16 X2 (u1_struct_0 X0)) \Rightarrow (k2_matrix16 \\
& (u1_struct_0 X0) (k9_fvsum_1 X0 X2 X1) = k2_matrix13 (k3_finseq_1 \\
& X2) (k3_finseq_1 X2) X0 (k2_matrix16 (u1_struct_0 X0) X2) X1))))
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 \\
& X0) \wedge ((v33_algstr_0 X0) \wedge ((v3_group_1 X0) \wedge ((v5_group_1 X0) \wedge (\\
& (v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v4_vectsp_1 \\
& X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow (\forall X1. \\
& (m2_finseq_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m2_finseq_1 X2 \\
& (u1_struct_0 X0)) \Rightarrow (((k3_finseq_1 X1 = k3_finseq_1 X2) \wedge ((v4_matrix16 \\
& X1 (u1_struct_0 X0)) \wedge (v4_matrix16 X2 (u1_struct_0 X0)))) \Rightarrow (k2_matrix16 \\
& (u1_struct_0 X0) (k3_fvsum_1 X0 X1 X2) = k3_matrix_3 X0 (k2_matrix16 \\
& (u1_struct_0 X0) X1) (k2_matrix16 (u1_struct_0 X0) X2))))
\end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 \\
& X0) \wedge ((v33_algstr_0 X0) \wedge ((v3_group_1 X0) \wedge ((v5_group_1 X0) \wedge (\\
& (v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v4_vectsp_1 \\
& X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow (\forall X1. \\
& (m2_finseq_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m2_finseq_1 X2 \\
& (u1_struct_0 X0)) \Rightarrow (((v4_matrix16 X1 (u1_struct_0 X0)) \wedge ((v4_matrix16 \\
& X2 (u1_struct_0 X0)) \wedge (k3_finseq_1 X1 = k3_finseq_1 X2))) \Rightarrow (v4_matrix16 \\
& (k3_fvsum_1 X0 X1 X2) (u1_struct_0 X0))))
\end{aligned} \tag{4}$$

Assume the following.

$$\forall X0. \forall X1. (m1_subset_1 X0 X1) \Rightarrow ((v1_xboole_0 X1) \vee (X0 \in X1)) \tag{5}$$

Assume the following.

$$\begin{aligned}
& \forall X0. (v7_ordinal1 X0) \Rightarrow (\forall X1. (\neg v1_xboole_0 X1) \Rightarrow (\\
& \forall X2. (m1_matrix_1 X2 X1 X0 X0) \Rightarrow ((k3_finseq_1 X2 = X0) \wedge ((k1_matrix_1 \\
& X2 = X0) \wedge (k2_matrix_1 X2 = k2_zfmisc_1 (k2_finseq_1 X0) (k2_finseq_1 \\
& X0))))))
\end{aligned} \tag{6}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 \\
& X0) \wedge ((v33_algstr_0 X0) \wedge ((v3_group_1 X0) \wedge ((v5_group_1 X0) \wedge \\
& (v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v4_vectsp_1 \\
& X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow (\forall X1. \\
& (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. ((v1_matrix_1 \\
& X2) \wedge (m2_finseq_1 X2 (k3_finseq_2 (u1_struct_0 X0)))) \Rightarrow (\forall X3. \\
& ((v1_matrix_1 X3) \wedge (m2_finseq_1 X3 (k3_finseq_2 (u1_struct_0 \\
& X0)))) \Rightarrow (((k3_finseq_1 X2 = k3_finseq_1 X3) \wedge (k1_matrix_1 X2 = k1_matrix_1 \\
& X3)) \Rightarrow (k6_matrix_3 X0 (k3_matrix_3 X0 X2 X3) X1 = k3_matrix_3 X0 (\\
& k6_matrix_3 X0 X2 X1) (k6_matrix_3 X0 X3 X1))))))
\end{aligned} \tag{7}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. ((\neg v1_xboole_0 X0) \wedge ((\neg v1_xboole_0 X1) \wedge \\
& (m1_subset_1 X1 (k1_zfmisc_1 X0)))) \Rightarrow (\forall X2. (m2_subset_1 \\
& X2 X0 X1) \Leftrightarrow (m1_subset_1 X2 X1))
\end{aligned} \tag{8}$$

Assume the following.

$$\forall X0. \forall X1. (m2_finseq_1 X1 X0) \Leftrightarrow (m1_finseq_1 X1 X0) \tag{9}$$

Assume the following.

$$k5_numbers = k4_ordinal1 \tag{10}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. \forall X3. \forall X4. ((v7_ordinal1 \\
& X0) \wedge ((v7_ordinal1 X1) \wedge ((\neg v2_struct_0 X2) \wedge ((\neg v6_struct_0 X2) \wedge \\
& ((v13_algstr_0 X2) \wedge ((v33_algstr_0 X2) \wedge ((v3_group_1 X2) \wedge ((v5_group_1 \\
& X2) \wedge ((v2_rlvect_1 X2) \wedge ((v3_rlvect_1 X2) \wedge ((v4_rlvect_1 X2) \wedge \\
& ((v4_vectsp_1 X2) \wedge ((v5_vectsp_1 X2) \wedge (l6_algstr_0 X2)))))))))) \wedge \\
& ((m1_matrix_1 X3 (u1_struct_0 X2) X0 X1) \wedge (m1_subset_1 X4 (u1_struct_0 \\
& X2)))) \Rightarrow (k2_matrix13 X0 X1 X2 X3 X4 = k6_matrix_3 X2 X3 X4)
\end{aligned} \tag{11}$$

Assume the following.

$$(\neg v1_xboole_0 k4_ordinal1) \wedge (v3_ordinal1 k4_ordinal1) \tag{12}$$

Assume the following.

$$\forall X0. ((\neg v2_struct_0 X0) \wedge (l1_struct_0 X0)) \Rightarrow (\neg v1_xboole_0 \\
(u1_struct_0 X0)) \tag{13}$$

Assume the following.

$$\forall X0. \exists X1. m1_subset_1 X1 X0 \tag{14}$$

Assume the following.

$$\forall X0.\forall X1.(m2_finseq_1 X1 X0)\Rightarrow((v1_funct_1 X1)\wedge((v1_finseq_1 X1)\wedge(m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers X0)))))) \quad (15)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((\neg v1_xboole_0 X0)\wedge((v7_ordinal1 X1)\wedge(v7_ordinal1 X2)))\Rightarrow(\forall X3.(m1_matrix_1 X3 X0 X1 X2)\Rightarrow((v1_matrix_1 X3)\wedge(m2_finseq_1 X3 (k3_finseq_2 X0)))) \quad (16)$$

Assume the following.

$$\forall X0.\forall X1.(m1_finseq_1 X1 X0)\Rightarrow((v1_relat_1 X1)\wedge((v1_funct_1 X1)\wedge(v1_finseq_1 X1))) \quad (17)$$

Assume the following.

$$\forall X0.(l6_algstr_0 X0)\Rightarrow((l2_algstr_0 X0)\wedge(l5_algstr_0 X0)) \quad (18)$$

Assume the following.

$$\forall X0.(l2_algstr_0 X0)\Rightarrow((l2_struct_0 X0)\wedge(l1_algstr_0 X0)) \quad (19)$$

Assume the following.

$$\forall X0.(l1_algstr_0 X0)\Rightarrow(l1_struct_0 X0) \quad (20)$$

Assume the following.

$$m1_subset_1 k5_numbers (k1_zfmisc_1 k1_numbers) \quad (21)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(((\neg v2_struct_0 X0)\wedge(l2_algstr_0 X0))\wedge((m1_finseq_1 X1 (u1_struct_0 X0))\wedge(m1_finseq_1 X2 (u1_struct_0 X0))))\Rightarrow(m2_finseq_1 (k3_fvsom_1 X0 X1 X2) (u1_struct_0 X0)) \quad (22)$$

Assume the following.

$$\forall X0.((v1_relat_1 X0)\wedge((v1_funct_1 X0)\wedge(v1_finseq_1 X0)))\Rightarrow(m2_subset_1 (k3_finseq_1 X0) k1_numbers k5_numbers) \quad (23)$$

Assume the following.

$$\forall X0.\forall X1.((\neg v1_xboole_0 X0)\wedge(m1_finseq_1 X1 X0))\Rightarrow(m1_matrix_1 (k2_matrix16 X0 X1) X0 (k3_finseq_1 X1) (k3_finseq_1 X1)) \quad (24)$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k4_ordinal1)\Rightarrow(v7_ordinal1 X0) \quad (25)$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge (\neg v6_struct_0 X0) \wedge ((v13_algstr_0 \\ & X0) \wedge ((v33_algstr_0 X0) \wedge ((v3_group_1 X0) \wedge ((v5_group_1 X0) \wedge \\ & (v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v4_vectsp_1 \\ & X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow (\forall X1. \\ & (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m2_finseq_1 X2 \\ & (u1_struct_0 X0)) \Rightarrow (\forall X3.(m2_finseq_1 X3 (u1_struct_0 X0)) \Rightarrow \\ & (((v4_matrix16 X2 (u1_struct_0 X0)) \wedge ((v4_matrix16 X3 (u1_struct_0 \\ & X0)) \wedge (k3_finseq_1 X2 = k3_finseq_1 X3))) \Rightarrow ((r1_xxreal_0 (k3_finseq_1 \\ & X2) k6_numbers) \vee (k3_matrix_3 X0 (k2_matrix13 (k3_finseq_1 X2) \\ & (k3_finseq_1 X2) X0 (k2_matrix16 (u1_struct_0 X0) X2) X1) (k2_matrix13 \\ & (k3_finseq_1 X3) (k3_finseq_1 X3) X0 (k2_matrix16 (u1_struct_0 \\ & X0) X3) X1) = k2_matrix16 (u1_struct_0 X0) (k9_fvsum_1 X0 (k3_fvsum_1 \\ & X0 X2 X3) X1)))))) \end{aligned}$$