

t4_bhsp_1

(TMbU9Z7rz4uuZd4zqQ5xYDV5p9kcRaYm8Gz)

October 27, 2020

Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v5_rlvect_1 : \iota \Rightarrow o$ be given. Let $v6_rlvect_1 : \iota \Rightarrow o$ be given. Let $v7_rlvect_1 : \iota \Rightarrow o$ be given. Let $v8_rlvect_1 : \iota \Rightarrow o$ be given. Let $v2_bhsp_1 : \iota \Rightarrow o$ be given. Let $l1_bhsp_1 : \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k2_bhsp_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_rlvect_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k8_real_1 : \iota \Rightarrow \iota$ be given. Let $l1_rlvect_1 : \iota \Rightarrow o$ be given. Let $v1_xreal_0 : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0.(m1_subset_1 X0 k1_numbers) \Rightarrow (\forall X1.((\neg v2_struct_0 \\ & X1) \wedge ((v13_algstr_0 X1) \wedge (v2_rlvect_1 X1) \wedge (v3_rlvect_1 X1) \wedge \\ & ((v4_rlvect_1 X1) \wedge (v5_rlvect_1 X1) \wedge (v6_rlvect_1 X1) \wedge (v7_rlvect_1 \\ & X1) \wedge ((v8_rlvect_1 X1) \wedge (v2_bhsp_1 X1) \wedge (l1_bhsp_1 X1)))))) \Rightarrow \\ & (\forall X2.(m1_subset_1 X2 (u1_struct_0 X1)) \Rightarrow (\forall X3.(m1_subset_1 \\ & X3 (u1_struct_0 X1)) \Rightarrow (k2_bhsp_1 X1 X2 (k1_rlvect_1 X1 X3 X0) = k8_real_1 \\ & X0 (k2_bhsp_1 X1 X2 X3)))) \end{aligned} \tag{1}$$

Assume the following.

$$\forall X0.(l1_bhsp_1 X0) \Rightarrow (l1_rlvect_1 X0) \tag{2}$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(((\neg v2_struct_0 X0) \wedge (l1_rlvect_1 \\ & X0)) \wedge ((m1_subset_1 X1 (u1_struct_0 X0)) \wedge (v1_xreal_0 X2))) \Rightarrow (\\ & m1_subset_1 (k1_rlvect_1 X0 X1 X2) (u1_struct_0 X0)) \end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (((\neg v2_struct_0 X0) \wedge (v13_algstr_0 \\ & X0) \wedge (v2_rlvect_1 X0) \wedge (v3_rlvect_1 X0) \wedge (v4_rlvect_1 X0) \wedge \\ & ((v5_rlvect_1 X0) \wedge (v6_rlvect_1 X0) \wedge (v7_rlvect_1 X0) \wedge (v8_rlvect_1 \\ & X0) \wedge (v2_bhsp_1 X0) \wedge (l1_bhsp_1 X0)))))) \wedge ((m1_subset_1 \\ & X1 (u1_struct_0 X0)) \wedge (m1_subset_1 X2 (u1_struct_0 X0))) \Rightarrow (k2_bhsp_1 \\ & X0 X1 X2 = k2_bhsp_1 X0 X2 X1) \end{aligned} \quad (4)$$

Assume the following.

$$\forall X0. (m1_subset_1 X0 k1_numbers) \Rightarrow (v1_xreal_0 X0) \quad (5)$$

Theorem 1

$$\begin{aligned} & \forall X0. (m1_subset_1 X0 k1_numbers) \Rightarrow (\forall X1. ((\neg v2_struct_0 \\ & X1) \wedge (v13_algstr_0 X1) \wedge (v2_rlvect_1 X1) \wedge (v3_rlvect_1 X1) \wedge \\ & ((v4_rlvect_1 X1) \wedge (v5_rlvect_1 X1) \wedge (v6_rlvect_1 X1) \wedge (v7_rlvect_1 \\ & X1) \wedge (v8_rlvect_1 X1) \wedge (v2_bhsp_1 X1) \wedge (l1_bhsp_1 X1)))))) \Rightarrow \\ & (\forall X2. (m1_subset_1 X2 (u1_struct_0 X1)) \Rightarrow (\forall X3. (m1_subset_1 \\ & X3 (u1_struct_0 X1)) \Rightarrow (k2_bhsp_1 X1 (k1_rlvect_1 X1 X2 X0) X3 = k2_bhsp_1 \\ & X1 X2 (k1_rlvect_1 X1 X3 X0)))))) \end{aligned}$$