

t4_ftacell1 (TM-
bLQ1cNy8XdPon9nwTMVR4PQjfKpbTUbdq)

October 27, 2020

Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k1_ftacell1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_tarski : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k10_finseq_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k14_twoscomp : \iota$ be given. Let $k12_gfacirc1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_twoscomp : \iota$ be given. Let $k9_gfacirc1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k13_gfacirc1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k11_finseq_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k25_twoscomp : \iota$ be given. Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_msualg_1 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_circcomb : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k4_finseq_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $np_2 : \iota$ be given. Let $k6_margrel1 : \iota$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v11_struct_0 : \iota \Rightarrow o$ be given. Let $v1_msualg_1 : \iota \Rightarrow o$ be given. Let $v1_circcomb : \iota \Rightarrow o$ be given. Let $v2_circcomb : \iota \Rightarrow o$ be given. Let $v3_circcomb : \iota \Rightarrow o$ be given. Let $k9_facirc_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. (X0 \in u1_struct_0 (k13_gfacirc1 \\
& X0 X1 X2)) \wedge ((X1 \in u1_struct_0 (k13_gfacirc1 X0 X1 X2)) \wedge ((X2 \in u1_struct_0 \\
& (k13_gfacirc1 X0 X1 X2)) \wedge ((k4_tarski (k10_finseq_1 X0 X1) k14_twoscomp \in \\
& u1_struct_0 (k13_gfacirc1 X0 X1 X2)) \wedge ((k4_tarski (k10_finseq_1 \\
& (k4_tarski (k10_finseq_1 X0 X1) k14_twoscomp) X2) k14_twoscomp \in \\
& u1_struct_0 (k13_gfacirc1 X0 X1 X2)) \wedge ((k4_tarski (k10_finseq_1 \\
& X0 X1) k2_twoscomp \in u1_struct_0 (k13_gfacirc1 X0 X1 X2)) \wedge ((k4_tarski \\
& (k10_finseq_1 X1 X2) k2_twoscomp \in u1_struct_0 (k13_gfacirc1 X0 \\
& X1 X2)) \wedge ((k4_tarski (k10_finseq_1 X2 X0) k2_twoscomp \in u1_struct_0 \\
& (k13_gfacirc1 X0 X1 X2)) \wedge (k4_tarski (k11_finseq_1 (k4_tarski \\
& (k10_finseq_1 X0 X1) k2_twoscomp) (k4_tarski (k10_finseq_1 X1 \\
& X2) k2_twoscomp) (k4_tarski (k10_finseq_1 X2 X0) k2_twoscomp))) \\
& k25_twoscomp \in u1_struct_0 (k13_gfacirc1 X0 X1 X2))))))))) \quad (1)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall X0. ((\neg v2_struct_0 X0) \wedge (l1_msualg_1 X0)) \Rightarrow (\forall X1. \\
& ((\neg v2_struct_0 X1) \wedge (l1_msualg_1 X1)) \Rightarrow (\forall X2. (m1_subset_1 \\
& X2 (u1_struct_0 X0)) \Rightarrow ((X2 \in u1_struct_0 (k2_circcomb X0 X1)) \wedge \\
& X2 \in u1_struct_0 (k2_circcomb X1 X0)))) \quad (2)
\end{aligned}$$

Assume the following.

$$\forall X0.\forall X1.(X0 \in X1) \Rightarrow (m1_subset_1 X0 X1) \quad (3)$$

Assume the following.

$$(v1_funct_1 k14_twoscomp) \wedge ((v1_funct_2 k14_twoscomp (k4_finseq_2 np_2 k6_margrel1) k6_margrel1) \wedge (m1_subset_1 k14_twoscomp (k1_zfmisc_1 (k2_zfmisc_1 (k4_finseq_2 np_2 k6_margrel1) k6_margrel1)))) \quad (4)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(\neg v2_struct_0 (k13_gfacirc1 X0 X1 X2)) \wedge ((\neg v11_struct_0 (k13_gfacirc1 X0 X1 X2)) \wedge ((v1_msualg_1 (k13_gfacirc1 X0 X1 X2)) \wedge ((v1_circcomb (k13_gfacirc1 X0 X1 X2)) \wedge ((v2_circcomb (k13_gfacirc1 X0 X1 X2)) \wedge ((v3_circcomb (k13_gfacirc1 X0 X1 X2)) \wedge (l1_msualg_1 (k13_gfacirc1 X0 X1 X2))))))) \quad (5)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.k9_gfacirc1 X0 X1 X2 = k4_tarski (k11_finseq_1 (k4_tarski (k10_finseq_1 X0 X1) k2_twoscomp) (k4_tarski (k10_finseq_1 X1 X2) k2_twoscomp) (k4_tarski (k10_finseq_1 X2 X0) k2_twoscomp)) k25_twoscomp) \quad (6)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.\forall X3.\forall X4.k1_ftacell1 X0 X1 X2 X3 X4 = k2_circcomb (k13_gfacirc1 X0 X1 X2) (k13_gfacirc1 (k12_gfacirc1 X0 X1 X2) X4 X3) \quad (7)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.\forall X3.((v1_funct_1 X3) \wedge ((v1_funct_2 X3 (k4_finseq_2 np_2 k6_margrel1) k6_margrel1) \wedge (m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 (k4_finseq_2 np_2 k6_margrel1) k6_margrel1)))))) \Rightarrow (k9_facirc_1 X0 X1 X2 X3 = k4_tarski (k10_finseq_1 (k4_tarski (k10_finseq_1 X0 X1) X3) X2) X3) \quad (8)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.k12_gfacirc1 X0 X1 X2 = k9_facirc_1 X0 X1 X2 k14_twoscomp \quad (9)$$

Theorem 1

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. \forall X3. \forall X4. (X0 \in u1_struct_0 \\
& (k1_ftacell1 X0 X1 X2 X3 X4)) \wedge ((X1 \in u1_struct_0 (k1_ftacell1 X0 \\
& X1 X2 X3 X4)) \wedge ((X2 \in u1_struct_0 (k1_ftacell1 X0 X1 X2 X3 X4)) \wedge ((X3 \in \\
& u1_struct_0 (k1_ftacell1 X0 X1 X2 X3 X4)) \wedge ((X4 \in u1_struct_0 (k1_ftacell1 \\
& X0 X1 X2 X3 X4)) \wedge ((k4_tarski (k10_finseq_1 X0 X1) k14_twoscomp \in \\
& u1_struct_0 (k1_ftacell1 X0 X1 X2 X3 X4)) \wedge ((k12_gfacirc1 X0 X1 X2 \in \\
& u1_struct_0 (k1_ftacell1 X0 X1 X2 X3 X4)) \wedge ((k4_tarski (k10_finseq_1 \\
& X0 X1) k2_twoscomp \in u1_struct_0 (k1_ftacell1 X0 X1 X2 X3 X4)) \wedge ((\\
& k4_tarski (k10_finseq_1 X1 X2) k2_twoscomp \in u1_struct_0 (k1_ftacell1 \\
& X0 X1 X2 X3 X4)) \wedge ((k4_tarski (k10_finseq_1 X2 X0) k2_twoscomp \in u1_struct_0 \\
& (k1_ftacell1 X0 X1 X2 X3 X4)) \wedge ((k9_gfacirc1 X0 X1 X2 \in u1_struct_0 \\
& (k1_ftacell1 X0 X1 X2 X3 X4)) \wedge ((k4_tarski (k10_finseq_1 (k12_gfacirc1 \\
& X0 X1 X2) X4) k14_twoscomp \in u1_struct_0 (k1_ftacell1 X0 X1 X2 X3 X4)) \wedge \\
& ((k12_gfacirc1 (k12_gfacirc1 X0 X1 X2) X4 X3 \in u1_struct_0 (k1_ftacell1 \\
& X0 X1 X2 X3 X4)) \wedge ((k4_tarski (k10_finseq_1 (k12_gfacirc1 X0 X1 X2) \\
& X4) k2_twoscomp \in u1_struct_0 (k1_ftacell1 X0 X1 X2 X3 X4)) \wedge ((k4_tarski \\
& (k10_finseq_1 X4 X3) k2_twoscomp \in u1_struct_0 (k1_ftacell1 X0 \\
& X1 X2 X3 X4)) \wedge ((k4_tarski (k10_finseq_1 X3 (k12_gfacirc1 X0 X1 X2)) \\
& k2_twoscomp \in u1_struct_0 (k1_ftacell1 X0 X1 X2 X3 X4)) \wedge ((k9_gfacirc1 \\
& (k12_gfacirc1 X0 X1 X2) X4 X3 \in u1_struct_0 (k1_ftacell1 X0 X1 X2 X3 \\
& X4))))))))))))))
\end{aligned}$$