

t4_osalg_4
(TMKaH9g7o2a1F3jYtdavAqBdvvKwag82uqP)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v3_orders_2 : \iota \Rightarrow o$ be given. Let $v4_orders_2 : \iota \Rightarrow o$ be given. Let $v5_orders_2 : \iota \Rightarrow o$ be given. Let $l1_orders_2 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $r3_orders_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_osalg_4 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v3_relat_2 : \iota \Rightarrow o$ be given. Let $v8_relat_2 : \iota \Rightarrow o$ be given. Let $v1_partfun1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_tarski : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k6_eqrel_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k1_osalg_4 : \iota \Rightarrow \iota$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. ((v3_relat_2 X2) \wedge ((v8_relat_2 \\ & X2) \wedge ((v1_partfun1 X2 X0) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\ & X0 X0)))))) \Rightarrow (\forall X3. (X3 \in X0) \Rightarrow ((k4_tarski X3 X1 \in X2) \Leftrightarrow (k6_eqrel_1 \\ & X0 X0 X2 X3 = k6_eqrel_1 X0 X0 X2 X1))) \end{aligned} \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. (m1_subset_1 X0 X1) \Rightarrow ((v1_xboole_0 X1) \vee (X0 \in X1)) \quad (2)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v3_orders_2 X0) \wedge ((v4_orders_2 \\ & X0) \wedge ((v5_orders_2 X0) \wedge (l1_orders_2 X0)))))) \Rightarrow (\forall X1. (m1_subset_1 \\ & X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. (m1_subset_1 X2 (u1_struct_0 \\ & X0)) \Rightarrow ((r3_orders_2 X0 X1 X2) \Rightarrow (k4_tarski X1 X2 \in k1_osalg_4 X0)))) \end{aligned} \quad (3)$$

Assume the following.

$$\forall X0. ((\neg v2_struct_0 X0) \wedge (l1_struct_0 X0)) \Rightarrow (\neg v1_xboole_0 (u1_struct_0 X0)) \quad (4)$$

Assume the following.

$$\forall X0. (l1_orders_2 X0) \Rightarrow (l1_struct_0 X0) \quad (5)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v3_orders_2 X0) \wedge ((v4_orders_2 \\ X0) \wedge ((v5_orders_2 X0) \wedge (l1_orders_2 X0)))))) \Rightarrow ((v1_partfun1 (\\ k1_osalg_4 X0) (u1_struct_0 X0)) \wedge ((v3_relat_2 (k1_osalg_4 X0)) \wedge \\ ((v8_relat_2 (k1_osalg_4 X0)) \wedge (m1_subset_1 (k1_osalg_4 X0) (\\ k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X0))))))) \end{aligned} \quad (6)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v3_orders_2 X0) \wedge ((v4_orders_2 \\ X0) \wedge ((v5_orders_2 X0) \wedge (l1_orders_2 X0)))))) \Rightarrow (\forall X1.(m1_subset_1 \\ X1 (u1_struct_0 X0)) \Rightarrow (k3_osalg_4 X0 X1 = k6_eqrel_1 (u1_struct_0 \\ X0) (u1_struct_0 X0) (k1_osalg_4 X0) X1)) \end{aligned} \quad (7)$$

Theorem 1

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v3_orders_2 X0) \wedge ((v4_orders_2 \\ X0) \wedge ((v5_orders_2 X0) \wedge (l1_orders_2 X0)))))) \Rightarrow (\forall X1.(m1_subset_1 \\ X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 \\ X0)) \Rightarrow ((r3_orders_2 X0 X1 X2) \Rightarrow (k3_osalg_4 X0 X1 = k3_osalg_4 X0 X2)))) \end{aligned}$$