

t4_waybel11

(TMW5kyPy6crQAb7GtkvvKmPhJWJcjuNJBMy)

October 27, 2020

Let $v3_orders_2 : \iota \Rightarrow o$ be given. Let $v4_orders_2 : \iota \Rightarrow o$ be given. Let $v5_orders_2 : \iota \Rightarrow o$ be given. Let $v1_lattice3 : \iota \Rightarrow o$ be given. Let $l1_orders_2 : \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v1_finset_1 : \iota \Rightarrow o$ be given. Let $v1_waybel_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k1_yellow_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_yellow_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r2_lattice3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_orders_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v2_struct_0 : \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0. \forall X1. (m1_subset_1 X0 (k1_zfmisc_1 X1)) \Leftrightarrow (r1_tarski X0 X1) \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((v5_orders_2 X0) \wedge (l1_orders_2 X0)) \Rightarrow (\forall X1. \\ & (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. (((X1 = k1_yellow_0 \\ & X0 X2) \wedge (r1_yellow_0 X0 X2)) \Rightarrow ((r2_lattice3 X0 X2 X1) \wedge (\forall X3. \\ & (m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow ((r2_lattice3 X0 X2 X3) \Rightarrow (r1_orders_2 \\ & X0 X1 X3)))))) \wedge (((r2_lattice3 X0 X2 X1) \wedge (\forall X3. (m1_subset_1 \\ & X3 (u1_struct_0 X0)) \Rightarrow ((r2_lattice3 X0 X2 X3) \Rightarrow (r1_orders_2 X0 X1 \\ & X3)))))) \Rightarrow ((X1 = k1_yellow_0 X0 X2) \wedge (r1_yellow_0 X0 X2)))) \end{aligned} \quad (2)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v4_orders_2 X0) \wedge (l1_orders_2 \\ & X0))) \Rightarrow (\forall X1. (m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 \\ & X0))) \Rightarrow (((\neg v1_xboole_0 X1) \wedge (v1_waybel_0 X1 X0)) \Leftrightarrow (\forall X2. \\ & ((v1_finset_1 X2) \wedge (m1_subset_1 X2 (k1_zfmisc_1 X1))) \Rightarrow (\exists X3. \\ & (m1_subset_1 X3 (u1_struct_0 X0)) \wedge ((X3 \in X1) \wedge (r2_lattice3 X0 X2 \\ & X3)))))) \end{aligned} \quad (3)$$

Assume the following.

$$\forall X0. \forall X1. r1_tarski X0 X0 \quad (4)$$

Assume the following.

$$\begin{aligned} \forall X0.(l1_orders_2 X0) \Rightarrow (\forall X1.\forall X2.(m1_subset_1 \\ X2 (u1_struct_0 X0)) \Rightarrow ((r2_lattice3 X0 X1 X2) \Leftrightarrow (\forall X3.(m1_subset_1 \\ X3 (u1_struct_0 X0)) \Rightarrow ((X3 \in X1) \Rightarrow (r1_orders_2 X0 X3 X2)))))) \end{aligned} \quad (5)$$

Assume the following.

$$\forall X0.(l1_orders_2 X0) \Rightarrow ((v1_lattice3 X0) \Rightarrow (\neg v2_struct_0 X0)) \quad (6)$$

Theorem 1

$$\begin{aligned} \forall X0.((v3_orders_2 X0) \wedge ((v4_orders_2 X0) \wedge ((v5_orders_2 \\ X0) \wedge ((v1_lattice3 X0) \wedge (l1_orders_2 X0)))))) \Rightarrow (\forall X1.((\neg \\ v1_xboole_0 X1) \wedge ((v1_finset_1 X1) \wedge ((v1_waybel_0 X1 X0) \wedge (m1_subset_1 \\ X1 (k1_zfmisc_1 (u1_struct_0 X0)))))) \Rightarrow (k1_yellow_0 X0 X1 \in X1)) \end{aligned}$$