

## t50\_matrix\_8

(TMWc7uq4Tyteff1sTH46s2n6x2bkMJtCS3n)

October 27, 2020

Let  $v7\_ordinal1 : \iota \Rightarrow o$  be given. Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v6\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v13\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v33\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v3\_group\_1 : \iota \Rightarrow o$  be given. Let  $v5\_group\_1 : \iota \Rightarrow o$  be given. Let  $v2\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_vectsp\_1 : \iota \Rightarrow o$  be given. Let  $v5\_vectsp\_1 : \iota \Rightarrow o$  be given. Let  $l6\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $m1\_matrix\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $r2\_matrix\_8 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $r1\_xxreal\_0 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k6\_numbers : \iota$  be given. Let  $k5\_matrix\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_matrix\_1 : \iota \Rightarrow o$  be given. Let  $m2\_finseq\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k3\_finseq\_2 : \iota \Rightarrow \iota$  be given. Let  $k1\_matrix\_1 : \iota \Rightarrow \iota$  be given. Let  $k3\_finseq\_1 : \iota \Rightarrow \iota$  be given. Let  $k4\_matrix\_3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $k2\_matrix\_1 : \iota \Rightarrow \iota$  be given. Let  $k2\_zfmisc\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k2\_finseq\_1 : \iota \Rightarrow \iota$  be given. Let  $k4\_matrix\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_xxreal\_0 : \iota \Rightarrow o$  be given. Let  $k4\_matrix\_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $l1\_struct\_0 : \iota \Rightarrow o$  be given. Let  $l2\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $l5\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $l2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $l1\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v1\_matrix\_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v1\_xxreal\_0 : \iota \Rightarrow o$  be given. Assume the following.

$$\begin{aligned}
 & \forall X0. ((\neg v2\_struct\_0 X0) \wedge ((\neg v6\_struct\_0 X0) \wedge ((v13\_algstr\_0 \\
 & X0) \wedge ((v33\_algstr\_0 X0) \wedge ((v3\_group\_1 X0) \wedge ((v5\_group\_1 X0) \wedge ( \\
 & (v2\_rlvect\_1 X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v4\_vectsp\_1 \\
 & X0) \wedge ((v5\_vectsp\_1 X0) \wedge (l6\_algstr\_0 X0)))))))))) \Rightarrow (\forall X1. \\
 & ((v1\_matrix\_1 X1) \wedge (m2\_finseq\_1 X1 (k3\_finseq\_2 (u1\_struct\_0 \\
 & X0)))) \Rightarrow (\forall X2. ((v1\_matrix\_1 X2) \wedge (m2\_finseq\_1 X2 (k3\_finseq\_2 \\
 & (u1\_struct\_0 X0)))) \Rightarrow (\forall X3. ((v1\_matrix\_1 X3) \wedge (m2\_finseq\_1 \\
 & X3 (k3\_finseq\_2 (u1\_struct\_0 X0)))) \Rightarrow (((k1\_matrix\_1 X1 = k3\_finseq\_1 \\
 & X2) \wedge (k1\_matrix\_1 X2 = k3\_finseq\_1 X3)) \Rightarrow (k4\_matrix\_3 X0 (k4\_matrix\_3 \\
 & X0 X1 X2) X3 = k4\_matrix\_3 X0 X1 (k4\_matrix\_3 X0 X2 X3))))))
 \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0.(v7\_ordinal1\ X0) \Rightarrow (\forall X1.(\neg v1\_xboole\_0\ X1) \Rightarrow ( \\ & \forall X2.(m1\_matrix\_1\ X2\ X1\ X0\ X0) \Rightarrow ((k3\_finseq\_1\ X2 = X0) \wedge ((k1\_matrix\_1 \\ & X2 = X0) \wedge (k2\_matrix\_1\ X2 = k2\_zfmisc\_1\ (k2\_finseq\_1\ X0)\ (k2\_finseq\_1 \\ & X0)))))) \end{aligned} \quad (2)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2\_struct\_0\ X0) \wedge ((\neg v6\_struct\_0\ X0) \wedge ((v13\_algstr\_0 \\ & X0) \wedge ((v33\_algstr\_0\ X0) \wedge ((v3\_group\_1\ X0) \wedge ((v5\_group\_1\ X0) \wedge ( \\ & v2\_rlvect\_1\ X0) \wedge ((v3\_rlvect\_1\ X0) \wedge ((v4\_rlvect\_1\ X0) \wedge ((v4\_vectsp\_1 \\ & X0) \wedge ((v5\_vectsp\_1\ X0) \wedge (l6\_algstr\_0\ X0)))))))))) \Rightarrow (\forall X1. \\ & ((v1\_matrix\_1\ X1) \wedge (m2\_finseq\_1\ X1\ (k3\_finseq\_2\ (u1\_struct\_0 \\ & X0)))) \Rightarrow (\forall X2.((v1\_matrix\_1\ X2) \wedge (m2\_finseq\_1\ X2\ (k3\_finseq\_2 \\ & (u1\_struct\_0\ X0)))) \Rightarrow ((k1\_matrix\_1\ X1 = k3\_finseq\_1\ X2) \Rightarrow ((k1\_matrix\_1 \\ & X2 = k6\_numbers) \vee (k4\_matrix\_1\ (u1\_struct\_0\ X0)\ (k4\_matrix\_3\ X0 \\ & X1\ X2) = k4\_matrix\_3\ X0\ (k4\_matrix\_1\ (u1\_struct\_0\ X0)\ X2)\ (k4\_matrix\_1 \\ & (u1\_struct\_0\ X0)\ X1)))))) \end{aligned} \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0.(\neg v1\_xboole\_0\ X0) \Rightarrow (\forall X1.((v1\_matrix\_1\ X1) \wedge \\ & (m2\_finseq\_1\ X1\ (k3\_finseq\_2\ X0))) \Rightarrow (\neg(\neg r1\_xxreal\_0\ (k3\_finseq\_1 \\ & X1)\ k6\_numbers) \wedge (\neg r1\_xxreal\_0\ (k1\_matrix\_1\ X1)\ k6\_numbers) \wedge \\ & (k4\_matrix\_1\ X0\ (k4\_matrix\_1\ X0\ X1) \neq X1))) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.((v1\_xxreal\_0\ X0) \wedge (v1\_xxreal\_0\ X1)) \Rightarrow ( \\ & r1\_xxreal\_0\ X0\ X0) \end{aligned} \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.((v7\_ordinal1\ X0) \wedge ((\neg v1\_xboole\_0 \\ & X1) \wedge (m1\_matrix\_1\ X2\ X1\ X0\ X0))) \Rightarrow (k5\_matrix\_1\ X0\ X1\ X2 = k4\_matrix\_1 \\ & X1\ X2) \end{aligned} \quad (6)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.((v7\_ordinal1\ X0) \wedge \\ & (((\neg v2\_struct\_0\ X1) \wedge ((\neg v6\_struct\_0\ X1) \wedge ((v13\_algstr\_0\ X1) \wedge \\ & ((v33\_algstr\_0\ X1) \wedge ((v3\_group\_1\ X1) \wedge ((v5\_group\_1\ X1) \wedge ((v2\_rlvect\_1 \\ & X1) \wedge ((v3\_rlvect\_1\ X1) \wedge ((v4\_rlvect\_1\ X1) \wedge ((v4\_vectsp\_1\ X1) \wedge \\ & ((v5\_vectsp\_1\ X1) \wedge (l6\_algstr\_0\ X1)))))))))) \wedge ((m1\_matrix\_1 \\ & X2\ (u1\_struct\_0\ X1)\ X0\ X0) \wedge (m1\_matrix\_1\ X3\ (u1\_struct\_0\ X1)\ X0\ X0))) \Rightarrow \\ & (k4\_matrix\_6\ X0\ X1\ X2\ X3 = k4\_matrix\_3\ X1\ X2\ X3) \end{aligned} \quad (7)$$

Assume the following.

$$\forall X0.((\neg v2\_struct\_0 X0) \wedge (l1\_struct\_0 X0)) \Rightarrow (\neg v1\_xboole\_0 (u1\_struct\_0 X0)) \quad (8)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. ((\neg v1\_xboole\_0 X0) \wedge ((v7\_ordinal1 X1) \wedge (v7\_ordinal1 X2))) \Rightarrow (\forall X3. (m1\_matrix\_1 X3 X0 X1 X2) \Rightarrow ((v1\_matrix\_1 X3) \wedge (m2\_finseq\_1 X3 (k3\_finseq\_2 X0)))) \quad (9)$$

Assume the following.

$$\forall X0. (l6\_algstr\_0 X0) \Rightarrow ((l2\_algstr\_0 X0) \wedge (l5\_algstr\_0 X0)) \quad (10)$$

Assume the following.

$$\forall X0. (l2\_algstr\_0 X0) \Rightarrow ((l2\_struct\_0 X0) \wedge (l1\_algstr\_0 X0)) \quad (11)$$

Assume the following.

$$\forall X0. (l1\_algstr\_0 X0) \Rightarrow (l1\_struct\_0 X0) \quad (12)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. ((v7\_ordinal1 X0) \wedge ((\neg v1\_xboole\_0 X1) \wedge (m1\_matrix\_1 X2 X1 X0 X0))) \Rightarrow (m1\_matrix\_1 (k5\_matrix\_1 X0 X1 X2) X1 X0 X0) \quad (13)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. \forall X3. ((v7\_ordinal1 X0) \wedge (((\neg v2\_struct\_0 X1) \wedge ((\neg v6\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v33\_algstr\_0 X1) \wedge ((v3\_group\_1 X1) \wedge ((v5\_group\_1 X1) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge ((v4\_vectsp\_1 X1) \wedge ((v5\_vectsp\_1 X1) \wedge (l6\_algstr\_0 X1)))))))))))))) \wedge ((m1\_matrix\_1 X2 (u1\_struct\_0 X1) X0 X0) \wedge (m1\_matrix\_1 X3 (u1\_struct\_0 X1) X0 X0))) \Rightarrow (m1\_matrix\_1 (k4\_matrix\_6 X0 X1 X2 X3) (u1\_struct\_0 X1) X0 X0) \quad (14)$$

Assume the following.

$$\forall X0. (v7\_ordinal1 X0) \Rightarrow (\forall X1. ((\neg v2\_struct\_0 X1) \wedge ((\neg v6\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v33\_algstr\_0 X1) \wedge ((v3\_group\_1 X1) \wedge ((v5\_group\_1 X1) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge ((v4\_vectsp\_1 X1) \wedge ((v5\_vectsp\_1 X1) \wedge (l6\_algstr\_0 X1)))))))))))))) \Rightarrow (\forall X2. (m1\_matrix\_1 X2 (u1\_struct\_0 X1) X0 X0) \Rightarrow (\forall X3. (m1\_matrix\_1 X3 (u1\_struct\_0 X1) X0 X0) \Rightarrow ((r2\_matrix\_8 X0 X1 X2 X3) \Leftrightarrow (\exists X4. (m1\_matrix\_1 X4 (u1\_struct\_0 X1) X0 X0) \wedge ((v1\_matrix\_6 X4 X0 X1) \wedge (X2 = k4\_matrix\_6 X0 X1 (k4\_matrix\_6 X0 X1 (k5\_matrix\_1 X0 (u1\_struct\_0 X1) X4) X3) X4)))))) \quad (15)$$

Assume the following.

$$\forall X0.(v1\_xreal\_0 X0) \Rightarrow (v1\_xxreal\_0 X0) \quad (16)$$

Assume the following.

$$\forall X0.(v7\_ordinal1 X0) \Rightarrow (v1\_xreal\_0 X0) \quad (17)$$

**Theorem 1**

$$\begin{aligned} & \forall X0.(v7\_ordinal1 X0) \Rightarrow (\forall X1.((\neg v2\_struct\_0 X1) \wedge \\ & ((\neg v6\_struct\_0 X1) \wedge (v13\_algstr\_0 X1) \wedge (v33\_algstr\_0 X1) \wedge \\ & (v3\_group\_1 X1) \wedge (v5\_group\_1 X1) \wedge (v2\_rlvect\_1 X1) \wedge (v3\_rlvect\_1 \\ & X1) \wedge (v4\_rlvect\_1 X1) \wedge (v4\_vectsp\_1 X1) \wedge (v5\_vectsp\_1 X1) \wedge \\ & (l6\_algstr\_0 X1)))))) \Rightarrow (\forall X2.(m1\_matrix\_1 X2 (u1\_struct\_0 \\ & X1) X0 X0) \Rightarrow (\forall X3.(m1\_matrix\_1 X3 (u1\_struct\_0 X1) X0 X0) \Rightarrow \\ & ((r2\_matrix\_8 X0 X1 X2 X3) \Rightarrow ((r1\_xxreal\_0 X0 k6\_numbers) \vee (r2\_matrix\_8 \\ & X0 X1 (k5\_matrix\_1 X0 (u1\_struct\_0 X1) X2) (k5\_matrix\_1 X0 (u1\_struct\_0 \\ & X1) X3)))))) \end{aligned}$$