

t50_rmod_4

(TMZGSaHrW4NXiExmQDWDD9N3CbVGtHi13Nj)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $v4_vectsp_1 : \iota \Rightarrow o$ be given. Let $v5_vectsp_1 : \iota \Rightarrow o$ be given. Let $l6_algstr_0 : \iota \Rightarrow o$ be given. Let $v4_vectsp_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l1_vectsp_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $m1_rmod_4 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k8_rmod_4 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_vectsp_1 : \iota \Rightarrow o$ be given. Let $v3_vectsp_1 : \iota \Rightarrow o$ be given. Let $k6_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_struct_0 : \iota \Rightarrow \iota$ be given. Let $l4_algstr_0 : \iota \Rightarrow o$ be given. Let $k1_group_1 : \iota \Rightarrow \iota$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $m1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m2_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k9_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $l5_algstr_0 : \iota \Rightarrow o$ be given. Let $l4_struct_0 : \iota \Rightarrow o$ be given. Let $l3_struct_0 : \iota \Rightarrow o$ be given. Let $l3_algstr_0 : \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_algstr_0 : \iota \Rightarrow o$ be given. Let $k7_rmod_4 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v6_vectsp_1 : \iota \Rightarrow o$ be given. Let $v2_vectsp_1 : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v1_vectsp_1 \\ & X0) \wedge ((v3_vectsp_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge \\ & (l6_algstr_0 X0)))))) \Rightarrow (\forall X1. (m1_subset_1 X1 (u1_struct_0 \\ & X0)) \Rightarrow (k6_algstr_0 X0 X1 (k4_algstr_0 X0 (k5_struct_0 X0)) = k4_algstr_0 \\ & X0 X1)) \end{aligned} \tag{1}$$

Assume the following.

$$\forall X0. ((\neg v2_struct_0 X0) \wedge ((v4_vectsp_1 X0) \wedge (l4_algstr_0 X0))) \Rightarrow (k1_group_1 X0 = k5_struct_0 X0) \tag{2}$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0) \wedge (l1_struct_0 X0)) \Rightarrow (\neg v1_xboole_0 (u1_struct_0 X0)) \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. ((\neg v1_xboole_0 X1) \wedge (m1_funct_2 \\ & X2 X0 X1)) \Rightarrow (\forall X3. (m2_funct_2 X3 X0 X1 X2) \Rightarrow ((v1_funct_1 X3) \wedge \\ & ((v1_funct_2 X3 X0 X1) \wedge (m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 \\ & X0 X1)))))) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. (((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge \\ & ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v3_group_1 \\ & X0) \wedge ((v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))))) \wedge \\ & ((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 X1) \wedge ((\\ & v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v4_vectsp_2 X1 X0) \wedge (l1_vectsp_2 \\ & X1 X0)))))))))) \Rightarrow (\forall X2. (m1_rmod_4 X2 X0 X1) \Rightarrow (m2_funct_2 X2 \\ & (u1_struct_0 X1) (u1_struct_0 X0) (k9_funct_2 (u1_struct_0 X1) \\ & (u1_struct_0 X0)))) \end{aligned} \quad (5)$$

Assume the following.

$$\forall X0. (l6_algstr_0 X0) \Rightarrow ((l2_algstr_0 X0) \wedge (l5_algstr_0 X0)) \quad (6)$$

Assume the following.

$$\forall X0. (l5_algstr_0 X0) \Rightarrow ((l4_algstr_0 X0) \wedge (l4_struct_0 X0)) \quad (7)$$

Assume the following.

$$\forall X0. (l4_algstr_0 X0) \Rightarrow ((l3_struct_0 X0) \wedge (l3_algstr_0 X0)) \quad (8)$$

Assume the following.

$$\forall X0. (l2_struct_0 X0) \Rightarrow (l1_struct_0 X0) \quad (9)$$

Assume the following.

$$\forall X0. (l2_algstr_0 X0) \Rightarrow ((l2_struct_0 X0) \wedge (l1_algstr_0 X0)) \quad (10)$$

Assume the following.

$$\forall X0. (l1_struct_0 X0) \Rightarrow (\forall X1. (l1_vectsp_2 X1 X0) \Rightarrow (l2_algstr_0 X1)) \quad (11)$$

Assume the following.

$$\forall X0. \forall X1. (\neg v1_xboole_0 X1) \Rightarrow (m1_funct_2 (k9_funct_2 X0 X1) X0 X1) \quad (12)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.(((\neg v2_struct_0 \\ & X0)\wedge((v13_algstr_0 X0)\wedge((v2_rlvect_1 X0)\wedge((v3_rlvect_1 X0)\wedge \\ & ((v4_rlvect_1 X0)\wedge((v3_group_1 X0)\wedge((v4_vectsp_1 X0)\wedge((v5_vectsp_1 \\ & X0)\wedge(l6_algstr_0 X0))))))))\wedge(((\neg v2_struct_0 X1)\wedge((v13_algstr_0 \\ & X1)\wedge((v2_rlvect_1 X1)\wedge((v3_rlvect_1 X1)\wedge((v4_rlvect_1 X1)\wedge \\ & ((v4_vectsp_2 X1 X0)\wedge(l1_vectsp_2 X1 X0))))))))\wedge((m1_subset_1 \\ & X2 (u1_struct_0 X0)\wedge(m1_rmod_4 X3 X0 X1)))\Rightarrow(m1_rmod_4 (k7_rmod_4 \\ & X0 X1 X2 X3) X0 X1) \end{aligned} \quad (13)$$

Assume the following.

$$\forall X0.(l3_struct_0 X0)\Rightarrow(m1_subset_1 (k5_struct_0 X0) (u1_struct_0 X0)) \quad (14)$$

Assume the following.

$$\forall X0.\forall X1.((l2_algstr_0 X0)\wedge(m1_subset_1 X1 (u1_struct_0 X0)))\Rightarrow(m1_subset_1 (k4_algstr_0 X0 X1) (u1_struct_0 X0)) \quad (15)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.((\neg v1_xboole_0 X0)\wedge \\ & (((v1_funct_1 X2)\wedge((v1_funct_2 X2 X0 X1)\wedge(m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1))))\wedge(m1_subset_1 X3 X0)))\Rightarrow(m1_subset_1 (\\ & k3_funct_2 X0 X1 X2 X3) X1) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0)\wedge((v13_algstr_0 X0)\wedge((v2_rlvect_1 \\ & X0)\wedge((v3_rlvect_1 X0)\wedge((v4_rlvect_1 X0)\wedge((v3_group_1 X0)\wedge(\\ & (v4_vectsp_1 X0)\wedge((v5_vectsp_1 X0)\wedge(l6_algstr_0 X0))))))))\Rightarrow \\ & (\forall X1.((\neg v2_struct_0 X1)\wedge((v13_algstr_0 X1)\wedge((v2_rlvect_1 \\ & X1)\wedge((v3_rlvect_1 X1)\wedge((v4_rlvect_1 X1)\wedge((v4_vectsp_2 X1 X0)\wedge \\ & (l1_vectsp_2 X1 X0))))))))\Rightarrow(\forall X2.(m1_rmod_4 X2 X0 X1)\Rightarrow(k8_rmod_4 \\ & X0 X1 X2 = k7_rmod_4 X0 X1 (k4_algstr_0 X0 (k1_group_1 X0) X2))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v3_group_1 X0) \wedge (\\
& (v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))) \Rightarrow \\
& (\forall X1.((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 \\
& X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v4_vectsp_2 X1 X0) \wedge \\
& (l1_vectsp_2 X1 X0))))))) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 \\
& X0)) \Rightarrow (\forall X3.(m1_rmod_4 X3 X0 X1) \Rightarrow (\forall X4.(m1_rmod_4 \\
& X4 X0 X1) \Rightarrow ((X4 = k7_rmod_4 X0 X1 X2 X3) \Leftrightarrow (\forall X5.(m1_subset_1 \\
& X5 (u1_struct_0 X1) \Rightarrow (k3_funct_2 (u1_struct_0 X1) (u1_struct_0 \\
& X0) X4 X5 = k6_algstr_0 X0 (k3_funct_2 (u1_struct_0 X1) (u1_struct_0 \\
& X0) X3 X5) X2))))))
\end{aligned} \tag{18}$$

Assume the following.

$$\begin{aligned}
& \forall X0.(l4_algstr_0 X0) \Rightarrow (((\neg v2_struct_0 X0) \wedge (v4_vectsp_1 \\
& X0)) \Rightarrow ((\neg v2_struct_0 X0) \wedge ((v3_vectsp_1 X0) \wedge (v6_vectsp_1 X0))))
\end{aligned} \tag{19}$$

Assume the following.

$$\begin{aligned}
& \forall X0.(l6_algstr_0 X0) \Rightarrow (((\neg v2_struct_0 X0) \wedge (v5_vectsp_1 \\
& X0)) \Rightarrow ((\neg v2_struct_0 X0) \wedge ((v1_vectsp_1 X0) \wedge (v2_vectsp_1 X0))))
\end{aligned} \tag{20}$$

Theorem 1

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v3_group_1 X0) \wedge (\\
& (v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))) \Rightarrow \\
& (\forall X1.((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 \\
& X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v4_vectsp_2 X1 X0) \wedge \\
& (l1_vectsp_2 X1 X0))))))) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 \\
& X1)) \Rightarrow (\forall X3.(m1_rmod_4 X3 X0 X1) \Rightarrow (k3_funct_2 (u1_struct_0 \\
& X1) (u1_struct_0 X0) (k8_rmod_4 X0 X1 X3) X2 = k4_algstr_0 X0 (k3_funct_2 \\
& (u1_struct_0 X1) (u1_struct_0 X0) X3 X2))))))
\end{aligned}$$