

t51_fvaluat1

(TMat9CspppTsARjmUqq532LVyDB1RBJu9po)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v6_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $v5_vectsp_1 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v1_realset2 : \iota \Rightarrow o$ be given. Let $l6_algstr_0 : \iota \Rightarrow o$ be given. Let $m1_fvaluat1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v3_fvaluat1 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k7_fvaluat1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k5_struct_0 : \iota \Rightarrow \iota$ be given. Let $k6_fvaluat1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v36_algstr_0 : \iota \Rightarrow o$ be given. Let $v5_group_1 : \iota \Rightarrow o$ be given. Let $v4_vectsp_1 : \iota \Rightarrow o$ be given. Let $u1_algstr_0 : \iota \Rightarrow \iota$ be given. Let $k2_partfun1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u2_algstr_0 : \iota \Rightarrow \iota$ be given. Let $u2_struct_0 : \iota \Rightarrow \iota$ be given. Let $k4_struct_0 : \iota \Rightarrow \iota$ be given. Let $u3_struct_0 : \iota \Rightarrow \iota$ be given. Let $r1_xxreal_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k6_numbers : \iota$ be given. Let $k3_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k7_numbers : \iota$ be given. Let $v33_algstr_0 : \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0. \forall X1. \neg (X0 \in X1) \wedge (v1_xboole_0 X1) \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 \\ & X0) \wedge ((v3_group_1 X0) \wedge ((v5_vectsp_1 X0) \wedge ((v2_rlvect_1 X0) \wedge \\ & (v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v1_realset2 X0) \wedge (l6_algstr_0 \\ & X0)))))))))) \Rightarrow (\forall X1. (m1_fvaluat1 X1 X0) \Rightarrow ((v3_fvaluat1 \\ & X0) \Rightarrow (k5_struct_0 X0 \in k6_fvaluat1 X0 X1))) \quad (2) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. (((\neg v2_struct_0 X0) \wedge (\neg v6_struct_0 X0) \wedge \\
& ((v13_algstr_0 X0) \wedge (v3_group_1 X0) \wedge (v5_vectsp_1 X0) \wedge (v2_rlvect_1 \\
& X0) \wedge (v3_rlvect_1 X0) \wedge (v4_rlvect_1 X0) \wedge (v1_realset2 X0) \wedge \\
& (l6_algstr_0 X0)))))) \wedge (m1_fvaluat1 X1 X0) \Rightarrow ((\neg v2_struct_0 \\
& (k7_fvaluat1 X0 X1)) \wedge (\neg v6_struct_0 (k7_fvaluat1 X0 X1)) \wedge ((v13_algstr_0 \\
& (k7_fvaluat1 X0 X1)) \wedge (v36_algstr_0 (k7_fvaluat1 X0 X1)) \wedge (v3_group_1 \\
& (k7_fvaluat1 X0 X1)) \wedge (v5_group_1 (k7_fvaluat1 X0 X1)) \wedge (v4_vectsp_1 \\
& (k7_fvaluat1 X0 X1)) \wedge (v5_vectsp_1 (k7_fvaluat1 X0 X1)) \wedge (v2_rlvect_1 \\
& (k7_fvaluat1 X0 X1)) \wedge (v3_rlvect_1 (k7_fvaluat1 X0 X1)) \wedge (v4_rlvect_1 \\
& (k7_fvaluat1 X0 X1)) \wedge (l6_algstr_0 (k7_fvaluat1 X0 X1))))))))) \\
\end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. ((\neg v1_xboole_0 X0) \Rightarrow ((m1_subset_1 X1 X0) \Leftrightarrow \\
& (X1 \in X0))) \wedge ((v1_xboole_0 X0) \Rightarrow ((m1_subset_1 X1 X0) \Leftrightarrow (v1_xboole_0 \\
& X1))) \\
\end{aligned} \tag{4}$$

Assume the following.

$$\begin{aligned}
& \forall X0. ((\neg v2_struct_0 X0) \wedge (\neg v6_struct_0 X0) \wedge ((v13_algstr_0 \\
& X0) \wedge (v3_group_1 X0) \wedge (v5_vectsp_1 X0) \wedge (v2_rlvect_1 X0) \wedge \\
& (v3_rlvect_1 X0) \wedge (v4_rlvect_1 X0) \wedge (v1_realset2 X0) \wedge (l6_algstr_0 \\
& X0)))))) \Rightarrow (\forall X1. (m1_fvaluat1 X1 X0) \Rightarrow ((v3_fvaluat1 \\
& X0) \Rightarrow (\forall X2. ((\neg v2_struct_0 X2) \wedge (\neg v6_struct_0 X2) \wedge ((v13_algstr_0 \\
& X2) \wedge (v36_algstr_0 X2) \wedge (v3_group_1 X2) \wedge (v5_group_1 X2) \wedge \\
& (v4_vectsp_1 X2) \wedge (v5_vectsp_1 X2) \wedge (v2_rlvect_1 X2) \wedge (v3_rlvect_1 \\
& X2) \wedge (v4_rlvect_1 X2) \wedge (l6_algstr_0 X2)))))) \Rightarrow ((X2 = k7_fvaluat1 \\
& X0 X1) \Leftrightarrow ((u1_struct_0 X2 = k6_fvaluat1 X0 X1) \wedge ((u1_algstr_0 X2 = \\
& k2_partfun1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X0)) (\\
& u1_struct_0 X0) (u1_algstr_0 X0) (k2_zfmisc_1 (k6_fvaluat1 X0 \\
& X1) (k6_fvaluat1 X0 X1))) \wedge ((u2_algstr_0 X2 = k2_partfun1 (k2_zfmisc_1 \\
& (u1_struct_0 X0) (u1_struct_0 X0)) (u1_struct_0 X0) (u2_algstr_0 \\
& X0) (k2_zfmisc_1 (k6_fvaluat1 X0 X1) (k6_fvaluat1 X0 X1))) \wedge ((u2_struct_0 \\
& X2 = k4_struct_0 X0) \wedge (u3_struct_0 X2 = k5_struct_0 X0))))))))) \\
\end{aligned} \tag{5}$$

Assume the following.

$$\begin{aligned}
& \forall X0. ((\neg v2_struct_0 X0) \wedge (l6_algstr_0 X0)) \Rightarrow (\forall X1. \\
& (m1_fvaluat1 X1 X0) \Rightarrow (k6_fvaluat1 X0 X1 = \text{ReplSep} (\text{toset} (\lambda X2 : \\
& \iota.m1_subset_1 X2 (u1_struct_0 X0))) (\lambda X2 : \iota.r1_xxreal_0 \\
& k6_numbers (k3_funct_2 (u1_struct_0 X0) k7_numbers X1 X2)) (\lambda X2 : \\
& \iota.X2))) \\
\end{aligned} \tag{6}$$

Assume the following.

$$\begin{aligned} \forall X0. (&l6_algstr_0 X0) \Rightarrow (((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 \\ &X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge \\ &((v5_vectsp_1 X0) \wedge (v1_realset2 X0))))))) \Rightarrow ((\neg v6_struct_0 X0) \wedge \\ &((v33_algstr_0 X0) \wedge ((v3_group_1 X0) \wedge ((v5_group_1 X0) \wedge (v4_vectsp_1 \\ &X0)))))) \end{aligned} \tag{7}$$

Theorem 1

$$\begin{aligned} \forall X0. (&\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 \\ &X0) \wedge ((v3_group_1 X0) \wedge ((v5_vectsp_1 X0) \wedge ((v2_rlvect_1 X0) \wedge \\ &(v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v1_realset2 X0) \wedge (l6_algstr_0 \\ &X0)))))))))) \Rightarrow (\forall X1. (m1_fvaluat1 X1 X0) \Rightarrow ((v3_fvaluat1 \\ &X0) \Rightarrow (\forall X2. (m1_subset_1 X2 (u1_struct_0 (k7_fvaluat1 X0 \\ &X1))) \Rightarrow (m1_subset_1 X2 (u1_struct_0 X0)))))) \end{aligned}$$