

## t51\_setlim\_1

(TMaEobYk9TkYfCNfR83r9gK1KYfAyhkwHtK)

October 27, 2020

Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k5\_numbers : \iota$  be given. Let  $v1\_funct\_1 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k9\_setfam\_1 : \iota \Rightarrow \iota$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $k2\_zfmisc\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v2\_prob\_1 : \iota \Rightarrow o$  be given. Let  $k3\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k2\_setlim\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k2\_nat\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $np\_1 : \iota$  be given. Let  $k3\_kurato\_0 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k3\_subset\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k4\_kurato\_0 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k2\_prob\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v3\_prob\_1 : \iota \Rightarrow o$  be given. Let  $k4\_setlim\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k1\_kurato\_0 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k2\_kurato\_0 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k1\_xboole\_0 : \iota$  be given. Let  $k4\_ordinal1 : \iota$  be given. Let  $k6\_numbers : \iota$  be given. Let  $k3\_prob\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v2\_xxreal\_0 : \iota \Rightarrow o$  be given. Let  $m2\_subset\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_numbers : \iota$  be given. Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $k4\_funct\_6 : \iota \Rightarrow \iota$  be given. Let  $k3\_card\_3 : \iota \Rightarrow \iota$  be given. Let  $v3\_ordinal1 : \iota \Rightarrow o$  be given. Let  $v7\_ordinal1 : \iota \Rightarrow o$  be given. Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((v1\_funct\_1 X1) \wedge ((v1\_funct\_2 X1 k5\_numbers \\ & (k9\_setfam\_1 X0)) \wedge (m1\_subset\_1 X1 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\ & k5\_numbers (k9\_setfam\_1 X0)))))) \Rightarrow (k3\_kurato\_0 X0 X1 = k3\_subset\_1 \\ & X0 (k4\_kurato\_0 X0 (k2\_prob\_1 X0 X1))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((v1\_funct\_1 X1) \wedge ((v1\_funct\_2 X1 k5\_numbers \\ & (k9\_setfam\_1 X0)) \wedge (m1\_subset\_1 X1 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\ & k5\_numbers (k9\_setfam\_1 X0)))))) \Rightarrow ((v2\_prob\_1 X1) \Leftrightarrow (v3\_prob\_1 \\ & (k2\_prob\_1 X0 X1))) \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned} & \forall X0.(m1\_subset\_1 X0 k5\_numbers) \Rightarrow (\forall X1.\forall X2. \\ & ((v1\_funct\_1 X2) \wedge ((v1\_funct\_2 X2 k5\_numbers (k9\_setfam\_1 X1)) \wedge \\ & (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (k9\_setfam\_1 \\ & X1)))))) \Rightarrow ((v3\_prob\_1 X2) \Rightarrow (k3\_funct\_2 k5\_numbers (k9\_setfam\_1 \\ & X1) (k4\_setlim\_1 X1 X2) X0 = k1\_kurato\_0 X1 X2))) \end{aligned} \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0.(m1\_subset\_1 X0 k5\_numbers) \Rightarrow (\forall X1.\forall X2. \\ & ((v1\_funct\_1 X2) \wedge ((v1\_funct\_2 X2 k5\_numbers (k9\_setfam\_1 X1)) \wedge \\ & (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (k9\_setfam\_1 \\ & X1)))))) \Rightarrow (k3\_funct\_2 k5\_numbers (k9\_setfam\_1 X1) (k2\_setlim\_1 \\ & X1 X2) X0 = k3\_subset\_1 X1 (k3\_funct\_2 k5\_numbers (k9\_setfam\_1 X1) \\ & (k4\_setlim\_1 X1 (k2\_prob\_1 X1 X2)) X0))) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.((v1\_funct\_1 X1) \wedge ((v1\_funct\_2 X1 k5\_numbers \\ & (k9\_setfam\_1 X0)) \wedge (m1\_subset\_1 X1 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\ & k5\_numbers (k9\_setfam\_1 X0)))))) \Rightarrow ((v3\_prob\_1 X1) \Rightarrow (k4\_kurato\_0 \\ & X0 X1 = k1\_kurato\_0 X0 X1)) \end{aligned} \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.((v1\_funct\_1 X1) \wedge ((v1\_funct\_2 X1 k5\_numbers \\ & (k9\_setfam\_1 X0)) \wedge (m1\_subset\_1 X1 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\ & k5\_numbers (k9\_setfam\_1 X0)))))) \Rightarrow ((v2\_prob\_1 X1) \Rightarrow (k3\_kurato\_0 \\ & X0 X1 = k2\_kurato\_0 X0 X1)) \end{aligned} \quad (6)$$

Assume the following.

$$m1\_subset\_1 k1\_xboole\_0 k4\_ordinal1 \quad (7)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.((v1\_funct\_1 X1) \wedge ((v1\_funct\_2 X1 k5\_numbers \\ & (k9\_setfam\_1 X0)) \wedge (m1\_subset\_1 X1 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\ & k5\_numbers (k9\_setfam\_1 X0)))))) \Rightarrow (k3\_funct\_2 k5\_numbers (k9\_setfam\_1 \\ & X0) (k2\_setlim\_1 X0 X1) k6\_numbers = k3\_prob\_1 X0 X1) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} & ((v2\_xxreal\_0 np\_1) \wedge (m2\_subset\_1 np\_1 k1\_numbers k5\_numbers)) \wedge \\ & ((m1\_subset\_1 np\_1 k5\_numbers) \wedge (m1\_subset\_1 np\_1 k1\_numbers)) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.((\neg v1\_xboole\_0 X0) \wedge ((\neg v1\_xboole\_0 X1) \wedge \\ & (m1\_subset\_1 X1 (k1\_zfmisc\_1 X0)))) \Rightarrow (\forall X2.(m2\_subset\_1 \\ & X2 X0 X1) \Leftrightarrow (m1\_subset\_1 X2 X1)) \end{aligned} \quad (10)$$

Assume the following.

$$\forall X0.k9\_setfam\_1 X0 = k1\_zfmisc\_1 X0 \quad (11)$$

Assume the following.

$$k6\_numbers = k1\_xboole\_0 \quad (12)$$

Assume the following.

$$k5\_numbers = k4\_ordinal1 \quad (13)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.((v1\_funct\_1 X1)\wedge((v1\_funct\_2 X1 k5\_numbers \\ (k9\_setfam\_1 X0))\wedge(m1\_subset\_1 X1 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\ k5\_numbers (k9\_setfam\_1 X0))))))\Rightarrow(k2\_kurato\_0 X0 X1 = k4\_funct\_6 \\ X1) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.((v1\_funct\_1 X1)\wedge((v1\_funct\_2 X1 k5\_numbers \\ (k9\_setfam\_1 X0))\wedge(m1\_subset\_1 X1 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\ k5\_numbers (k9\_setfam\_1 X0))))))\Rightarrow(k1\_kurato\_0 X0 X1 = k3\_card\_3 \\ X1) \end{aligned} \quad (15)$$

Assume the following.

$$(\neg v1\_xboole\_0 k4\_ordinal1)\wedge(v3\_ordinal1 k4\_ordinal1) \quad (16)$$

Assume the following.

$$m1\_subset\_1 k5\_numbers (k1\_zfmisc\_1 k1\_numbers) \quad (17)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.((v1\_funct\_1 X1)\wedge((v1\_funct\_2 X1 k5\_numbers \\ (k9\_setfam\_1 X0))\wedge(m1\_subset\_1 X1 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\ k5\_numbers (k9\_setfam\_1 X0))))))\Rightarrow((v1\_funct\_1 (k2\_prob\_1 X0 \\ X1))\wedge((v1\_funct\_2 (k2\_prob\_1 X0 X1) k5\_numbers (k9\_setfam\_1 X0))\wedge \\ (m1\_subset\_1 (k2\_prob\_1 X0 X1) (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers \\ (k9\_setfam\_1 X0)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\forall X0.\forall X1.((m1\_subset\_1 X0 k5\_numbers)\wedge(v7\_ordinal1 X1))\Rightarrow(m2\_subset\_1 (k2\_nat\_1 X0 X1) k1\_numbers k5\_numbers) \quad (19)$$

Assume the following.

$$\forall X0.(m1\_subset\_1 X0 k4\_ordinal1)\Rightarrow(v7\_ordinal1 X0) \quad (20)$$

Assume the following.

$$\forall X0.(v1\_xboole\_0 X0) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (k1\_zfmisc\_1 X0)) \Rightarrow (v1\_xboole\_0 X1)) \quad (21)$$

**Theorem 1**

$$\begin{aligned} & \forall X0.(m1\_subset\_1 X0 k5\_numbers) \Rightarrow (\forall X1.\forall X2. \\ & ((v1\_funct\_1 X2) \wedge ((v1\_funct\_2 X2 k5\_numbers (k9\_setfam\_1 X1)) \wedge \\ & (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (k9\_setfam\_1 \\ & X1)))))) \Rightarrow ((v2\_prob\_1 X2) \Rightarrow (k3\_funct\_2 k5\_numbers (k9\_setfam\_1 \\ & X1) (k2\_setlim\_1 X1 X2) X0 = k3\_funct\_2 k5\_numbers (k9\_setfam\_1 \\ & X1) (k2\_setlim\_1 X1 X2) (k2\_nat\_1 X0 np\_1)))) \end{aligned}$$